

La Grange Park Fire Department Monthly Report October 2016



Contents

- Overall Summary / Highlights
- Incident Report Summary
- EMS Division Summary
- Fire Prevention Division Summary
- Operations / Training Division Summary
- Significant Fire Report
- Incident Report Detail
- Correspondence

Village Board Meeting Fire Department Activity Memo

To: Julia Cedillo, Village Manager

From: Dean J. Maggos, Director of Fire & Building



Date: November 15, 2016

Re: Fire Department Activities – OCTOBER 2016

As requested for insertion into the Village Board meeting agenda packet, the following is a brief summary of Fire Department activity highlights for the month of October. As usual, a more comprehensive monthly report is kept within the department for your review.

EMS Responses for this month - 133. There have been 1395 YTD compared to 1445 YTD in 2015.
Fire/Rescue Incidents this month - 45. There have been 395 YTD compared to 423 YTD in 2015.

During the month, in conjunction with Fire Prevention Week, personnel hosted and participated in a number of public fire safety education and relation events. These included several presentations at Village schools, a presentation for Boy Scout Troop 90, a fire safety presentation for seniors at Bethlehem Woods, and participation in a silent parade in memory of Fallen Firefighters, among others. One of the highlights was our Annual Open House, which took place October 15th. We had several hundred attendees and wonderful weather. We greatly appreciate the support from the residents and Village Officials in being able to host this fun-filled educational event.

Also, at Fire Station No. 2, firefighters and Sparky the Fire Dog provided cider and fire prevention materials to participants at the Chamber's annual Haunted Trolley Trick or Treat event.

Interviews were conducted of paid-on-call firefighter applicants. At this point, approximately six personnel will be continuing through the hiring testing process.

Work continued on evaluating the purchase of a new Ambulance and Quint Ladder Truck. Additional demo vehicles were brought out for personnel to assess.

Underwriters Laboratories conducted annual inspection and testing of our ladder truck, which passed and received Certification. They also completed testing of all pumps on our fire apparatus.

Oct 5th Wed at 6:05 pm: Responded to a CO alarm at a home in the 400 block of N. Spring, and found high levels of CO, apparently from a blocked flu/chimney. There had been a similar response to the same home earlier in the week. In both instances, the home was ventilated and Nicor was contacted to respond.

Oct 5th Wed at 6:22 pm: Responded to a vehicle crash at Kemman and Oak. Firefighters utilized our hydraulic rescue tool to get the driver's door open and get the driver out of one of the vehicles

Oct 19th Wed at 12:07 pm: Responded for a natural gas leak in front of 1205 Ostrander caused when a contractor cut through the street with a saw. Nicor spent several hours on the scene repairing it.

Oct 28th Fri at 2:15 pm: Responded with an Engine to assist the Tri-State Fire District with a MABAS 3rd alarm fire at the famed Willowbrook Ballroom in Willow Springs.

Oct 31st Mon at 11:23 pm: Responded to an oven fire in the 500 block of Barnsdale, caused by items left in a broiler drawer. There was heavy smoke, and firefighters extinguished the fire using a fire extinguisher.

Incident Reports By Incident Type, Summary

Page 1 of 1

Incident Type	Total Incidents:
111 Building fire	2
3110 EMS Assist (In Town)	3
3210 EMS Call (In Town)	108
3211 EMS Call M/A Received	3
3213 EMS Call M/A Given	13
352 Extrication of victim(s) from vehicle	1
353 Removal of victim(s) from stalled elevator	1
381 Rescue or EMS standby	2
412 Gas leak (natural gas or LPG)	2
424 Carbon monoxide incident	2
555 Defective elevator, no occupants	1
571 Cover assignment, standby, moveup	1
611 Dispatched & canceled en route	16
651 Smoke scare, odor of smoke	1
671 Hazmat release investigation w/ no hazmat	6
735 Alarm system sounded due to malfunction	2
743 Smoke detector activation, no fire - unintentional	3
745 Alarm system sounded, no fire - unintentional	2
Total Number of Incidents:	169
Total Number of Incident Types:	18

Print Date: 11/15/2016

**LAGRANGE PARK FIRE DEPARTMENT
EMERGENCY MEDICAL SERVICES
RESPONSE ACTIVITIES – OCTOBER 2016**

NATURE OF CALL:

Cardiac	017
Injured Person	035
Medical Emergency	045
Road Accident	006
Respiratory	007
Assist Patient	008
Mutual Aid Given	012
EMS Stand-by	002

OUTCOME OF SERVICES:

Treated/Transported	093
Refused Services	024
Assist Patient Only	008
Other	000

LEVEL OF CARE PROVIDED:

Advanced (ALS)	055
Basic (BLS)	038
Refused Care	024
Other	008

TRANSPORT FACILITIES:

LaGrange Hospital	075
Loyola Medical Center	008
Hinsdale Hospital	007
MacNeal Hospital	001
Good Samaritan Hospital	001
Hines VA Hospital	000
Elmhurst Hospital	001
Not transported	032

RESPONSE ACTIVITY:

Total Calls – Month	133
Total Calls – YTD	1395
Total Patients – Month	125
Total Patients – YTD	1400

LOCATION OF CALL:

Commercial	005
Educational	
Brook Park School	000
Forest Road School	000
Nazareth Academy	002
Park Junior High School	001
St. Louise School/Church	000
Industrial	000
Bethlehem Woods Complex	
Residential Towers	024
Assisted Living Center	006
Institutional	
OLB Center	001
The Grove Health Care	005
Plymouth Place	016
Scheck Senior Center	001
Residential	
Single Family	037
Multi Family	016
Miscellaneous	
Police/Fire Station	001
Street/Road/Park	005
Mutual Aid Given	013


MUTUAL AID ACTIVITY:

Provided to:	
LaGrange	007
Brookfield	001
Westchester	005

Received from:	
LaGrange	003
Brookfield	001

Rick Ronovsky

Submitted by:
Rick Ronovsky, Division Chief
EMS Division


Approved by:
Dean Maggos, Fire Chief



LA GRANGE PARK FIRE DEPARTMENT

447 N. Catherine Avenue
La Grange Park, Illinois 60526

(708) 354-0225 Administration
(708) 352-2141 Non-Emergency
(708) 354-0241 FAX

EMERGENCY MEDICAL SERVICES ACTIVITY REPORT – OCTOBER 2016

Ambulance Responses:

This month, EMT and Paramedic personnel responded to a total of 133 requests for emergency medical services treating a total of 125 patients. There were 98 calls located west of the IHB Railroad and 22 calls east of the IHB Railroad. Year to date, there has been a total of 1395 requests for service treated 1400 patients.

This compares to last year (October 2015) when there were 148 requests for service with a year to date total of 1445 responses.

Training and Continuing Education:

EMT continuing education was held on Tuesday, October 11th in the Community Room at Fire Station #1. Paramedic continuing education was conducted on Monday, October 17th, Wednesday, October 19th, and Friday, October 21st at the LaGrange Fire Department.

Special Activities:

Members continued viewing and looking at ambulances and ambulance manufacturers working toward a recommendation to the Village for the purchase of a replacement ambulance in early fall.

On October 7th - Members provided ambulance and paramedic coverage at the Nazareth High School Football game.

On October 21st – Members provided ambulance and paramedic coverage at the Nazareth High School Football game.

Rick Ronovsky

Submitted by:
Rick Ronovsky, Division Chief


Approved by:
Dean J. Maggos, Fire Chief

**Fire Prevention and Education Activities for
October, 2016**

Fire Prevention and Education was conducted by Division Chief Carpenter

- Members conducted 0 Fire Inspections at the following type of occupancies:

- Residential: 0
- Commercial: 0
- Education: 0
- Industrial: 0
- Institution: 0
- Municipal: 0
- Office: 0


- Members noted 0 violations of the Village Fire and Life Safety code as follows:

- Alarm Systems: 0
- Fire Extinguishers: 0
- Electrical: 0
- Combustible Storage: 0
- Flammable Storage: 0
- Life Safety: 0
- Other: 0

- Members conducted 0 re-inspections with 0 of 0 outstanding violations corrected.


- The Department responded to 6 Fire alarm activation's during the month.

- Malicious: 0
- Malfunction: 1
- Smoke / Fire: 5


Submitted by:
John Carpenter, Division Chief
Fire Prevention Division


Approved By:
Dean J. Maggos, Fire Chief

- D/C Carpenter conducted plan review and inspection for the remodeling and alteration to the residential sprinklers at 218 Kings Ct.
- D/C Carpenter conducted a plan review for the new fire alarm system that will be installed at 326 Beach apartments.
- D/C Carpenter conducted final fire alarm testing for the new alarm system at the Nazareth addition project.
- D/C Carpenter conducted hydrostatic testing of the sprinkler system for the 1st floor remodeling at The Grove, 701 LaGrange Rd
- FF. McManus attended a final inspection meeting at Nazareth.
- DC Carpenter continues updating Knox box keys throughout the village.
- D/C Carpenter continues to receive request for lock box applications
- D/C Carpenter continues following up with several problem fire alarms.
- Hydrant flushing continues in the middle section of the Village.
- D/C carpenter conducted fire evacuation drill for Forest Rd School.
- Members conducted the annual Fire Department Open House at station #1
- Members conducted several public education programs for the Village schools.
- Raupp and Vikadel participated in the Broadview Home Depot safety day's event.
- Stelmak and Zimmerman participated in the annual Silent Parade event in Hinsdale.
- Chorely, Baudler and on duty medics conducted a public education event for a group of cub scouts at Brook Park School.
- Zimmerman, Psenicka, Storey and Vikidel participated in the annual Haunted Trolley event sponsored by the Business Association.
- Members attended several block parties.


 Submitted By:
 John Carpenter, Division Chief
 Fire Prevention Division


 Approved By:
 Dean J. Maggos, Fire Chief

**LaGrange Park Fire Department
Division of Operations & Training
October 2016**

Monthly Training Summary

Regular Training

October 3 & 4	SOG & Pre-Plan Review
October 10 & 11	Open House Preparation
October 17 & 18	Vehicle Extrication
October 24 & 25	Equipment, Vehicle, & Station Maintenance / Drivers Training

Training hour totals

	October 2016	2016 YTD
Regular Drill	202.00	2319.50
Other Training	46.50	1221.00

Monthly Operations Summary

Fire Call Activities


	October 2016	2016 YTD	October 2015	2015 YTD
Total Fire Calls	45	395	38	423

Fire Call Mutual Aid Summary

	October 2016 Aid Received	2016 YTD Aid Received	October 2016 Aid Given	2016 YTD Aid Given
Brookfield	3	26	4	51
La Grange	7	61	11	56
Western Springs	0	2	0	2
Other	0	1	4	22
Mutual Aid Totals	10	90	19	131



Submitted by:
Norman Rick, Division Chief
Support / Operations Division



Approved by:
Dean J. Maggos, Fire Chief

**LAGRANGE PARK FIRE DEPARTMENT
SIGNIFICANT FIRES - 2016**

DATE	TYPE OF OCCUPANCY	ADDRESS	ESTIMATED LOSS	MOST PROBABLE FIRE CAUSE
01-11-16	Single-Family Residence (Dryer)	1539 Beach	\$ 0	Overheated Motor
02-13-16	Single-Family Residence (Range)	738 Forest	\$ 0	Combustibles too close to heat
04-18-16	Office / Public Assembly	447 N. Catherine	\$ 140	Undetermined Electrical Overheating
05-14-16	Single-Family Residence	936 Beach Ave.	\$ 300	Incendiarary
06-21-16	Vehicle - Crash with Fire	La Grange and Scottdale	\$ 5000	Damage to fuel system
07-03-16	Business (Dumpster against wall)	1130 N. Maple	\$ 0	Fireworks Use
07-05-16	Assembly (Refuse near building)	1209 W. Ogden	\$ 0	Fireworks Use
07-17-16	Single-Family Residence	1127 Meadowcrest	\$ 3000	Grease Fire
09-03-16	Leaf/Brush Dump	400 blk of Homestead - Rear	\$ 0 (actual property)	Undetermined
10-31-16	Single-Family Residence (Oven)	514 Barnsdale	\$ 600	Combustibles left in broiler drawer

Significant Fire - All fires and potential fires in and around structures, or other fires resulting in greater than \$5,000.00 damage.

Last Updated - 10/31/16

Incident Reports By Incident Type

Page 1 of 6

Incident Type: 111 Building fire

Incident #	Exp #	Date	Time
161682	0	10/28/2016	2:15:00PM
161694	0	10/31/2016	11:23:00PM

Total Incidents: 2

Incident Type: 3110 EMS Assist (In Town)

Incident #	Exp #	Date	Time
161574	0	10/7/2016	4:43:00PM
161625	0	10/17/2016	8:02:00PM
161627	0	10/18/2016	9:54:00AM

Total Incidents: 3

Incident Type: 3210 EMS Call (In Town)

Incident #	Exp #	Date	Time
161530	0	10/1/2016	4:34:00PM
161532	0	10/2/2016	5:18:00AM
161533	0	10/2/2016	11:21:00AM
161534	0	10/2/2016	2:57:00PM
161535	0	10/2/2016	5:55:00PM
161538	0	10/3/2016	6:39:00AM
161539	0	10/3/2016	7:11:00AM
161540	0	10/3/2016	10:53:00AM
161541	0	10/3/2016	11:48:00AM
161542	0	10/3/2016	6:34:00PM
161543	0	10/3/2016	8:07:00PM
161545	0	10/4/2016	10:17:00AM
161547	0	10/4/2016	5:28:00PM
161550	0	10/5/2016	11:17:00AM
161552	0	10/5/2016	3:28:00PM
161558	0	10/5/2016	11:45:00PM
161559	0	10/6/2016	12:47:00AM
161560	0	10/6/2016	8:13:00AM
161561	0	10/6/2016	8:54:00AM
161563	0	10/6/2016	4:23:00PM
161564	0	10/6/2016	5:43:00PM
161565	0	10/6/2016	10:08:00PM
161566	0	10/7/2016	6:25:00AM
161567	0	10/7/2016	7:38:00AM
161569	0	10/7/2016	1:15:00PM
161570	0	10/7/2016	3:13:00PM
161571	0	10/7/2016	3:32:00PM
161573	0	10/7/2016	4:34:00PM
161575	0	10/7/2016	6:39:00PM

161576	0	10/7/2016	11:36:00PM
161577	0	10/8/2016	7:41:00AM
161578	0	10/8/2016	9:25:00AM
161579	0	10/8/2016	1:35:00PM
161581	0	10/8/2016	5:34:00PM
161582	0	10/8/2016	6:16:00PM
161583	0	10/8/2016	10:41:00PM
161584	0	10/9/2016	7:03:00AM
161585	0	10/9/2016	2:26:00PM
161587	0	10/9/2016	3:46:00PM
161588	0	10/9/2016	4:08:00PM
161590	0	10/9/2016	8:24:00PM
161591	0	10/10/2016	8:43:00AM
161592	0	10/10/2016	12:33:00PM
161594	0	10/10/2016	4:14:00PM
161595	0	10/10/2016	6:11:00PM
161596	0	10/10/2016	7:20:00PM
161597	0	10/11/2016	12:30:00PM
161598	0	10/11/2016	2:02:00PM
161601	0	10/12/2016	5:44:00PM
161602	0	10/13/2016	3:25:00AM
161603	0	10/13/2016	8:37:00AM
161604	0	10/13/2016	10:21:00AM
161605	0	10/13/2016	12:01:00PM
161609	0	10/13/2016	11:05:00PM
161610	0	10/14/2016	9:00:00AM
161611	0	10/14/2016	11:18:00AM
161612	0	10/15/2016	4:56:00AM
161613	0	10/15/2016	8:38:00AM
161614	0	10/15/2016	3:22:00PM
161616	0	10/15/2016	11:39:00PM
161617	0	10/16/2016	8:24:00AM
161618	0	10/16/2016	11:12:00AM
161621	0	10/17/2016	2:13:00AM
161623	0	10/17/2016	1:33:00PM
161626	0	10/18/2016	4:05:00AM
161628	0	10/18/2016	10:52:00AM
161630	0	10/18/2016	8:55:00PM
161634	0	10/19/2016	5:03:00PM
161635	0	10/19/2016	6:19:00PM
161636	0	10/19/2016	6:32:00PM
161637	0	10/20/2016	2:00:00AM
161638	0	10/20/2016	8:46:00AM
161639	0	10/20/2016	11:31:00AM
161644	0	10/21/2016	7:58:00PM
161645	0	10/22/2016	12:41:00AM
161646	0	10/22/2016	1:24:00AM
161647	0	10/22/2016	11:18:00AM
161648	0	10/22/2016	7:33:00PM
161650	0	10/22/2016	9:50:00PM
161651	0	10/23/2016	4:01:00AM
161652	0	10/23/2016	4:37:00AM

161653	0	10/23/2016	5:37:00PM
161659	0	10/24/2016	4:54:00PM
161660	0	10/24/2016	6:29:00PM
161661	0	10/25/2016	5:02:00AM
161662	0	10/25/2016	8:23:00AM
161663	0	10/25/2016	11:19:00AM
161666	0	10/26/2016	9:11:00AM
161667	0	10/26/2016	11:58:00AM
161668	0	10/26/2016	1:04:00PM
161669	0	10/26/2016	1:43:00PM
161671	0	10/26/2016	4:47:00PM
161672	0	10/26/2016	5:55:00PM
161673	0	10/26/2016	6:10:00PM
161676	0	10/27/2016	9:52:00AM
161677	0	10/27/2016	11:13:00AM
161678	0	10/27/2016	1:36:00PM
161680	0	10/27/2016	11:22:00PM
161681	0	10/28/2016	8:40:00AM
161683	0	10/28/2016	2:26:00PM
161685	0	10/28/2016	11:25:00PM
161687	0	10/29/2016	5:35:00PM
161688	0	10/29/2016	7:53:00PM
161689	0	10/30/2016	2:09:00AM
161690	0	10/30/2016	6:58:00PM
161691	0	10/31/2016	1:05:00AM
161692	0	10/31/2016	7:57:00PM
161693	0	10/31/2016	8:48:00PM

Total Incidents: 108

Incident Type: 3211 EMS Call M/A Received

Incident #	Exp #	Date	Time
161536	0	10/2/2016	6:03:00PM
161649	0	10/22/2016	7:45:00PM
161670	0	10/26/2016	2:33:00PM

Total Incidents: 3

Incident Type: 3213 EMS Call M/A Given

Incident #	Exp #	Date	Time
161526	0	10/1/2016	10:01:00AM
161531	0	10/1/2016	5:44:00PM
161546	0	10/4/2016	12:13:00PM
161554	0	10/5/2016	5:05:00PM
161568	0	10/7/2016	10:12:00AM
161586	0	10/9/2016	2:50:00PM
161607	0	10/13/2016	1:19:00PM
161608	0	10/13/2016	4:18:00PM
161624	0	10/17/2016	6:04:00PM
161655	0	10/24/2016	12:07:00PM
161657	0	10/24/2016	3:14:00PM
161684	0	10/28/2016	5:21:00PM
161686	0	10/29/2016	3:54:00AM

Total Incidents: 13

Incident Type: 352 Extrication of victim(s) from vehicle

Incident #	Exp #	Date	Time
161557	0	10/5/2016	6:22:00PM

Total Incidents: 1

Incident Type: 353 Removal of victim(s) from stalled elevator

Incident #	Exp #	Date	Time
161562	0	10/6/2016	1:54:00PM

Total Incidents: 1

Incident Type: 381 Rescue or EMS standby

Incident #	Exp #	Date	Time
161572	0	10/7/2016	4:15:00PM
161643	0	10/21/2016	4:15:00PM

Total Incidents: 2

Incident Type: 412 Gas leak (natural gas or LPG)

Incident #	Exp #	Date	Time
161632	0	10/19/2016	8:30:00AM
161633	0	10/19/2016	12:07:00PM

Total Incidents: 2

Incident Type: 424 Carbon monoxide incident

Incident #	Exp #	Date	Time
161537	0	10/3/2016	3:29:00AM
161556	0	10/5/2016	6:05:00PM

Total Incidents: 2

Incident Type: 555 Defective elevator, no occupants

Incident #	Exp #	Date	Time
161656	0	10/24/2016	12:30:00PM

Total Incidents: 1

Incident Type: 571 Cover assignment, standby, moveup

Incident #	Exp #	Date	Time
161553	0	10/5/2016	5:00:00PM

Total Incidents: 1

Incident Type: 611 Dispatched & canceled en route

Incident #	Exp #	Date	Time
161528	0	10/1/2016	3:14:00PM
161529	0	10/1/2016	4:07:00PM
161551	0	10/5/2016	1:06:00PM
161580	0	10/8/2016	2:31:00PM
161589	0	10/9/2016	5:47:00PM
161593	0	10/10/2016	1:12:00PM
161599	0	10/11/2016	6:13:00PM
161619	0	10/16/2016	11:19:00AM
161620	0	10/16/2016	8:18:00PM
161631	0	10/19/2016	4:00:00AM
161640	0	10/20/2016	3:45:00PM
161654	0	10/23/2016	10:33:00PM
161658	0	10/24/2016	3:26:00PM
161665	0	10/26/2016	9:06:00AM
161674	0	10/26/2016	7:23:00PM
161679	0	10/27/2016	9:24:00PM

Total Incidents: 16

Incident Type: 651 Smoke scare, odor of smoke

Incident #	Exp #	Date	Time
161600	0	10/11/2016	11:01:00PM

Total Incidents: 1

Incident Type: 671 Hazmat release investigation w/ no hazmat

Incident #	Exp #	Date	Time
161527	0	10/1/2016	11:25:00AM
161544	0	10/3/2016	9:10:00PM
161555	0	10/5/2016	5:23:00PM
161622	0	10/17/2016	11:20:00AM
161629	0	10/18/2016	4:43:00PM
161642	0	10/20/2016	6:00:00PM

Total Incidents: 6

Incident Type: 735 Alarm system sounded due to malfunction

Incident #	Exp #	Date	Time
161549	0	10/5/2016	9:53:00AM
161675	0	10/26/2016	9:08:00PM

Total Incidents: 2

Incident Type: 743 Smoke detector activation, no fire - unintentional

Incident #	Exp #	Date	Time
161548	0	10/5/2016	8:03:00AM
161606	0	10/13/2016	12:42:00PM
161615	0	10/15/2016	5:15:00PM

Total Incidents: 3

Incident Type: 745 Alarm system sounded, no fire - unintentional

Incident #	Exp #	Date	Time
161641	0	10/20/2016	4:52:00PM
161664	0	10/25/2016	3:43:00PM

Total Incidents: 2

Print Date: 11/15/2016

Total Number of Incidents: 169
Total Number of Incident Types: 18