


Flooding Survey Questions

Survey #	1	1	2	3	4	5	6	7	8	9	10	11				
	Location	Block #	Property Type	Did 2010 Flood Affect your Property? If so, where & type?	Depth of Flooding in Basement/Crawl Space	How Many Times Flooded in 2010	Average # Times Flooded in last 5 yrs.	Sump Pump?	Pump Discharges Where?	Flood Control Device?	Where do Downspouts Discharge?	Comments	Seepage	Sewer Back-up or Over land	Rear Yard	ReaYard
1	31st St.	300	Ranch/full basement	Basement - seepage, rear yard for 20 hours, & in street did not prevent access	less than 1"	twice	once or less per year	yes - basement floor drain	into sewer service	No	into ground					
2	31st St.	300	Ranch/crawl space	rear yard for 4 hours, in street did not prevent access	less than 1"	once	once or less per year	No		NO	on the ground					
74	31st St.	300	Split level	Basement - seepage, rear yard for hours, in street did not prevent access				No		no - stand pipe?	on the ground					
75	31st St.	400	Split level	Basement - sewer back-up through floor, in street did not prevent access	less than 1"	twice	once or less per year	yes	into sewer service	no	into ground					
109	31st St.	400	ranch - full basement	in rear yard for 1 hour, in street did not prevent access	none	none	none	yes - collects basement washroom and/or laundry room	into sewer service	no	onto ground					
3	Community	900	Ranch/full basement	rear yard for 7 Days, in street up to & beyond sidewalk			once	yes - collects footing drains	into sewer service	Yes, part of sump pump system & check valve installed on sanitary service	both on ground & into ground					
4	Community	1000	Ranch/slab	rear yard for 4+ days		three times or more	more than 3	No		No	both on ground & into ground					
5	Community	1000	full basement	rear yard for 1 day, in street did not prevent access				yes - collects basement floor drain & basement washroom and/or laundry room	into sewer service	Yes, part of sump pump system	into ground					
6	Community	1000	Ranch/full basement	Basement - seepage, rear yard for 5 days, & in street did not prevent access	less than 1"	three times or more	more than 3	yes - collects basement floor drain & basement washroom and/or laundry room	into sewer service	No	into ground					
7	Community	1000	Ranch/full basement	Basement - seepage, rear yard for many days, in street & it did prevent access	less than 1"	three times or more	more than 3	yes - collects basement floor drain & basement washroom and/or laundry room	into sewer service	No	both on ground & into ground					
9	Community	900	Ranch	Basement-through window well, rear yard for 3 days, in street did prevent access.	less than 1"	twice	twice to three times per year	yes-collects in basement floor drain, basement washroom and/or laundry room and footing drains	into sewer service	yes, part of sump pump system	on the ground					
10	Community	900	Ranch	Basement-seepage.	less than 1"	twice	once or less per year	yes- collects in basement floor drain, basement washroom and/or laundry room, footing drains	to front yard	No	both on ground & into ground					
11	Community	900	Split level/Crawl space	Basement-seepage, in street did not prevent access	less than 1"	three times or more	twice to three times per year	yes-ejector pump collects in basement washroom and/or laundry room	into sewer service	No	both on ground & into ground					

EVALUATION KEY




INDICATES OVERHEAD PLUMBING



INDICATES DOWNSPOUTS CONNECTED TO SERVICE



INDICATES SEEPAGE ISSUE



INDICATES SEWER BACK-UP ISSUE



INDICATES REAR YARD DRAINAGE/FLOODING

Flooding Survey Questions

Survey #	1	1	2	3	4	5	6	7	8	9	10	11				
	Location	Block #	Property Type	Did 2010 Flood Affect your Property? If so, where & type?	Depth of Flooding in Basement/Crawl Space	How Many Times Flooded in 2010	Average # Times Flooded in last 5 yrs.	Sump Pump?	Pump Discharges Where?	Flood Control Device?	Where do Downspouts Discharge?	Comments	Seepage	Sewer Back-up or Over land	Rear Yard	ReaYard
12	Community	900	Ranch	in street did prevent access for couple of hours				yes-collects in basement floor drain and footing drains	into sewer service	No	both on ground & into ground					
13	Community	900	Ranch/full basement	Basement - seepage, in rear yard for days, in street did prevent access	one to six inches	once	once or less per year	yes-collects in basement floor drain, basement washroom and/or laundry room	into sewer service	No	on the ground					
14	Community	1000	Ranch/full basement	in rear yard for 7 days, in street did not prevent access	none	once	none	yes-collects in basement floor drain, basement washroom and/or laundry room	into sewer service	yes-part of sump pump system	into sewer pipe					
15	Community	900	Ranch/full basement	in rear yard for 5 days, in street did not prevent access		twice	once or less per year	yes-collects in basement washroom and/or laundry room	into sewer service	yes-check valve installed on sanitary service	both on ground & into ground					
76	Community	1000	Split level	Basement - sewer back-up through floor, rear yard for 7 days, in street did prevent access	less than 1"	twice	twice to three times per year	yes-collects in basement floor washroom and/or laundry room	into sewer service		both on ground & into ground	Question #3 Water in rear yard almost always present year round.				
77	Community	1000	Split level/Crawl space	Basement - through basement door entrance, in street did prevent access												
86	Community	1000	split level, crawl space	Basement - sewer back-up, rear yard 2-3 days, in street did prevent access	one to six inches	twice		yes	to front yard	no	both on ground & into ground					
87	Community	1000	ranch	in street did prevent access				yes - 2 w/9 hour battery b/u	in sewer service	no	on the ground	they experienced flooding in 2003 prior to installing the two sump pumps				
88	Community	900	ranch	Basement - seepage & sewer back-up, rear yard for indeterminate number of days, in street did prevent access	less than 1"	twice	once or less per year	yes - collects in basement floor drains	into sewer service	yes - part of sump pump system	both on ground & into ground					
8	Community / Garfield corner	900	Split level/Crawl space	Basement-through window well, in street did prevent access on Garfield	less than 1"	three times or more	once or less per year	yes-crawl space only	to front yard	No	both on ground & into ground					
16	Forest	900	Ranch/full basement	in street did prevent access for couple of hours				yes-collects in basement washroom and/or laundry room	into sewer service	yes-part of sump pump system	on the ground					
17	Forest	900	Ranch raised/full basement	in rear yard for 8 hours, in street did not prevent access	none	none	once or less per year	yes-collects in basement floor drain, basement washroom and/or laundry room	into sewer service	yes-part of sump pump system	on the ground					
18	Forest	1000	Ranch/full basement	Basement-through window well, in rear yard, in street did prevent access for couple of hours	less than 1"	three times or more	more than 3	yes-collects in basement washroom and/or laundry room	into sewer service	No	into pipes going into ground	pumped water out of yard. Not sure how long it would have taken on it's own				

Flooding Survey Questions

Survey #	1	1	2	3	4	5	6	7	8	9	10	11				
	Location	Block #	Property Type	Did 2010 Flood Affect your Property? If so, where & type?	Depth of Flooding in Basement/Crawl Space	How Many Times Flooded in 2010	Average # Times Flooded in last 5 yrs.	Sump Pump?	Pump Discharges Where?	Flood Control Device?	Where do Downspouts Discharge?	Comments	Seepage	Sewer Back-up or Over land	Rear Yard	ReaYard
19	Forest	1000	Ranch/full basement	Basement-seepage, in rear yard for 2 days, in street did prevent access	less than 1"		twice to three times per year	No		No	both on ground & into ground					
78	Forest	900	Ranch/basement	Basement - seepage, rear yard for 3 days, in street did not prevent access	less than 1"	twice	more than 3	yes - collects footing drains	don't know	No	both on ground & into ground					
80	Forest	1000	Split level	Basement - through window well or basement door entrance, in street did not prevent access	less than 1"	twice	once or less per year	yes - collects footing drains	into sewer service		on the ground					
89	Forest	1000	split level	Basement - seepage, rear yard 5 days, in street did not prevent access	less than 1"	three times or more	once or less per year	yes - collects basement floor drain & washroom and/or laundry room	into sewer service	no	both on ground & into ground					
90	Forest	1000	ranch two story	Basement - seepage, rear yard 1 day, in street did not prevent access	less than 1"	twice	once or less per year	yes	into sewer service		on the ground					
91	Forest	1000	split level, crawl space	Basement - seepage, rear yard 2-3 days, in street did not prevent access	one to six inches	once	once or less per year	no		no	into ground					
92	Forest	1000	split level	Basement - sewer back-up, rear yard 2 days, in street did not prevent access	one to six inches	three times or more	once or less per year	yes	don't know	no	both on ground & into ground					
93	Forest	1000	split leve	rear yard 2 days, in street did not prevent access		three times or more	twice to three times per year	yes - 2, collects basement floor drain & sink, collects footing drains	septic pump #1 - into sewer service septic pump #2 - to front yard	yes - part of sump pump system	on the ground					
79	Forest	900	Ranch/basement	Basement - seepage, rear yard for 4 hours, in street did not prevent access	one to six inches	once	once or less per year	yes - collects basement floor drain & basement laundry room	into sewer service	No	both on ground & into ground					
20	Garfield	600	Ranch/full basement, crawl space	in street did prevent access		twice	twice to three times per year	yes 2 sump pumps- collects in basement floor drain, collects in basement washroom and/or laundry room	one into sewer service- one into front yard	No	on the ground					
21	Homestead	1000	full basement	Basement-seepage, in rear yard for 10 hours, in street did not prevent access				yes- collects in basement floor drain, basement washroom and/or laundry room	into sewer service	yes-part of sump pump system	on the ground					
22	Homestead	1000	Split level	in street did not prevent access												
23	Homestead	1000	full basement	Basement-seepage, in street did not prevent access	less than 1"	three times or more	more than 3	yes- collects in basement washroom and/or laundry room	don't know	No	on the ground					

Flooding Survey Questions

Survey #	1	1	2	3	4	5	6	7	8	9	10	11				
	Location	Block #	Property Type	Did 2010 Flood Affect your Property? If so, where & type?	Depth of Flooding in Basement/Crawl Space	How Many Times Flooded in 2010	Average # Times Flooded in last 5 yrs.	Sump Pump?	Pump Discharges Where?	Flood Control Device?	Where do Downspouts Discharge?	Comments	Seepage	Sewer Back-up or Over land	Rear Yard	ReaYard
24	Homestead	1000	Ranch/full basement	in rear yard for 2 days, in street did not prevent access	none			yes-collects in basement washroom and/or laundry room	don't know	No	both on ground & into ground	Question # 5 only outside flooding in 2010				
25	Homestead	1000	Split level	Basement-seepage, in street did prevent access	less than 1"	twice		No		No	both on ground & into ground					
26	Homestead	1000	Split level/CrawlSpace	Basement - seepage, rear yard for 1 hour, in street did not prevent access	less than 1"	twice	twice to three times per year	yes-collects in basement washroom and/or laundry room	to front yard	yes-part of sump pump system	both on ground & into ground					
27	Homestead	1000	full basement	Basement-seepage & through window well, in rear yard for 8 hours, in street did not prevent access	one to six inches	twice	twice to three times per year	yes-collects in basement washroom and/or laundry room	into sewer service	No	on the ground					
28	Homestead	1000	Ranch/full basement	in street did not prevent access				yes-collects in footing drains	into sewer service		on the ground					
94	Homestead	1000	two story	rear yard - 3 days, in street did prevent access		three times or more	once or less per year	yes - collects footing drains	into sewer service	no	on the ground					
29	Meadowcrest	900	full basement	Basement - seepage, rear yard for hours, in street did not prevent access	less than 1"	seepage	seepage	yes	into sewer service	No	on the ground					
30	Meadowcrest	1000	Ranch/full basement	in rear yard for 2-3 days, in street did not prevent access		twice-in yard	moved in -2009	yes-collects in basement floor drain, basement washroom and/or laundry room	don't know	No	into pipes going into ground	Question # 3, we are on west side of Meadowcrest. Huge pool mainly on neighbor behind us to the south but carried to our yard. Really bad @ neighbors to south on Meadowcrest.				
31	Meadowcrest	900	full basement	in rear yard for 3 days, in street did not prevent access		three times or more	twice to three times per year	yes-collects in basement floor drain, basement washroom and/or laundry room	into sewer service	yes-part of sump pump system	into pipes going into ground					
32	Meadowcrest	900	Ranch/full basement	Basement-seepage	less than 1"	three times or more	more than 3	yes-collects in basement floor drain, basement washroom and/or laundry room	into sewer service	No	both on ground & into ground	A lot of the water problems could be avoided if there were more sewer drains on Mannheim. A lot of water comes from Mannheim.				
33	Meadowcrest	1000	Split level/full basement	Basement-seepage & through window well, in rear yard for 3 days, in street did prevent access	one to six inches	three times or more	more than 3	yes-collects in footing drains	to front yard	yes-part of sump pump system	on the ground					
34	Meadowcrest	900	Split level	Basement-seepage, in street did not prevent access	less than 1"	twice	once or less per year	yes-collects in footing drains	into sewer service	No	on the ground					
35	Meadowcrest	1000	full basement	Basement-seepage, in street did not prevent access	less than 1"	three times or more	more than 3	yes-collects in basement floor drain, basement washroom and/or laundry room	into sewer service	yes-check valve installed on sanitary service	on the ground					

Flooding Survey Questions

Survey #	1	1	2	3	4	5	6	7	8	9	10	11				
	Location	Block #	Property Type	Did 2010 Flood Affect your Property? If so, where & type?	Depth of Flooding in Basement/Crawl Space	How Many Times Flooded in 2010	Average # Times Flooded in last 5 yrs.	Sump Pump?	Pump Discharges Where?	Flood Control Device?	Where do Downspouts Discharge?	Comments	Seepage	Sewer Back-up or Over land	Rear Yard	ReaYard
36	Meadowcrest	900	Split level	in street did not prevent access				yes-collects in basement washroom and/or laundry room	into sewer service	No	both on ground & into ground					
37	Meadowcrest	1000	Split level/Crawl space	Basement - seepage, rear yard for 12 hours, in street did not prevent access	less than 1"	twice	twice to three times per year	yes-collects in footing drains	to front yard	yes-check valve installed on sanitary service	on the ground					
38	Meadowcrest	1000	Split level	Basement-sewer backup, in street did prevent access	one to six inches	three times or more	more than 3	yes-collects in basement floor drain, basement washroom and/or laundry room, and footing drains	to front yard	yes-check valve installed on sanitary service	on the ground					
39	Meadowcrest	900	Ranch/full basement	Basement-seepage	less than 1"	once	once or less per year	yes-collects in basement washroom and/or laundry room	into sewer service	yes-part of sump pump system, check valve installed on sanitary service	on the ground					
40	Meadowcrest	1000	Ranch/full basement	in rear yard for 2 hours, in street did not prevent access				yes-collects in basement washroom and/or laundry room	into sewer service	No	both on ground & into ground					
41	Meadowcrest	1000	Ranch	Basement - seepage, rear yard for 4 days, in street did not prevent access								Question # 3- 1/2" of water				
42	Meadowcrest	1000	Ranch/full basement, crawl space	Basement - seepage, rear yard for 10 days, in street did prevent access	less than 1"	twice-seepage	once or less per year	yes-collects in basement floor drain and footing drains	into sewer service	yes-part of sump pump system	on the ground					
43	Meadowcrest	900	Ranch/full basement	Basement-seepage, in street did not prevent access	one to six inches	three times or more	twice to three times per year	yes-collects in basement floor drain, basement washroom and/or laundry room	into sewer service	yes-part of sump pump system	into pipes going into ground					
44	Meadowcrest	900	Split level/Crawl space	in rear yard ,in street did not prevent access		never	never	yes	into sewer service	No	on the ground	Question#7---sump only goes on when washing clothes. Lived here 50 years never any water in basement				
45	Meadowcrest	1000	full basement	no				yes-collects in basement washroom and/or laundry room	into sewer service	No	both on ground & into ground					
46	Meadowcrest	900	Split level	Basement-seepage and sewer backup through floor, in rear yard for 8 hours, in street did not prevent access	one to six inches	twice	once or less per year	yes-out of order at the moment	don't know	No	into pipes going into ground					
47	Meadowcrest	900	Ranch/full basement	Basement-seepage and sewer backup ,in rear yard for 2 days, in street did not prevent access	one to six inches	once	twice to three times per year	yes	into sewer service	No	on the ground					
81	Meadowcrest	1000	Split level	Basement - seepage & sewer back-up, rear yard for 5 days, in street did not prevent access	more than 6"	three times or more	twice to three times per year	yes - collects basement floor drain & footing drains	to front yard	yes - check valve	on the ground					

Flooding Survey Questions

Survey #	1	1	2	3	4	5	6	7	8	9	10	11				
	Location	Block #	Property Type	Did 2010 Flood Affect your Property? If so, where & type?	Depth of Flooding in Basement/Crawl Space	How Many Times Flooded in 2010	Average # Times Flooded in last 5 yrs.	Sump Pump?	Pump Discharges Where?	Flood Control Device?	Where do Downspouts Discharge?	Comments	Seepage	Sewer Back-up or Over land	Rear Yard	ReaYard
82	Meadowcrest	1000	Split level	Basement - seepage through cracks, rear yard for 24 hours, in street did not prevent access	less than 1"	once	once or less per year	yes - collects basement floor drain	into sewer service	yes - part of sump pump system	on the ground					
95	Meadowcrest	900	ranch	Basement - seepage, in street did not prevent access	less than 1"	once	once or less per year	Ejector pump	don't know	don't know	both on ground & into ground					
96	Meadowcrest	1000	ranch - full basement	rear yard over 10 days, in street did prevent access		three times or more in yard	more than 3 in yard	yes - collects basement floor drain, washroom and/or laundry room	to rear yard	yes - part of sump pump system	on the ground					
97	Meadowcrest	900	full basement	Basement - seepage, rear yard draining from La Grange Rd., in street did not prevent access	one to six inches	three times or more		yes - collects laundry room	into sewer service		into ground					
98	Meadowcrest	900	split level	Basement - seepage	less than 1"	twice	once or less per year	no		no	both on ground & into ground					
99	Meadowcrest	1000	ranch - full basement	In street			once or less per year	yes - collects basement floor drain & laundry room	into sewer service		into ground					
48	Robinhood	900	Split level/Crawlspace	Basement-seepage	less than 1"	twice	once or less per year	yes-collects in basement floor drain, basement washroom and/or laundry room	into sewer service	yes-part of sump pump system	on the ground					
49	Robinhood	400	Ranch raised/full basement	in rear yard for several hours, in street did prevent access			twice to three times per year--foundation cracks	yes - collects footing drains	to side yard	yes-check valve installed on sanitary service	both on ground & into ground	Question # 3 Robinhood Lane 'a lake'. Curb top to curb top and over 1/2 way up driveway to public sidewalk. Question # 7 Perma Seal Waterguard System with Super Sump System & Battery. Question # 9 Perma Seal Water Watch 2 Flood Alarm System.				
50	Robinhood	900	Two story/crawl space and full basement	Basement-sewer backup, in rear yard for 2-3 days, in street did not prevent access	one to six inches	twice	once or less per year	yes-collects in basement floor drain	don't know	don't know						
51	Robinhood	900	Two story tri level/crawl space and full basement	Basement-sewer backup, in street did prevent access												
52	Robinhood	900	Split level	Basement-seepage and sewer backup, in rear yard for 3 days, in street did not prevent access	one to six inches	three times or more	twice to three times per year	yes	to rear yard, to front yard	No	on the ground					
53	Robinhood	900	Split level	in rear yard for 2 days, in street did not prevent access				yes-collects in basement floor drain, basement washroom and/or laundry room	into sewer service, to front yard	yes-part of sump pump system	on the ground					
54	Robinhood	1000	Split level/Crawlspace	Basement-seepage, in rear yard for 3 days, in street did not prevent access		once	once or less per year	yes-collects in basement floor drain, basement washroom and/or laundry room	into sewer service, to front yard	No	both on ground & into ground					

Flooding Survey Questions

Survey #	Location	Block #	Property Type	Did 2010 Flood Affect your Property? If so, where & type?	Depth of Flooding in Basement/Crawl Space	How Many Times Flooded in 2010	Average # Times Flooded in last 5 yrs.	Sump Pump?	Pump Discharges Where?	Flood Control Device?	Where do Downspouts Discharge?	Comments	Seepage	Sewer Back-up or Over land	Rear Yard	ReaYard
55	Robinhood	1000	Split level/Crawlspace	Basement-through basement door, in rear yard for 2 days, in street did not prevent access	one to six inches	twice	twice to three times per year	yes-collects in crawl space drain	to front yard	yes-check valve installed on sanitary service	on the ground					
56	Robinhood	1000	Ranch/full basement	Basement-seepage, in rear yard for 2 days, in street did not prevent access				yes-collects in basement floor drain, basement washroom and/or laundry room	into sewer service	no	both on ground & into ground	We have had flooding in backyard due to large house being built next door and they pumped into back yard. Never had problems in over 50 years.				
57	Robinhood	900	Ranch	Garage-sewer backup through floor of garage only, in rear yard 2 days, in street did not prevent access	less than 1"	twice	twice in 2010 only	yes-collects in basement washroom and/or laundry room	don't know		on the ground					
58	Robinhood	1000	Ranch/full basement	Basement-seepage, in street did not prevent access	one to six inches	once	once or less per year	yes	into sewer service	No	both on ground & into ground					
59	Robinhood	900	Ranch/full basement	Basement-through window well, in rear yard 3 days, in street did not prevent access	less than 1"	twice	twice to three times per year	yes-collects in laundry room	into sewer service	No	both on ground & into ground	Question # 10-- 3 into yard 1 into sewer				
60	Robinhood	1000	Split level/Crawlspace	Basement-seepage and sewer backup, in rear yard for 2 days, in street did not prevent access												
61	Robinhood	900	Split level	Basement-seepage, in street did not prevent access	less than 1"	twice	twice to three times per year	yes-collects in basement floor drain, basement washroom and/or laundry room	into sewer service	No	into pipes going into ground					
62	Robinhood	900	Split level	Basement-sewer backup, in street did prevent access	one to six inches	twice	once or less per year	yes-collects in basement floor drain, basement washroom and/or laundry room	into sewer service	No	on the ground					
83	Robinhood	1000	Ranch	Rear yard for 3-4 hours, in street did not prevent access				yes - collects basement washroom and/or laundry room via 2nd ejector pump, collects footing drains only	into sewer service	yes - part of sump pump system, check valve installed from ejector pump	both on ground & into ground	have 2 sump pumps				
84	Robinhood	1000	full basement	no	none	zero	never	yes - collects footing drains	to rear yard	yes - overhead sewer	on the ground	We highly recommend that LGP residents invest in overhead sewers. Our system has kept our basement dry during the heaviest rain. Expensive, but worth it.				
100	Robinhood	1000	ranch - full basement	Basement - seepage, rear yard 2 hours, in street did not prevent access	one to six inches	twice	once or less per year	yes - collects basement floor drain, washroom and/or laundry room	into sewer service, to front yard (depending on valve)	?	both on the ground & into pipes	will be redone within this month to drain to yard				
101	Robinhood	900	ranch - full basement	Basement - through window well or basement door entrance	less than 1"	three times or more	twice to three times per year	yes	into sewer service		both on ground & into pipes	Q#4 - a lot of water poured in, depth did not accumulate because water ran to drains - but entire floor & everything on it was soaked. Had drains put into window wells by plumber. Hope that resolves the problem - won't know until we get another big rain.				
102	Robinhood	900	two story - full basement	Basement - seepage, rear yard 1 1/2 days, in street did not prevent access	less than 1"	three times or more	twice to three times per year	yes - collects basement floor drain	into sewer service	yes - part of sump pump system	onto ground					

Flooding Survey Questions

Survey #	1	1	2	3	4	5	6	7	8	9	10	11				
	Location	Block #	Property Type	Did 2010 Flood Affect your Property? If so, where & type?	Depth of Flooding in Basement/Crawl Space	How Many Times Flooded in 2010	Average # Times Flooded in last 5 yrs.	Sump Pump?	Pump Discharges Where?	Flood Control Device?	Where do Downspouts Discharge?	Comments	Seepage	Sewer Back-up or Over land	Rear Yard	ReaYard
103	Robinhood	1000	ranch - full basement	Basement - sewer back-up, rear yard 1 day, in street did prevent access												
104	Robinhood	900	ranch - full basement	no in house flooding, rear yard 6 days, in street did not prevent access				yes - collects basement washroom and/or laundry room, collects footing drains also	into sewer service	no	onto ground	Q#3 - in rear yard rear edge one inch deep (3 ft. x 50 ft.)				
105	Robinhood	900	ranch - full basement	no flooding				yes - collects basement floor drain, collects basement washroom and/or laundry room	into sewer service	no	onto ground					
108	Robinhood	1000	ranch	Basement - seepage, rear yard 4-6 days, in street did not prevent access		three times or more	twice to three times per year	yes - collects basement floor drain, collects basement laundry room, collects footing drains	into sewer service	yes - part of sump pump system	onto ground	Question #3 went w/o pumping - had to rent a pump to evacuate the water - this is a constant problem! Recent new construction has contributed to the problem. Question #4 - I do not consider seepage as flooding, but its still a pain. Question #5 - at least once requiring me				
110	Robinhood	1000	ranch - full basement	rear yard 2-3 days, in street did not prevent access		twice	more than three times a year	no - ejector pump		ejector pump	onto					
63	Sherwood	1000	Ranch	Basement-seepage and through window well	less than 1"	twice	twice to three times per year	yes-collects basement floor drain sump pump, collects basement washroom and/or laundry room ejection pump	into sewer service	yes-part of sump pump system, check valve installed on sanitary service	on the ground					
64	Sherwood	900	Split level	Basement-sewer backup, in rear yard for 3 days, in street did prevent access street only	one to six inches	twice	twice to three times per year	yes-collects in basement floor drain	to rear yard	yes-check valve installed on sanitary service installed 2010 after flood	on the ground					
65	Sherwood	900	Ranch/full basement	in street did not prevent access	none	never	never	yes-collects in laundry room	into sewer service	no-overhead sewers	on the ground					
68	Sherwood	900	Ranch/crawl space	in rear yard for 1 hour, in street did not prevent access		once	once or less per year	yes-collects in crawl space	to rear yard	yes-part of sump pump system	both on ground & into ground					
70	Sherwood	900	Slab	no		none	none	no		no	both on ground & into ground					
71	Sherwood	900	Ranch	in street did not prevent access				yes-collects in basement floor drain	into sewer service	no	on the ground					
85	Sherwood	900	two story, crawl space & full basement	Basement - seepage through cracks, in street did not prevent access	less than 1"	twice	twice to three times per year	yes - don't know	don't know	don't know	on the ground					
106	Sherwood	1000	ranch	Basement - seepage, in street did not prevent access	less than 1"	once	once or less per year	yes, collects footing drains only	into sewer service	no	into pipes going into ground					

Flooding Survey Questions

	1	1	2	3	4	5	6	7	8	9	10	11				
Survey #	Location	Block #	Property Type	Did 2010 Flood Affect your Property? If so, where & type?	Depth of Flooding in Basement/Crawl Space	How Many Times Flooded in 2010	Average # Times Flooded in last 5 yrs.	Sump Pump?	Pump Discharges Where?	Flood Control Device?	Where do Downspouts Discharge?	Comments	Seepage	Sewer Back-up or Over land	Rear Yard	ReaYard
107	Sherwood	900	ranch	Basement - through window well or basement door entrance, rear yard 3 days, in street did not prevent access	less than 1"	twice	once or less per year	yes - collects basement floor drain, collects basement washroom and/or laundry room	into sewer service	no	into pipes going into ground					
66	Sherwood	1000	full basement	in street did not prevent access				yes-collects in basement washroom and/or laundry room	into sewer service	no	on the ground					
67	Sherwood	1000	Split level	Basement-seepage, in street did not prevent access												
69	Sherwood	1000	Ranch raised/full basement	Basement-sewer backup, in street did not prevent access	one to six inches	twice	twice to three times per year	yes-collects in basement washroom and/or laundry room	into sewer service	yes-part of sump pump system, yes-check valve installed on sanitary service	on the ground					
72	Sherwood	1000	Ranch/full basement	Basement - seepage, rear yard for 3 days, in street did not prevent access	less than 1"	twice	twice to three times per year	yes-collects in basement floor drain, basement washroom and/or laundry room	into sewer service	no	on the ground					
73	Sherwood	1000	Split level	Basement-seepage and sewer backup, in street did prevent access	one to six inches	three times or more	more than 3	yes-collects in basement floor drain	don't know	yes-part of sump pump system	on the ground					