


La Grange Park Fire Department Monthly Report June 2014



1418 Deerpath Lane - Training
(Lightweight Engineered Lumber / Cellulose Insulation)

Contents

- Overall Summary / Highlights
- Incident Report Summary
- Significant Fire Report
- EMS Division Summary
- Fire Prevention Division Summary
- Operations / Training Division Summary
- Incident Report Detail
- Correspondence

Village Board Meeting Fire Department Activity Memo

To: Julia Cedillo, Village Manager

From: Dean J. Maggos, Director of Fire & Building



Date: July 16, 2014

Re: Fire Department Activities – JUNE 2014

As requested for insertion into the Village Board meeting agenda packet, the following is a brief summary of Fire Department activity highlights for the month of June. As usual, a more comprehensive monthly report is kept within the department for your review.

There were 135 EMS responses this month and 769 YTD. Last year, there were 771 YTD at this time. There were 32 fire/rescue incidents this month, and 281 YTD. Last year, there were 255 YTD at this time.

Personnel continued hydrant flushing, participated with the Chamber of Commerce Bike Fest event at the Village Market, and attended three block parties.

A final fire occupancy inspection was conducted for a new home at 627 N. Kensington.

Personnel conducted some building construction training using a home being renovated on Deerpath Lane, where engineered wood products are being used. It was a good follow-up to Fire/EMS Health and Safety Week, which took place the third week of June.

On June 28th, we provided an engine company to standby at Pleasantview Fire District Station 3 to assist them with covering their district during services for the unexpected passing of one of their employees.

06/04 (WED) 10:20 AM: Responded to an activated fire alarm at the apartment building at 418 Homestead Rd. Upon arrival fire companies found smoke in the basement, which was the result of a tenant burning various papers in a wash tub.

06/05 (THUR) 1:18 PM: Responded to Kensington and Oak to extinguish the garbage truck on fire. The engine and related equipment was on fire and the driver was unable to extinguish it using multiple fire extinguishers. Fire crews used a hose line and approximately 500 gallons of water.

06/21 (SAT) 6:47 AM: Responded to a home in the 400 block of Edgewood where an old container of bug insecticide was leaking. Fire crews assisted the resident with taking care of such.

06/21 (SAT) 7:46 AM: Responded to a natural gas leak, which was impacting storm sewers in front of the Village Market north building. Fire crews secured the scene, worked with Nicor to determine the hazard area, and stood-by until Nicor could mitigate the immediate hazards.

Incident Reports By Incident Type, Summary

Page 1 of 1

| Incident Type | Total Incidents: |
|--|------------------|
| 118 Trash or rubbish fire, contained | 1 |
| 132 Road freight or transport vehicle fire | 1 |
| 154 Dumpster or other outside trash receptacle fire | 1 |
| 311 Medical assist, assist EMS crew | 2 |
| 321 EMS call, excluding vehicle accident with injury | 131 |
| 322 Vehicle accident with injuries | 3 |
| 412 Gas leak (natural gas or LPG) | 2 |
| 422 Chemical spill or leak | 1 |
| 440 Electrical wiring/equipment problem, other | 1 |
| 571 Cover assignment, standby, moveup | 1 |
| 600 Good intent call, other | 1 |
| 611 Dispatched & canceled en route | 6 |
| 651 Smoke scare, odor of smoke | 1 |
| 671 Hazmat release investigation w/ no hazmat | 2 |
| 736 CO detector activation due to malfunction | 2 |
| 740 Unintentional transmission of alarm, other | 1 |
| 743 Smoke detector activation, no fire - unintentional | 4 |
| 746 Carbon monoxide detector activation, no CO | 2 |
| Total Number of Incidents: | 163 |
| Total Number of Incident Types: | 18 |

Print Date: 7/16/2014

**LAGRANGE PARK FIRE DEPARTMENT
SIGNIFICANT FIRES - 2014**

| DATE | TYPE OF OCCUPANCY | ADDRESS | ESTIMATED LOSS | MOST PROBABLE FIRE CAUSE |
|-------------|--------------------------|------------------------|-----------------------|---|
| 02-19-14 | Single-Family | 525 N. Kensington Ave. | \$ 180,000 | Undetermined - Furnace and/or Natural Gas related |
| 03-24-14 | Multi-Family (Cooking) | 407 Sherwood Ave. | \$ 0 | Unattended Cooking |
| 04-21-14 | Single-Family (Cooking) | 510 Kemman Ave. | \$ 30 | Unattended Cooking |
| 05-13-14 | Retirement Community | 1571 W. Ogden Ave. | \$ 0 | Overheated Motor |
| 06-04-14 | Multi-Family (Trash) | 418 Homestead Rd. | \$ 0 | Incendiary - Discarded documents |
| 06-05-14 | Garbage Truck | Oak and Kensington | \$ 5,000 | Undetermined |

**Significant Fire - All fires and potential fires in and around structures, or other fires resulting in greater than \$5,000.00 damage.
Last Updated - 06/05/14**

**LAGRANGE PARK FIRE DEPARTMENT
EMERGENCY MEDICAL SERVICES
RESPONSE ACTIVITIES – JUNE 2014**

NATURE OF CALL:

| | |
|-------------------|-----|
| Cardiac | 004 |
| Injured Person | 032 |
| Medical Emergency | 060 |
| Road Accident | 008 |
| Respiratory | 007 |
| Assist Patient | 009 |
| Mutual Aid Given | 015 |
| EMS Stand-by | 000 |

OUTCOME OF SERVICES:

| | |
|---------------------|-----|
| Treated/Transported | 098 |
| Refused Services | 030 |
| Assist Patient Only | 009 |
| Other | 000 |

LEVEL OF CARE PROVIDED:

| | |
|----------------|-----|
| Advanced (ALS) | 075 |
| Basic (BLS) | 023 |
| Refused Care | 030 |
| Other | 009 |

TRANSPORT FACILITIES:

| | |
|-------------------------|-----|
| LaGrange Hospital | 082 |
| Loyola Medical Center | 007 |
| Hinsdale Hospital | 008 |
| MacNeal Hospital | 000 |
| Good Samaritan Hospital | 000 |
| Hines VA Hospital | 000 |
| Elmhurst Hospital | 001 |
| Not transported | 039 |

RESPONSE ACTIVITY:

| | |
|------------------------|-----|
| Total Calls – Month | 135 |
| Total Calls – YTD | 769 |
| Total Patients – Month | 137 |
| Total Patients – YTD | 782 |

LOCATION OF CALL:

| | |
|--------------------------|-----|
| Commercial | 008 |
| Educational | |
| Brook Park School | 000 |
| Forest Road School | 000 |
| Nazareth Academy | 000 |
| Park Junior High School | 000 |
| St. Louise School/Church | 000 |
| Industrial | 000 |
| Bethlehem Woods Complex | |
| Residential Towers | 029 |
| Assisted Living Center | 015 |
| Institutional | |
| OLB Center | 002 |
| The Grove Health Care | 000 |
| Plymouth Place | 022 |
| Scheck Senior Center | 001 |
| Residential | |
| Single Family | 020 |
| Multi Family | 001 |
| Miscellaneous | |
| Police/Fire Station | 004 |
| Street/Road/Park | 013 |
| Mutual Aid Given | 015 |

MUTUAL AID ACTIVITY:

| | |
|--------------|-----|
| Provided to: | |
| LaGrange | 010 |
| Westchester | 003 |
| Hillside | 001 |
| Brookfield | 001 |

| | |
|----------------|-----|
| Received from: | |
| LaGrange | 003 |
| Brookfield | 001 |


BILLING INFORMATION:

| | |
|------------------------------|-----|
| Invoices issued this month | 082 |
| Invoices received this month | 073 |

| | |
|------------------------|--------------|
| Total Amount Invoiced: | \$ 66,100.00 |
| Total Amount Received: | \$ 23,586.40 |

Rick Ronovsky

Submitted by:
Rick Ronovsky, Division Chief
EMS Division


Approved by:
Dean Maggos, Fire Chief



LA GRANGE PARK FIRE DEPARTMENT

447 N. Catherine Avenue
La Grange Park, Illinois 60526

(708) 354-0225 *Administration*
(708) 352-2141 *Non-Emergency*
(708) 354-0241 *FAX*

EMERGENCY MEDICAL SERVICES ACTIVITY REPORT – JUNE 2014

Ambulance Responses:

This month, EMT and Paramedic personnel responded to a total of 135 requests for emergency medical services treating a total of 137 patients. There were 97 calls located west of the IHB Railroad and 23 calls east of the IHB Railroad. Year to date, there have been a total of 769 requests for service and 782 patients receiving care.

This compares to last year (June 2013) when there were 123 requests for service and a year to date total of 771 calls.

Training and Continuing Education:

There was no scheduled EMT or Paramedic continuing education in June.

Probationary Firefighter Kyle Kudia continues EMT-B training at the College of DuPage in Glen Ellyn.

Rick Ronovsky

Submitted by:
Rick Ronovsky, Division Chief
EMS Division

Approved by:
Dean J. Maggos, Fire Chief

**Fire Prevention and Education Activities for
June, 2014**

Fire Prevention and Education was conducted by Division Chief Carpenter, Lt. Norvilas and FF McManus

- Members conducted 6 Fire Inspections at the following type of occupancies:

| | |
|----------------|---|
| • Residential: | 6 |
| • Commercial: | 0 |
| • Education: | 0 |
| • Industrial: | 0 |
| • Institution: | 0 |
| • Municipal: | 0 |
| • Office: | 0 |


- Members noted 14 violations of the Village Fire and Life Safety code as follows:


| | |
|------------------------|---|
| • Alarm Systems: | 6 |
| • Fire Extinguishers: | 6 |
| • Electrical: | 0 |
| • Combustible Storage: | 0 |
| • Flammable Storage: | 2 |
| • Life Safety: | 0 |
| • Other: | 0 |

- Members conducted 1 re-inspections with 1 of 1 outstanding violations corrected.


- The Department responded to 6 Fire alarm activation's during the month.

| | |
|-----------------|---|
| • Malicious: | 1 |
| • Malfunction: | 0 |
| • Smoke / Fire: | 5 |



Submitted by:
John Carpenter, Division Chief
Fire Prevention Division


Approved By:
Dean J. Maggos, Fire Chief

- D/C Carpenter continues to receive request for lock box applications and continues to place keys in new boxes throughout the village.
- D/C Carpenter conducted a final occupancy inspection for 627 Kensington..
- FF Hulten has been distributing new Knox boxes to business throughout the village as we continue to replace the old Supra brand boxes..
- Members continue conducting hydrant flushing throughout the entire village.
- D/C Carpenter has been following up with problem fire alarms.
- Members participated in the Village Market Bicycle safety event.
- Members conducted 3 block parties during the month: 1100 beach, 1200 Beach and 300 Waiola.



Submitted By:
John Carpenter, Division Chief
Fire Prevention Division



Approved By:
Dean J. Maggos, Fire Chief

**LaGrange Park Fire Department
Division of Operations & Training
June 2014**

Monthly Training Summary

Regular Training

| | |
|--------------|--|
| June 2 & 3 | SOG & Pre-plan Review |
| June 9 & 10 | Hose Lead-outs and Fire Streams |
| June 16 & 17 | Life Safety Initiatives / Safety Message |
| June 23 & 24 | Maintenance, Small Tools, and Inventory / Drivers Training |
| June 30 | Lightning Safety and Vehicle Maintenance |

Training hour totals

| | June 2014 | 2014 YTD |
|----------------|-----------|----------|
| Regular Drill | 321.50 | 1555.50 |
| Other Training | 68.00 | 489.00 |

Monthly Operations Summary

Fire Call Activities

| | June 2014 | 2014 YTD | June 2013 | 2013 YTD |
|------------------|-----------|----------|-----------|----------|
| Total Fire Calls | 32 | 281 | 44 | 255 |

Fire Call Mutual Aid Summary

| | June 2014 Aid Received | 2014 YTD Aid Received | June 2014 Aid Given | 2014 YTD Aid Given |
|--------------------------|---------------------------|--------------------------|------------------------|-----------------------|
| Brookfield | 3 | 15 | 3 | 25 |
| La Grange | 3 | 55 | 3 | 23 |
| Western Springs | 0 | 3 | 0 | 1 |
| Other | 0 | 22 | 3 | 11 |
| Mutual Aid Totals | 6 | 95 | 9 | 60 |



Submitted by:
Norman Rick, Division Chief
Support / Operations Division



Approved by:
Dean J. Maggos, Fire Chief

Incident Reports By Incident Type

Page 1 of 6

Incident Type: 118 Trash or rubbish fire, contained

| Incident # | Exp # | Date | Time |
|------------|-------|----------|------------|
| 140839 | 0 | 6/4/2014 | 10:20:00AM |

Total Incidents: 1

Incident Type: 132 Road freight or transport vehicle fire

| Incident # | Exp # | Date | Time |
|------------|-------|----------|-----------|
| 140846 | 0 | 6/5/2014 | 1:18:00PM |

Total Incidents: 1

Incident Type: 154 Dumpster or other outside trash receptacle fire

| Incident # | Exp # | Date | Time |
|------------|-------|-----------|------------|
| 140914 | 0 | 6/15/2014 | 12:44:00PM |

Total Incidents: 1

Incident Type: 311 Medical assist, assist EMS crew

| Incident # | Exp # | Date | Time |
|------------|-------|-----------|------------|
| 140878 | 0 | 6/10/2014 | 2:43:00AM |
| 140974 | 0 | 6/28/2014 | 12:45:00PM |

Total Incidents: 2

Incident Type: 321 EMS call, excluding vehicle accident with injury

| Incident # | Exp # | Date | Time |
|------------|-------|-----------|------------|
| 140825 | 0 | 6/1/2014 | 1:41:00AM |
| 140826 | 0 | 6/1/2014 | 4:58:00AM |
| 140827 | 0 | 6/1/2014 | 6:38:00AM |
| 140828 | 0 | 6/1/2014 | 4:40:00PM |
| 140829 | 0 | 6/1/2014 | 10:19:00PM |
| 140830 | 0 | 6/2/2014 | 9:06:00AM |
| 140831 | 0 | 6/2/2014 | 12:50:00PM |
| 140832 | 0 | 6/2/2014 | 5:45:00PM |
| 140833 | 0 | 6/3/2014 | 1:46:00PM |
| 140834 | 0 | 6/3/2014 | 4:25:00PM |
| 140836 | 0 | 6/3/2014 | 6:42:00PM |
| 140837 | 0 | 6/3/2014 | 11:02:00PM |
| 140838 | 0 | 6/4/2014 | 8:38:00AM |
| 140840 | 0 | 6/4/2014 | 10:43:00AM |
| 140841 | 0 | 6/4/2014 | 3:11:00PM |
| 140842 | 0 | 6/4/2014 | 4:40:00PM |
| 140843 | 0 | 6/5/2014 | 7:22:00AM |
| 140844 | 0 | 6/5/2014 | 10:41:00AM |
| 140845 | 0 | 6/5/2014 | 10:52:00AM |
| 140847 | 0 | 6/5/2014 | 3:31:00PM |
| 140848 | 0 | 6/5/2014 | 4:10:00PM |
| 140849 | 0 | 6/5/2014 | 4:46:00PM |
| 140850 | 0 | 6/5/2014 | 6:53:00PM |
| 140851 | 0 | 6/5/2014 | 7:53:00PM |
| 140852 | 0 | 6/6/2014 | 5:29:00AM |
| 140853 | 0 | 6/6/2014 | 12:02:00PM |
| 140854 | 0 | 6/6/2014 | 3:12:00PM |
| 140855 | 0 | 6/6/2014 | 5:02:00PM |
| 140856 | 0 | 6/6/2014 | 5:22:00PM |
| 140857 | 0 | 6/6/2014 | 5:56:00PM |
| 140858 | 0 | 6/6/2014 | 6:42:00PM |
| 140859 | 0 | 6/7/2014 | 10:51:00AM |
| 140860 | 0 | 6/7/2014 | 2:30:00PM |
| 140861 | 0 | 6/7/2014 | 3:45:00PM |
| 140863 | 0 | 6/7/2014 | 7:25:00PM |
| 140864 | 0 | 6/8/2014 | 4:59:00AM |
| 140865 | 0 | 6/8/2014 | 7:05:00AM |
| 140866 | 0 | 6/8/2014 | 8:23:00AM |
| 140867 | 0 | 6/8/2014 | 11:14:00AM |
| 140868 | 0 | 6/8/2014 | 2:57:00PM |
| 140869 | 0 | 6/8/2014 | 4:00:00PM |
| 140870 | 0 | 6/8/2014 | 9:53:00PM |
| 140872 | 0 | 6/9/2014 | 4:32:00AM |
| 140873 | 0 | 6/9/2014 | 6:13:00AM |
| 140874 | 0 | 6/9/2014 | 7:13:00AM |
| 140875 | 0 | 6/9/2014 | 9:55:00AM |
| 140877 | 0 | 6/9/2014 | 5:48:00PM |
| 140879 | 0 | 6/10/2014 | 9:33:00AM |
| 140880 | 0 | 6/10/2014 | 12:15:00PM |

| | | | |
|--------|---|-----------|------------|
| 140882 | 0 | 6/10/2014 | 5:13:00PM |
| 140884 | 0 | 6/10/2014 | 7:34:00PM |
| 140886 | 0 | 6/11/2014 | 8:48:00AM |
| 140887 | 0 | 6/11/2014 | 10:05:00AM |
| 140888 | 0 | 6/11/2014 | 11:23:00AM |
| 140889 | 0 | 6/11/2014 | 4:58:00PM |
| 140890 | 0 | 6/11/2014 | 6:00:00PM |
| 140891 | 0 | 6/12/2014 | 12:05:00PM |
| 140892 | 0 | 6/12/2014 | 4:01:00PM |
| 140893 | 0 | 6/12/2014 | 5:30:00PM |
| 140894 | 0 | 6/13/2014 | 6:18:00AM |
| 140895 | 0 | 6/13/2014 | 8:08:00AM |
| 140896 | 0 | 6/13/2014 | 10:28:00AM |
| 140897 | 0 | 6/13/2014 | 11:07:00AM |
| 140898 | 0 | 6/13/2014 | 11:21:00AM |
| 140899 | 0 | 6/13/2014 | 1:54:00PM |
| 140900 | 0 | 6/13/2014 | 5:07:00PM |
| 140901 | 0 | 6/13/2014 | 6:15:00PM |
| 140902 | 0 | 6/13/2014 | 10:08:00PM |
| 140903 | 0 | 6/14/2014 | 7:06:00AM |
| 140904 | 0 | 6/14/2014 | 7:51:00AM |
| 140906 | 0 | 6/14/2014 | 11:12:00AM |
| 140907 | 0 | 6/14/2014 | 12:49:00PM |
| 140908 | 0 | 6/14/2014 | 2:25:00PM |
| 140909 | 0 | 6/15/2014 | 12:38:00AM |
| 140910 | 0 | 6/15/2014 | 1:18:00AM |
| 140912 | 0 | 6/15/2014 | 5:55:00AM |
| 140913 | 0 | 6/15/2014 | 11:19:00AM |
| 140915 | 0 | 6/16/2014 | 3:18:00AM |
| 140916 | 0 | 6/16/2014 | 1:58:00PM |
| 140917 | 0 | 6/16/2014 | 8:18:00PM |
| 140920 | 0 | 6/17/2014 | 5:27:00PM |
| 140922 | 0 | 6/17/2014 | 11:04:00PM |
| 140923 | 0 | 6/18/2014 | 6:27:00AM |
| 140924 | 0 | 6/18/2014 | 9:27:00AM |
| 140926 | 0 | 6/18/2014 | 11:38:00AM |
| 140927 | 0 | 6/19/2014 | 4:46:00PM |
| 140929 | 0 | 6/20/2014 | 3:37:00AM |
| 140930 | 0 | 6/20/2014 | 4:52:00AM |
| 140931 | 0 | 6/20/2014 | 8:17:00AM |
| 140932 | 0 | 6/20/2014 | 10:42:00AM |
| 140933 | 0 | 6/20/2014 | 6:58:00PM |
| 140934 | 0 | 6/20/2014 | 10:55:00PM |
| 140935 | 0 | 6/21/2014 | 5:17:00AM |
| 140938 | 0 | 6/21/2014 | 1:22:00PM |
| 140939 | 0 | 6/21/2014 | 8:07:00PM |
| 140940 | 0 | 6/21/2014 | 10:12:00PM |
| 140941 | 0 | 6/21/2014 | 11:00:00PM |
| 140943 | 0 | 6/22/2014 | 6:07:00AM |
| 140944 | 0 | 6/22/2014 | 9:12:00AM |
| 140945 | 0 | 6/22/2014 | 12:52:00PM |
| 140946 | 0 | 6/23/2014 | 3:47:00PM |

| | | | |
|--------|---|-----------|------------|
| 140947 | 0 | 6/23/2014 | 4:55:00PM |
| 140948 | 0 | 6/23/2014 | 10:20:00PM |
| 140949 | 0 | 6/23/2014 | 11:12:00PM |
| 140950 | 0 | 6/24/2014 | 5:41:00AM |
| 140951 | 0 | 6/24/2014 | 8:21:00AM |
| 140952 | 0 | 6/24/2014 | 12:38:00PM |
| 140953 | 0 | 6/24/2014 | 1:37:00PM |
| 140954 | 0 | 6/24/2014 | 2:46:00PM |
| 140955 | 0 | 6/24/2014 | 8:09:00PM |
| 140956 | 0 | 6/25/2014 | 8:03:00AM |
| 140957 | 0 | 6/25/2014 | 6:00:00PM |
| 140958 | 0 | 6/25/2014 | 8:30:00PM |
| 140959 | 0 | 6/25/2014 | 9:39:00PM |
| 140962 | 0 | 6/26/2014 | 11:34:00AM |
| 140963 | 0 | 6/26/2014 | 3:18:00PM |
| 140964 | 0 | 6/26/2014 | 6:31:00PM |
| 140965 | 0 | 6/26/2014 | 8:44:00PM |
| 140966 | 0 | 6/26/2014 | 9:45:00PM |
| 140967 | 0 | 6/27/2014 | 10:59:00AM |
| 140969 | 0 | 6/27/2014 | 10:41:00PM |
| 140970 | 0 | 6/28/2014 | 7:31:00AM |
| 140971 | 0 | 6/28/2014 | 8:14:00AM |
| 140972 | 0 | 6/28/2014 | 9:36:00AM |
| 140978 | 0 | 6/28/2014 | 8:36:00PM |
| 140979 | 0 | 6/29/2014 | 9:07:00AM |
| 140980 | 0 | 6/29/2014 | 8:18:00PM |
| 140981 | 0 | 6/29/2014 | 8:34:00PM |
| 140982 | 0 | 6/30/2014 | 3:22:00AM |
| 140983 | 0 | 6/30/2014 | 8:10:00AM |
| 140985 | 0 | 6/30/2014 | 12:21:00PM |

Total Incidents: 131

Incident Type: 322 Vehicle accident with injuries

| Incident # | Exp # | Date | Time |
|------------|-------|-----------|------------|
| 140876 | 0 | 6/9/2014 | 10:30:00AM |
| 140905 | 0 | 6/14/2014 | 10:38:00AM |
| 140975 | 0 | 6/28/2014 | 1:16:00PM |

Total Incidents: 3

Incident Type: 412 Gas leak (natural gas or LPG)

| Incident # | Exp # | Date | Time |
|------------|-------|-----------|------------|
| 140921 | 0 | 6/17/2014 | 11:00:00PM |
| 140937 | 0 | 6/21/2014 | 7:46:00AM |

Total Incidents: 2

Incident Type: 422 Chemical spill or leak

| Incident # | Exp # | Date | Time |
|------------|-------|-----------|-----------|
| 140936 | 0 | 6/21/2014 | 6:47:00AM |

Total Incidents: 1

Incident Type: 440 Electrical wiring/equipment problem, other

| Incident # | Exp # | Date | Time |
|------------|-------|-----------|------------|
| 140987 | 0 | 6/30/2014 | 10:09:00PM |

Total Incidents: 1

Incident Type: 571 Cover assignment, standby, moveup

| Incident # | Exp # | Date | Time |
|------------|-------|-----------|------------|
| 140973 | 0 | 6/28/2014 | 10:30:00AM |

Total Incidents: 1

Incident Type: 600 Good intent call, other

| Incident # | Exp # | Date | Time |
|------------|-------|-----------|------------|
| 140918 | 0 | 6/17/2014 | 11:02:00AM |

Total Incidents: 1

Incident Type: 611 Dispatched & canceled en route

| Incident # | Exp # | Date | Time |
|------------|-------|-----------|------------|
| 140835 | 0 | 6/3/2014 | 4:58:00PM |
| 140871 | 0 | 6/8/2014 | 11:13:00PM |
| 140911 | 0 | 6/15/2014 | 1:59:00AM |
| 140919 | 0 | 6/17/2014 | 1:51:00PM |
| 140925 | 0 | 6/18/2014 | 10:17:00AM |
| 140977 | 0 | 6/28/2014 | 7:36:00PM |

Total Incidents: 6

Incident Type: 651 Smoke scare, odor of smoke

| Incident # | Exp # | Date | Time |
|------------|-------|-----------|-----------|
| 140883 | 0 | 6/10/2014 | 5:30:00PM |

Total Incidents: 1

Incident Type: 671 Hazmat release investigation w/ no hazmat

| Incident # | Exp # | Date | Time |
|------------|-------|-----------|-----------|
| 140881 | 0 | 6/10/2014 | 3:30:00PM |
| 140928 | 0 | 6/19/2014 | 7:20:00PM |

Total Incidents: 2

Incident Type: 736 CO detector activation due to malfunction

| Incident # | Exp # | Date | Time |
|------------|-------|-----------|------------|
| 140862 | 0 | 6/7/2014 | 5:14:00PM |
| 140960 | 0 | 6/25/2014 | 10:29:00PM |

Total Incidents: 2

Incident Type: 740 Unintentional transmission of alarm, other

| Incident # | Exp # | Date | Time |
|------------|-------|-----------|-----------|
| 140961 | 0 | 6/26/2014 | 8:51:00AM |

Total Incidents: 1

Incident Type: 743 Smoke detector activation, no fire - unintentional

| Incident # | Exp # | Date | Time |
|------------|-------|-----------|------------|
| 140968 | 0 | 6/27/2014 | 2:09:00PM |
| 140976 | 0 | 6/28/2014 | 3:43:00PM |
| 140984 | 0 | 6/30/2014 | 10:37:00AM |
| 140986 | 0 | 6/30/2014 | 2:19:00PM |

Total Incidents: 4

Incident Type: 746 Carbon monoxide detector activation, no CO

| Incident # | Exp # | Date | Time |
|------------|-------|-----------|-----------|
| 140885 | 0 | 6/10/2014 | 8:26:00PM |
| 140942 | 0 | 6/22/2014 | 3:22:00AM |

Total Incidents: 2

Print Date: 7/16/2014

Total Number of Incidents: 163
Total Number of Incident Types: 18



LA GRANGE PARK FIRE DEPARTMENT

447 N. Catherine Avenue
La Grange Park, Illinois 60526

(708) 354-0225 *Administration*
(708) 352-2141 *Non-Emergency*
(708) 354-0241 *FAX*

----- NEWS RELEASE -----

June 11, 2014

Contact: Fire Chief Dean J. Maggos
708-354-0225 x310

Carbon Dioxide Leak Evacuates Business

La Grange Park, Illinois - The Village of La Grange Park Fire Department responded to a carbon dioxide leak this past Tuesday, June 10th, at Panera Bread, which is located at 439 N. La Grange Rd. The incident was reported at approximately 3:30 pm, after a leak occurred in the carbon dioxide system, which is used for the carbonation of fountain drinks. It is not clear what precipitated the leak, but employees did follow emergency instructions in attempting to control the leak, and then contacted the fire department, and evacuated the business.

Responding firefighters entered the store wearing protective equipment and self-contained breathing apparatus, monitored oxygen levels, and assessed the leak. It appears that the actions employees took prior to the Fire Department's arrival substantially slowed the leak and mitigated any hazard. The business was ventilated, and after confirming that oxygen levels were normal, employees were allowed to re-enter the store, and the store re-opened for business within approximately 20 minutes.

Carbon Dioxide is considered a non-flammable gas and is considered relatively safe. One of the safety concerns though is that carbon dioxide can displace oxygen, and if released in confined areas, has the potential to cause suffocation. Also, it can cause frostbite and cryogenic burns for those who come in direct contact with it.

There were no reports of injuries to either employees or customers. For additional information, please contact Fire Chief Dean J. Maggos at 708-354-0225, x310.



LA GRANGE PARK FIRE DEPARTMENT

447 N. Catherine Avenue
La Grange Park, Illinois 60526

(708) 354-0225 *Administration*
(708) 352-2141 *Non-Emergency*
(708) 354-0241 *FAX*

----- NEWS RELEASE -----

June 11, 2014

Contact: Fire Chief Dean J. Maggos
708-354-0225 x310

Carbon Dioxide Leak Evacuates Business

La Grange Park, Illinois - The Village of La Grange Park Fire Department responded to a carbon dioxide leak this past Tuesday, June 10th, at Panera Bread, which is located at 439 N. La Grange Rd. The incident was reported at approximately 3:30 pm, after a leak occurred in the carbon dioxide system, which is used for the carbonation of fountain drinks. It is not clear what precipitated the leak, but employees did follow emergency instructions in attempting to control the leak, and then contacted the fire department, and evacuated the business.

Responding firefighters entered the store wearing protective equipment and self-contained breathing apparatus, monitored oxygen levels, and assessed the leak. It appears that the actions employees took prior to the Fire Department's arrival substantially slowed the leak and mitigated any hazard. The business was ventilated, and after confirming that oxygen levels were normal, employees were allowed to re-enter the store, and the store re-opened for business within approximately 20 minutes.

Carbon Dioxide is considered a non-flammable gas and is considered relatively safe. One of the safety concerns though is that carbon dioxide can displace oxygen, and if released in confined areas, has the potential to cause suffocation. Also, it can cause frostbite and cryogenic burns for those who come in direct contact with it.

There were no reports of injuries to either employees or customers. For additional information, please contact Fire Chief Dean J. Maggos at 708-354-0225, x310.