

# La Grange Park Fire Department Monthly Report November 2014



## Contents

- Overall Summary / Highlights
- Incident Report Summary
- Significant Fire Report
- EMS Division Summary
- Fire Prevention Division Summary
- Operations / Training Division Summary
- Incident Report Detail
- Correspondence

## Village Board Meeting Fire Department Activity Memo

To: Julia Cedillo, Village Manager

From: Dean J. Maggos, Director of Fire & Building



Date: January 22, 2015

Re: Fire Department Activities – NOVEMBER 2014

---

As requested for insertion into the Village Board meeting agenda packet, the following is a brief summary of Fire Department activity highlights for the month of November. As usual, a more comprehensive monthly report is kept within the department for your review.

There were 150 EMS responses this month and 1479 YTD. Last year, there were 1376 YTD at this time. There were 32 fire/rescue incidents this month, and 463 YTD. Last year, there were 423 YTD at this time.

During the month, personnel participated in a guest reading program at St. Louise De Marillac School, and provided a program on uniforms and personnel protective equipment to Cub Scouts Pack 39, who meet at First Baptist Church in La Grange. Personnel also assisted with the send-off rally for the Nazareth Academy Football team leaving for the State Championship game.

On November 5<sup>th</sup>, EMS personnel conducted a Community CPR Class in conjunction with the Community Park District. Ten residents received CPR and AED training.

On November 8<sup>th</sup>, personnel provided ambulance and paramedic coverage for the St. Francis 5K Fun Walk and Run through La Grange Park.

11/10 (MON) 3:03 PM: Responded with our Ladder Truck and a Safety Section Chief to assist the Hinsdale Fire Department with a MABAS box alarm at the medical office building located at 950 N. York Rd.

11/18 (TUE) 12:44 PM: Responded to a report of smoke in the basement at The Grove of La Grange Park. A fire was discovered smoldering the commercial dryer ventilation system, and was extinguished with fire extinguishers.

11/19 (WED) 10:20 PM: Responded with an Engine, Plans Chief and Investigator to assist the Pleasantview Fire District with a MABAS 2-11 alarm fire at Terry's Bike Haus at 9826 W. 55<sup>th</sup> St. in Countryside. Firefighters from Pleasantview were initially notified of the fire by the building's fire alarm system, and rescued an occupant through a 2<sup>nd</sup> floor window.

## Incident Reports By Incident Type, Summary

Page 1 of 1

<b>Incident Type</b>	<b>Total Incidents:</b>
111 Building fire	3
321 EMS call, excluding vehicle accident with injury	141
322 Vehicle accident with injuries	4
323 Motor vehicle/pedestrian accident (MV Ped)	1
381 Rescue or EMS standby	4
500 Service Call, other	3
600 Good intent call, other	1
611 Dispatched & canceled en route	5
651 Smoke scare, odor of smoke	3
671 Hazmat release investigation w/ no hazmat	2
733 Smoke detector activation due to malfunction	1
740 Unintentional transmission of alarm, other	1
743 Smoke detector activation, no fire - unintentional	1
744 Detector activation, no fire - unintentional	2
745 Alarm system sounded, no fire - unintentional	1
<b>Total Number of Incidents:</b>	<b>173</b>
<b>Total Number of Incident Types:</b>	<b>15</b>

**Print Date:** 1/22/2015

**LAGRANGE PARK FIRE DEPARTMENT  
SIGNIFICANT FIRES - 2014**

<b>DATE</b>	<b>TYPE OF OCCUPANCY</b>	<b>ADDRESS</b>	<b>ESTIMATED LOSS</b>	<b>MOST PROBABLE FIRE CAUSE</b>
02-19-14	Single-Family	525 N. Kensington Ave.	\$ 180,000	Undetermined - Furnace and/or Natural Gas related
03-24-14	Multi-Family (Cooking)	407 Sherwood Ave.	\$ 0	Unattended Cooking
04-21-14	Single-Family (Cooking)	510 Kemman Ave.	\$ 30	Unattended Cooking
05-13-14	Retirement Community	1571 W. Ogden Ave.	\$ 0	Overheated Motor
06-04-14	Multi-Family (Trash)	418 Homestead Rd.	\$ 0	Incendiary - Discarded documents
06-05-14	Refuse Hauler	Oak and Kensington	\$ 5,000	Undetermined
07-07-14	Mixed (Office/Admin)	901 W. 26th St.	\$ 0	Undetermined HVAC unit problem
07-14-14	Single-Family (Washing Machine)	1413 Deerpath Ln.	\$ 0	Overheated Motor
08-13-14	Single-Family (Garbage Can)	1238 Alima Terr.	\$ 20	Discarded Smoking Materials
08-21-14	Single-Family (Utility Room)	1107 Robinhood Ln.	\$ 700	Undetermined Malfunction/Overheating of Dehumidifier
09-08-14	Single-Family (Oven)	329 Malden Ave.	\$ 600	Overheat of Cooking
10-23-14	Multi-Family (Cooking)	1602 Homestead Rd.	\$ 0	Unattended Cooking
11-18-15	Nursing Home (Dryer Duct)	701 N. La Grange Rd.	\$ 0	Lint Accumulation

**Significant Fire - All fires and potential fires in and around structures, or other fires resulting in greater than \$5,000.00 damage.  
Last Updated - 11/30/14**

**LAGRANGE PARK FIRE DEPARTMENT  
EMERGENCY MEDICAL SERVICES  
RESPONSE ACTIVITIES – NOVEMBER 2014**

---

**NATURE OF CALL:**

Cardiac	009
Injured Person	052
Medical Emergency	041
Road Accident	007
Respiratory	009
Assist Patient	012
Mutual Aid Given	011
EMS Stand-by	004

**OUTCOME OF SERVICES:**

Treated/Transported	097
Refused Services	039
Assist Patient Only	012
Other	003

**LEVEL OF CARE PROVIDED:**

Advanced (ALS)	071
Basic (BLS)	026
Refused Care	039
Other	012

**TRANSPORT FACILITIES:**

LaGrange Hospital	073
Loyola Medical Center	010
Hinsdale Hospital	007
MacNeal Hospital	003
Good Samaritan Hospital	001
Hines VA Hospital	002
Elmhurst Hospital	001
Not transported	054

**RESPONSE ACTIVITY:**

Total Calls – Month	150
Total Calls – YTD	1479
Total Patients – Month	151
Total Patients – YTD	1505

**BILLING INFORMATION:**

Invoices issued this month

Invoices received this month

**LOCATION OF CALL:**

Commercial	006
Educational	
Brook Park School	000
Forest Road School	000
Nazareth Academy	003
Park Junior High School	001
St. Louise School/Church	002
Industrial	000
Bethlehem Woods Complex	
Residential Towers	023
Assisted Living Center	007
Institutional	
OLB Center	001
The Grove Health Care	005
Plymouth Place	018
Scheck Senior Center	001
Residential	
Single Family	049
Multi Family	016
Miscellaneous	
Police/Fire Station	001
Street/Road/Park	006
Mutual Aid Given	011

**MUTUAL AID ACTIVITY:**

Provided to:

LaGrange	005
Westchester	001
Tri State	001
Darien Woodridge	003
Brookfield	001

Received from:

Brookfield	004
LaGrange	012
Western Springs	001
Westchester	001

Total Amount Invoiced: \$

Total Amount Received: \$

*Rick Ronovsky*

Submitted by:  
Rick Ronovsky, Division Chief  
EMS Division

  
Approved by:  
Dean Maggos, Fire Chief



# LA GRANGE PARK FIRE DEPARTMENT

447 N. Catherine Avenue  
La Grange Park, Illinois 60526

(708) 354-0225 *Administration*

(708) 352-2141 *Non-Emergency*

(708) 354-0241 *FAX*

## EMERGENCY MEDICAL SERVICES ACTIVITY REPORT – NOVEMBER 2014

### Ambulance Responses:

This month, EMT and Paramedic personnel responded to a total of 150 requests for emergency medical services treating a total of 151 patients. There were 111 calls located west of the IHB Railroad and 28 calls east of the IHB Railroad. Year to date, there have been a total of 1479 requests for service and 1505 patients receiving care.

This compares to last year (November 2013) when there were 125 requests for service and a year to date total of 1376 calls.

### Training and Continuing Education:

EMT & Paramedic Continuing Education was conducted on Monday, November 10<sup>th</sup> in the Community Room at Fire Station #1. All members reviewed Infection Control, Blood Borne Pathogens, and Ebola Procedures.

### Special Activities:

On November 1<sup>st</sup>, members provided ambulance and paramedic service at the Nazareth High School Football Game.

On November 5<sup>th</sup>, members conducted a Community CPR Class in conjunction with the Community Park District. There were 10 residents that received CPR and AED training. Class was conducted in the Community Room at Fire Station #1.

On November 8<sup>th</sup>, members provided ambulance and paramedic service at the St Francis Parish 5K Fun Walk & Run through LaGrange Park.

On November 11<sup>th</sup>, members attended the Electronic Reporting Committee meeting for the Loyola EMS System hosted by the Broadview Fire Department.

On November 15<sup>th</sup>, members provided ambulance and paramedic service at the Nazareth High School Football Game.

On November 22<sup>nd</sup>, members provided ambulance and paramedic service at the Nazareth High School Football Game.

*Rick Ronovsky*

---

Submitted by:  
Rick Ronovsky, Division Chief  
EMS Division



---

Approved by:  
Dean J. Maggos, Fire Chief

**Fire Prevention and Education Activities for  
November, 2014**

Fire Prevention and Education was conducted by Division Chief Carpenter and FF McManus

- Members conducted 3 Fire Inspections at the following type of occupancies:

• Residential:	0
• Commercial:	2
• Education:	0
• Industrial:	0
• Institution:	0
• Municipal:	1
• Office:	0


- Members noted 2 violations of the Village Fire and Life Safety code as follows:

• Alarm Systems:	1
• Fire Extinguishers:	0
• Electrical:	0
• Combustible Storage:	0
• Flammable Storage:	0
• Life Safety:	1
• Other:	0

- Members conducted 1 re-inspections with 0 of 2 outstanding violations corrected.


- The Department responded to 5 Fire alarm activation's during the month.


• Malicious:	0
• Malfunction:	1
• Smoke / Fire:	4

  
Submitted by:  
John Carpenter, Division Chief  
Fire Prevention Division

  
Approved By:  
Dean J. Maggos, Fire Chief

- D/C Carpenter continues to receive request for lock box applications and continues to place keys in new boxes throughout the village.
- FF. McManus conducted final occupancy inspections for the new owners of Angels Spirits, 1100 E 31<sup>st</sup>. The fire alarm and sprinkler system have been re connected and are fully functional.
- D/C Carpenter conducted a pre occupancy inspection for a new Helping Hand group home located at 1202 Community.
- D/C Carpenter conducted a plan review for the 1<sup>st</sup> floor remodeling project at the Grove, 701 LaGrange Rd.
- D/C Carpenter received new residential sprinkler plans for review for 246 Kings Ct.
- D/C Carpenter received new residential sprinkler plans for review for 1005 Beach.
- FF Breen represented the fire department at a guest reading at St. Louise School.
- D/C Carpenter has been following up with problem fire alarms.
- Members participated in the Nazareth Football team sendoff pep rally.

  
Submitted By:  
John Carpenter, Division Chief  
Fire Prevention Division

  
Approved By:  
Dean J. Maggos, Fire Chief

**La Grange Park Fire Department  
Division of Operations & Training  
November 2014**

**Monthly Training Summary**

**Regular Training**

November 6 & 7	SOG & Pre-plan Review/ Maintenance, Small Tools, and Inventory
November 13 & 14	Blood Borne Pathogen and Ebola Review
November 20 & 21	Fire Apparatus Engineering & Address Training
November 27 & 28	Maintenance, Small Tools, and Inventory

**Training hour totals**

	November 2014	2014 YTD
Regular Drill	268.50	2702.50
Other Training	50.00	603.50


**Monthly Operations Summary**

**Fire Call Activities**

	November 2014	2014 YTD	November 2013	2013 YTD
Total Fire Calls	32	463	33	423

**Fire Call Mutual Aid Summary**

	November 2014 Aid Received	2014 YTD Aid Received	November 2014 Aid Given	2014 YTD Aid Given
Brookfield	1	22	7	40
La Grange	5	86	1	50
Western Springs	0	3	0	2
Other	0	22	3	20
Mutual Aid Totals	6	133	11	112



Submitted by:  
Norman Rick, Division Chief  
Operations and Support Services



Approved by:  
Dean J. Maggos, Fire Chief

**Incident Reports By Incident Type**

Page 1 of 5

**Incident Type: 111 Building fire**

<b>Incident #</b>	<b>Exp #</b>	<b>Date</b>	<b>Time</b>
141707	0	11/10/2014	3:03:00PM
141753	0	11/18/2014	12:44:00PM
141765	0	11/19/2014	10:20:00PM

**Total Incidents: 3****Incident Type: 321 EMS call, excluding vehicle accident with injury**

<b>Incident #</b>	<b>Exp #</b>	<b>Date</b>	<b>Time</b>
141662	0	11/1/2014	3:12:00PM
141663	0	11/1/2014	3:47:00PM
141665	0	11/1/2014	8:41:00PM
141667	0	11/3/2014	6:53:00AM
141668	0	11/3/2014	9:07:00AM
141669	0	11/3/2014	9:31:00AM
141670	0	11/3/2014	10:05:00AM
141671	0	11/3/2014	11:32:00AM
141672	0	11/4/2014	2:23:00AM
141673	0	11/4/2014	6:29:00AM
141674	0	11/4/2014	8:08:00AM
141677	0	11/4/2014	12:29:00PM
141678	0	11/4/2014	3:08:00PM
141679	0	11/4/2014	7:13:00PM
141680	0	11/4/2014	10:34:00PM
141681	0	11/5/2014	11:34:00AM
141682	0	11/5/2014	4:07:00PM
141684	0	11/5/2014	10:28:00PM
141685	0	11/6/2014	12:06:00PM
141686	0	11/6/2014	12:12:00PM
141687	0	11/6/2014	12:41:00PM
141688	0	11/6/2014	1:19:00PM
141689	0	11/6/2014	2:29:00PM
141690	0	11/6/2014	6:08:00PM
141692	0	11/6/2014	10:45:00PM
141693	0	11/7/2014	10:14:00AM
141694	0	11/7/2014	1:08:00PM
141695	0	11/7/2014	5:57:00PM
141697	0	11/8/2014	1:29:00PM
141698	0	11/8/2014	2:10:00PM
141699	0	11/8/2014	6:58:00PM
141700	0	11/9/2014	3:17:00AM
141701	0	11/9/2014	10:54:00AM
141702	0	11/9/2014	2:47:00PM
141703	0	11/9/2014	4:25:00PM
141704	0	11/9/2014	10:16:00PM

141705	0	11/10/2014	3:22:00AM
141706	0	11/10/2014	11:30:00AM
141709	0	11/11/2014	9:08:00AM
141710	0	11/11/2014	10:41:00AM
141711	0	11/11/2014	1:02:00PM
141712	0	11/11/2014	5:18:00PM
141713	0	11/11/2014	8:17:00PM
141714	0	11/12/2014	3:06:00AM
141715	0	11/12/2014	3:49:00AM
141716	0	11/12/2014	3:51:00AM
141717	0	11/12/2014	9:55:00AM
141718	0	11/12/2014	2:07:00PM
141720	0	11/13/2014	4:09:00AM
141722	0	11/13/2014	4:10:00PM
141723	0	11/13/2014	8:32:00PM
141724	0	11/13/2014	8:41:00PM
141725	0	11/13/2014	8:48:00PM
141726	0	11/14/2014	3:30:00AM
141727	0	11/14/2014	10:04:00AM
141728	0	11/14/2014	11:37:00AM
141729	0	11/14/2014	4:36:00PM
141730	0	11/14/2014	4:38:00PM
141731	0	11/14/2014	6:27:00PM
141732	0	11/14/2014	7:28:00PM
141735	0	11/15/2014	7:16:00AM
141737	0	11/15/2014	8:07:00AM
141738	0	11/15/2014	11:22:00AM
141740	0	11/15/2014	4:18:00PM
141741	0	11/15/2014	5:39:00PM
141742	0	11/15/2014	8:18:00PM
141743	0	11/16/2014	8:06:00AM
141744	0	11/16/2014	1:10:00PM
141745	0	11/16/2014	4:47:00PM
141746	0	11/16/2014	4:58:00PM
141747	0	11/17/2014	7:54:00AM
141748	0	11/17/2014	7:56:00AM
141749	0	11/17/2014	10:25:00AM
141750	0	11/17/2014	4:54:00PM
141751	0	11/18/2014	7:02:00AM
141754	0	11/18/2014	1:11:00PM
141755	0	11/18/2014	4:52:00PM
141756	0	11/18/2014	7:42:00PM
141758	0	11/18/2014	11:35:00PM
141759	0	11/19/2014	7:36:00AM
141760	0	11/19/2014	10:19:00AM
141761	0	11/19/2014	10:57:00AM
141763	0	11/19/2014	4:24:00PM
141764	0	11/19/2014	4:42:00PM
141766	0	11/20/2014	2:28:00AM
141767	0	11/20/2014	7:53:00AM
141768	0	11/20/2014	8:51:00AM
141770	0	11/20/2014	10:38:00AM

141771	0	11/20/2014	12:00:00PM
141772	0	11/20/2014	9:12:00PM
141774	0	11/21/2014	7:46:00AM
141775	0	11/21/2014	3:35:00PM
141777	0	11/21/2014	12:00:00AM
141778	0	11/21/2014	11:00:00PM
141779	0	11/22/2014	4:39:00AM
141780	0	11/22/2014	9:25:00AM
141782	0	11/22/2014	6:09:00PM
141783	0	11/23/2014	7:29:00AM
141784	0	11/23/2014	7:55:00AM
141785	0	11/23/2014	6:08:00PM
141787	0	11/24/2014	6:38:00AM
141788	0	11/24/2014	6:55:00AM
141789	0	11/24/2014	10:56:00AM
141790	0	11/25/2014	8:14:00AM
141791	0	11/25/2014	5:29:00PM
141793	0	11/25/2014	7:22:00PM
141794	0	11/25/2014	8:00:00PM
141796	0	11/26/2014	1:23:00AM
141797	0	11/26/2014	6:31:00AM
141798	0	11/26/2014	7:14:00AM
141799	0	11/26/2014	11:43:00AM
141800	0	11/26/2014	6:21:00PM
141802	0	11/27/2014	7:08:00AM
141803	0	11/27/2014	8:04:00AM
141804	0	11/27/2014	9:59:00AM
141805	0	11/27/2014	1:37:00PM
141806	0	11/27/2014	2:07:14PM
141808	0	11/27/2014	4:13:00PM
141809	0	11/27/2014	6:13:00PM
141810	0	11/27/2014	6:25:00PM
141811	0	11/27/2014	8:38:00PM
141813	0	11/28/2014	2:36:00AM
141814	0	11/28/2014	7:19:00AM
141815	0	11/28/2014	2:15:00PM
141816	0	11/28/2014	5:05:00PM
141817	0	11/28/2014	8:22:00PM
141818	0	11/28/2014	9:11:00PM
141819	0	11/29/2014	9:59:00AM
141820	0	11/29/2014	3:46:00PM
141822	0	11/30/2014	12:44:30AM
141823	0	11/30/2014	2:52:00AM
141824	0	11/30/2014	7:19:00AM
141825	0	11/30/2014	7:56:00AM
141826	0	11/30/2014	9:48:00AM
141827	0	11/30/2014	11:13:00AM
141829	0	11/30/2014	12:21:00PM
141830	0	11/30/2014	12:52:00PM
141831	0	11/30/2014	6:15:00PM
141832	0	11/30/2014	8:13:00PM
141833	0	11/30/2014	10:56:00PM

**Incident Reports By Incident Type**

141834	0	11/30/2014	11:51:00PM	<b>Total Incidents: 141</b>
--------	---	------------	------------	-----------------------------

**Incident Type: 322 Vehicle accident with injuries**

Incident #	Exp #	Date	Time	
141708	0	11/10/2014	9:43:00PM	
141733	0	11/14/2014	7:59:00PM	
141792	0	11/25/2014	5:55:00PM	
141801	0	11/26/2014	10:46:00PM	
				<b>Total Incidents: 4</b>

**Incident Type: 323 Motor vehicle/pedestrian accident (MV Ped)**

Incident #	Exp #	Date	Time	
141769	0	11/20/2014	9:53:00AM	
				<b>Total Incidents: 1</b>

**Incident Type: 381 Rescue or EMS standby**

Incident #	Exp #	Date	Time	
141664	0	11/1/2014	5:45:00PM	
141696	0	11/8/2014	7:30:00AM	
141739	0	11/15/2014	12:30:00PM	
141781	0	11/22/2014	12:45:00PM	
				<b>Total Incidents: 4</b>

**Incident Type: 500 Service Call, other**

Incident #	Exp #	Date	Time	
141683	0	11/5/2014	6:09:00PM	
141734	0	11/14/2014	9:05:00PM	
141776	0	11/21/2014	4:15:00PM	
				<b>Total Incidents: 3</b>

**Incident Type: 600 Good intent call, other**

Incident #	Exp #	Date	Time	
141762	0	11/19/2014	3:02:00PM	
				<b>Total Incidents: 1</b>

**Incident Type: 611 Dispatched & canceled en route**

Incident #	Exp #	Date	Time	
141666	0	11/2/2014	3:14:00PM	
141691	0	11/6/2014	6:21:00PM	
141719	0	11/12/2014	4:42:00PM	
141721	0	11/13/2014	8:46:00AM	
141736	0	11/15/2014	7:43:00AM	
				<b>Total Incidents: 5</b>

**Incident Type: 651 Smoke scare, odor of smoke**

Incident #	Exp #	Date	Time
141757	0	11/18/2014	8:35:00PM
141786	0	11/23/2014	7:16:00PM
141795	0	11/25/2014	9:31:00PM

**Total Incidents: 3**

**Incident Type: 671 Hazmat release investigation w/ no hazmat**

Incident #	Exp #	Date	Time
141676	0	11/4/2014	12:16:00PM
141812	0	11/27/2014	11:50:00PM

**Total Incidents: 2**

**Incident Type: 733 Smoke detector activation due to malfunction**

Incident #	Exp #	Date	Time
141675	0	11/4/2014	9:35:00AM

**Total Incidents: 1**

**Incident Type: 740 Unintentional transmission of alarm, other**

Incident #	Exp #	Date	Time
141828	0	11/30/2014	11:21:00AM

**Total Incidents: 1**

**Incident Type: 743 Smoke detector activation, no fire - unintentional**

Incident #	Exp #	Date	Time
141821	0	11/30/2014	12:44:00AM

**Total Incidents: 1**

**Incident Type: 744 Detector activation, no fire - unintentional**

Incident #	Exp #	Date	Time
141773	0	11/20/2014	10:22:00PM
141807	0	11/27/2014	3:03:00PM

**Total Incidents: 2**

**Incident Type: 745 Alarm system sounded, no fire - unintentional**

Incident #	Exp #	Date	Time
141752	0	11/18/2014	9:58:00AM

**Total Incidents: 1**

**Total Number of Incidents: 173  
Total Number of Incident Types: 15**



# LA GRANGE PARK FIRE DEPARTMENT

447 N. Catherine Avenue  
La Grange Park, Illinois 60526

(708) 354-0225 *Administration*  
(708) 352-2141 *Non-Emergency*  
(708) 354-0241 *FAX*

## ----- NEWS RELEASE -----

November 18, 2014

Contact: Fire Chief Dean J. Maggos  
708-354-0225 x310

### **Smoldering Fire in Dryer Vent Causes Smoke Concern**

**La Grange Park, Illinois** - The Village of La Grange Park Fire Department responded to a report of smoke in the sub-basement area of The Grove of La Grange Park earlier today. The Grove is located at 701 N. La Grange Rd., and is home to residents requiring surgical transitional care, rehabilitation, and nursing extended care. An employee reported smoke coming from the laundry area at approximately 12:44 pm.

Upon investigating the smoke, firefighters using a thermal imaging camera discovered a smoldering fire burning in a vent shaft. The shaft houses the venting system for the building's laundry area, and is where dryer gases are exhausted. Firefighters removed a cover and grate to access the shaft, and extinguished the fire using water from a portable fire extinguisher. Firefighters remained on the scene for approximately 20 minutes after the fire was extinguished to remove smoke from the basement areas. Firefighters also checked for smoke spread on resident's floors, and although there was an odor, there was no apparent smoke on those upper floors. As such, no one was injured.

The cause of the fire appears to be an excessive build-up of lint in the vent shaft, which most likely overheated. Damage to the shaft was nominal. The La Grange and Brookfield Fire Departments assisted with the incident.

For additional information regarding this incident, please contact Fire Chief Dean J. Maggos at 708-354-0225, x310.