

La Grange Park Fire Department Monthly Report November 2013



Contents

- Overall Summary / Highlights**
- Incident Report Summary**
- Significant Fire Report**
- EMS Division Summary**
- Fire Prevention Division Summary**
- Operations / Training Division Summary**
- Incident Report Detail**
- Correspondence**

Village Board Meeting Fire Department Activity Memo

To: Julia Cedillo, Village Manager

From: Dean J. Maggos, Director of Fire & Building



Date: January 20, 2014

Re: Fire Department Activities – NOVEMBER 2013

As requested for insertion into the Village Board meeting agenda packet, the following is a brief summary of Fire Department activity highlights for the month of November. As usual, a more comprehensive monthly report is kept within the department for your review.

There were 125 EMS responses this month and 1376 YTD. Last year, there were 1307 YTD at this time. There were 33 fire/rescue incidents this month, and 423 YTD. Last year, there were 426 YTD at this time.

During the month, personnel conducted various types of training at the home owned by the Park District in the 500 block of Beach. On Sunday, November 24th, personnel actual live fire training at the home. In addition to our personnel, Brookfield, La Grange and Western Springs Fire Departments participated.

Fire Prevention staff witnessed hydrostatic testing of fire sprinkler systems in the homes at 1646 and 1650 Finsbury.

Personnel conducted a fire safety presentation for approximately 100 children and staff at Ogden Ave. School, and also conducted a first-aid presentation and station tour for a group of girl scouts.

On November 6th, we conducted a community CPR class in conjunction with the Community Park District.

11/01 (FRI) 6:25 PM: Responded for a gas leak at a home in the 1400 block of Scotdale. Crews discovered gas leaking from a dryer, and assisted resident with shutting off gas supply to such.

11/12 (TUE) 11:14 PAM: Responded with an Engine and Chief to assist Hinsdale with a townhome fire at 5718 Park.

11/17 (SUN) 2:26 PM: Responded for a gas leak at a home in the 1400 block of Morgan. Crews found gas in the home, which was leaking from a valve for the stove. They shut off both gas and power to the home, and ventilating gas from the home to a safe level.

11/23 (SAT) 7:35 AM: Responded for an activated carbon monoxide alarm at a home in the 600 block of Spring. Elevated levels were found in the home, which appeared to be related to a problem with a furnace.

11/29 (FRI) 4:09 PM: Responded with an Engine and Investigator to assist Brookfield with a fire in two-flat at 3536 Vernon. Engine crew assisted with conducting a search for occupants on the 1st floor.

Incident Reports By Incident Type, Summary

Page 1 of 1

Incident Type	Total Incidents:
111 Building fire	2
311 Medical assist, assist EMS crew	3
321 EMS call, excluding vehicle accident with injury	117
322 Vehicle accident with injuries	3
381 Rescue or EMS standby	2
412 Gas leak (natural gas or LPG)	3
424 Carbon monoxide incident	1
444 Power line down	2
611 Dispatched & canceled en route	1
651 Smoke scare, odor of smoke	1
733 Smoke detector activation due to malfunction	1
736 CO detector activation due to malfunction	5
740 Unintentional transmission of alarm, other	1
743 Smoke detector activation, no fire - unintentional	4
745 Alarm system sounded, no fire - unintentional	2
746 Carbon monoxide detector activation, no CO	1
Total Number of Incidents:	149
Total Number of Incident Types:	16

Print Date: 1/20/2014

**LAGRANGE PARK FIRE DEPARTMENT
SIGNIFICANT FIRES - 2013**

DATE	TYPE OF OCCUPANCY	ADDRESS	ESTIMATED LOSS	MOST PROBABLE FIRE CAUSE
01/09	Single-Family (Washing Machine)	738 Forest Rd.	\$ 0	Overheated Motor
03/18	Van (In driveway next to garage)	1522 Morgan	\$ 1500	Undetermined
04/06	Car (In garage, owner pushed outside)	609 Kensington	\$ 300	Undetermined
05/28	House (Electrical damage)	1202 Homestead	\$ 200	Power lines down in yard
06/09	Senior Life Care (dining room table)	315 N. La Grange	\$ 30	"Sterno" type warming burner knocked over
07/02	Single-Family (Washing Machine)	406 E. Harding	\$ 100	Overheated Motor
07/22	County Maintenance Facility	26th & Beach	\$ 3000	Heat from cutting/welding
08/06	Multi-Family (Cooking)	1249 Homestead	\$ 50	Unattended
08/15	Single-Family (Rags)	900 Spring	\$ 100	Spontaneous Heating - oily rags
08/23	Single-Family (Cooking)	729 Barnsdale	\$ 20	Overheated cooking oil

**Significant Fire - All fires and potential fires in and around structures, or other fires resulting in greater than \$5,000.00 damage.
Last Updated - 11/30/13**

**LAGRANGE PARK FIRE DEPARTMENT
EMERGENCY MEDICAL SERVICES
RESPONSE ACTIVITIES -- NOVEMBER 2013**

NATURE OF CALL:

Cardiac 005
Injured Person 028
Medical Emergency 058
Road Accident 006
Respiratory 007
Assist Patient 009
Mutual Aid Given 010
EMS Stand-by 002

OUTCOME OF SERVICES:

Treated/Transported 094
Refused Services 022
Assist Patient Only 009
Other 001

LEVEL OF CARE PROVIDED:

Advanced (ALS) 066
Basic (BLS) 028
Refused Care 022
Other 010

TRANSPORT FACILITIES:

LaGrange Hospital 070
Loyola Medical Center 014
Hinsdale Hospital 009
MacNeal Hospital 000
Good Samaritan Hospital 000
Hines VA Hospital 001
Elmhurst Hospital 000
Not transported 032

RESPONSE ACTIVITY:

Total Calls -- Month 125
Total Calls -- YTD 1376
Total Patients -- Month 127
Total Patients -- YTD 1405

BILLING INFORMATION:

Invoices issued this month 107
Invoices received this month 070

LOCATION OF CALL:

Commercial 005
Educational
 Brook Park School 000
 Forest Road School 000
 Nazareth Academy 002
 Park Junior High School 000
 St. Louise School/Church 000
Industrial 000
 Bethlehem Woods Complex
 Residential Towers 028
 Assisted Living Center 004
Institutional
 OLB Center 001
 The Grove Health Care 002
 Plymouth Place 017
Residential
 Single Family 036
 Multi Family 014
Miscellaneous
 Mutual Aid Given 010
 Police/Fire Station 001
 Street/Road/Park 005
 Unclassified/Other 000

MUTUAL AID ACTIVITY:

Provided to:
 LaGrange 006
 Darien Woodridge 001
 Westchester 001
 Tri State 001
 MABAS Task Force 001

Received from:

LaGrange 009
Western Springs 002
Brookfield 002

Rick Ronovsky

Submitted by:
Rick Ronovsky, Division Chief
EMS Division


Approved by:
Dean Maggos, Fire Chief



LA GRANGE PARK FIRE DEPARTMENT

447 N. Catherine Avenue
La Grange Park, Illinois 60526

(708) 354-0225 *Administration*
(708) 352-2141 *Non-Emergency*
(708) 354-0241 *FAX*

EMERGENCY MEDICAL SERVICES ACTIVITY REPORT – NOVEMBER 2013

Ambulance Responses:

This month, EMT and Paramedic personnel responded to a total of 125 requests for emergency medical services treating a total of 127 patients. There were 96 calls located west of the IHB Railroad and 19 calls east of the IHB Railroad. Year to date, there have been a total of 1376 requests for service and 1405 patients receiving care.

This compares to last year (November 2012) when there were 100 requests for service and a year to date total of 1307 calls.

Training and Continuing Education:

EMS Continuing Education for this year was completed in October. The month of November was used to make up any outstanding classes.

Special Activities:

On November 2nd - Firefighters Mahn and Palicka provided ambulance and paramedic coverage at the 5K Fun Walk and Run through LaGrange Park sponsored by St. Francis School and Church.

On November 6th – Firefighters Bink, Mahn, and Wittman conducted a Community CPR Class in conjunction with the Community Park District of LaGrange Park. There were 9 residents in attendance.

On November 9th – Firefighters Wittman and Palicka provided ambulance and paramedic coverage at the Nazareth High School Football Game.

A handwritten signature in black ink, appearing to read "Rick Ronovsky".

Submitted by:
Rick Ronovsky, Division Chief
EMS Division

A handwritten signature in black ink, appearing to read "Dean J. Maggos".

Approved by:
Dean J. Maggos, Fire Chief

Fire Prevention and Education Activities for November, 2013


Fire Prevention and Education was conducted by Division Chief Carpenter, Lt. Norvilas, FF Hulten and FF McManus

- Members conducted 9 Fire Inspections at the following type of occupancies:
 - Residential: 0
 - Commercial: 0
 - Education: 3
 - Industrial: 2
 - Institution: 2
 - Municipal: 0
 - Office: 2

- Members noted 1 violations of the Village Fire and Life Safety code as follows:
 - Alarm Systems: 0
 - Fire Extinguishers: 0
 - Electrical: 0
 - Combustible Storage: 1
 - Flammable Storage: 0
 - Life Safety: 0
 - Other: 0


- Members conducted 0 re-inspections with 0 of 0 outstanding violations corrected.

- The Department responded to 7 Fire alarm activation's during the month.
 - Malicious: 1
 - Malfunction: 2
 - Smoke / Fire: 4



Submitted by:
John Carpenter, Division Chief
Fire Prevention Division


Approved By:
Dean J. Maggos, Fire Chief

- D/C Carpenter conducted a final fire occupancy inspection at the Grove, 701 LaGrange Rd following basement remodeling.
- D/C Carpenter received sprinkler system plans for review for 627 N Kensington residence.
- D/C Carpenter received sprinkler plans for review for 1 Stonegate residence.
- D/C Carpenter conducted hydro testing for 1646 and 1650 Finsbury.
- D/C Carpenter installed new entry keys in all 15 Homestead Apartment key boxes.
- D/C Carpenter has obtained free batteries from the OSFM. These batteries have been placed in all vehicles and should be used to assist our residence in need of battery replacements for their smoke or CO detectors.
- D/C Carpenter continues to receive request for lock box applications and continues to place keys in new boxes throughout the village.
- D/C Carpenter continues entering pre incident survey information in the new CADZONE program on the village server.
- FF Hulten continues checking all key boxes within the village to ensure they function properly and have current keys.
- Lt. Norvilas continues to work with business owners with problem fire alarms.
- Lt Hurley, Tullis, FF McManus and Hulten continue visiting all business within the village as we continue to update the preplan data.
- Members conducted fire safety presentation for approximately 100 Children and staff at Ogden Ave. School
- FF/PM Breen conducted a first aid presentation and station tour for a group of girl scouts.



Submitted By:
John Carpenter, Division Chief
Fire Prevention Division



Approved By:
Dean J. Maggos, Fire Chief

**LaGrange Park Fire Department
Division of Operations & Training
November 2013**

Monthly Training Summary

Regular Training

November 4 & 5	SOG & Pre-plan Review
November 11 & 12	Acquired Structure
November 18 & 19	Acquired Structure
November 24	Special Drill – Live Fire Training
November 25 & 26	Maintenance, Small Tools, and Inventory

Training hour totals

	November 2013	2013 YTD
Regular Drill	304.00	3182.50
Other Training	382.00	1362.00

Monthly Operations Summary

Fire Call Activities

	November 2013	2013 YTD	November 2012	2012 YTD
Total Fire Calls	33	423	33	426

Fire Call Mutual Aid Summary

	November 2013 Aid Received	2013 YTD Aid Received	November 2013 Aid Given	2013 YTD Aid Given
Brookfield	2	24	4	50
La Grange	7	72	1	61
Western Springs	0	17	0	1
Other	0	0	2	34
Mutual Aid Totals	9	113	7	146



Submitted by:
Norman Rick, Division Chief
Support / Operations Division



Approved by:
Dean J. Maggos, Fire Chief

Incident Reports By Incident Type

Page 1 of 5

Incident Type: 111 Building fire

Incident #	Exp #	Date	Time
131705	0	11/12/2013	11:14:00PM
131780	0	11/29/2013	4:09:00PM

Total Incidents: 2**Incident Type: 311 Medical assist, assist EMS crew**

Incident #	Exp #	Date	Time
131731	0	11/18/2013	6:02:00PM
131752	0	11/24/2013	11:47:00AM
131753	0	11/24/2013	12:02:00PM

Total Incidents: 3**Incident Type: 321 EMS call, excluding vehicle accident with injury**

Incident #	Exp #	Date	Time
131634	0	11/1/2013	7:20:00AM
131636	0	11/1/2013	3:37:00PM
131637	0	11/1/2013	5:11:00PM
131639	0	11/2/2013	12:24:00AM
131641	0	11/2/2013	3:57:00AM
131642	0	11/2/2013	6:56:00AM
131644	0	11/3/2013	1:20:00AM
131645	0	11/3/2013	9:35:00AM
131647	0	11/3/2013	5:43:00PM
131648	0	11/3/2013	6:23:00PM
131649	0	11/3/2013	7:15:00PM
131650	0	11/3/2013	9:30:00PM
131651	0	11/4/2013	5:37:00AM
131652	0	11/4/2013	7:48:00AM
131653	0	11/4/2013	10:39:00AM
131654	0	11/4/2013	10:51:00AM
131655	0	11/4/2013	11:24:00AM
131656	0	11/4/2013	5:05:00PM
131657	0	11/4/2013	9:31:00PM
131658	0	11/4/2013	9:48:00PM
131660	0	11/5/2013	2:33:00AM
131661	0	11/5/2013	2:10:00PM
131662	0	11/5/2013	7:23:00PM
131663	0	11/5/2013	7:24:00PM
131664	0	11/6/2013	6:47:00AM
131665	0	11/6/2013	3:49:00PM
131666	0	11/7/2013	5:52:00AM
131667	0	11/7/2013	6:18:00AM
131668	0	11/7/2013	8:42:00AM

131669	0	11/7/2013	10:27:00AM
131670	0	11/7/2013	4:17:00PM
131671	0	11/7/2013	4:41:00PM
131672	0	11/7/2013	5:36:00PM
131674	0	11/7/2013	7:17:00PM
131675	0	11/8/2013	6:47:00AM
131676	0	11/8/2013	8:19:00AM
131677	0	11/8/2013	10:08:00AM
131678	0	11/8/2013	10:48:00AM
131679	0	11/8/2013	11:08:00AM
131680	0	11/8/2013	11:10:00AM
131681	0	11/8/2013	8:13:00PM
131682	0	11/8/2013	9:21:00PM
131684	0	11/9/2013	4:26:00AM
131688	0	11/9/2013	4:30:00PM
131689	0	11/9/2013	5:20:00PM
131690	0	11/9/2013	11:15:00PM
131691	0	11/10/2013	9:52:00AM
131692	0	11/10/2013	10:14:00AM
131693	0	11/10/2013	1:05:00PM
131697	0	11/11/2013	7:29:00AM
131698	0	11/11/2013	11:29:00AM
131699	0	11/11/2013	5:36:00PM
131700	0	11/12/2013	9:26:00AM
131701	0	11/12/2013	12:30:00PM
131702	0	11/12/2013	6:44:00PM
131703	0	11/12/2013	7:05:00PM
131704	0	11/12/2013	7:55:00PM
131706	0	11/13/2013	9:26:00AM
131707	0	11/13/2013	10:36:00AM
131708	0	11/13/2013	5:13:00PM
131709	0	11/13/2013	6:15:00PM
131710	0	11/14/2013	9:45:00AM
131711	0	11/14/2013	11:47:00AM
131712	0	11/14/2013	3:36:00PM
131714	0	11/15/2013	10:09:00AM
131715	0	11/15/2013	3:54:00PM
131716	0	11/16/2013	7:49:00AM
131717	0	11/16/2013	2:20:00PM
131718	0	11/16/2013	3:03:00PM
131719	0	11/16/2013	4:39:00PM
131721	0	11/17/2013	10:20:00AM
131722	0	11/17/2013	2:05:00PM
131726	0	11/17/2013	10:05:00PM
131727	0	11/18/2013	6:45:00AM
131728	0	11/18/2013	10:24:00AM
131729	0	11/18/2013	1:19:00PM
131730	0	11/18/2013	5:42:00PM
131732	0	11/18/2013	7:05:00PM
131733	0	11/18/2013	9:10:00PM
131734	0	11/19/2013	10:51:00AM
131735	0	11/19/2013	11:22:00AM

131737	0	11/19/2013	5:19:00PM
131738	0	11/20/2013	12:22:00AM
131739	0	11/20/2013	9:57:00AM
131740	0	11/21/2013	5:13:00AM
131741	0	11/21/2013	8:28:00AM
131742	0	11/21/2013	5:28:00PM
131744	0	11/22/2013	6:18:00PM
131746	0	11/23/2013	7:28:00AM
131749	0	11/23/2013	6:41:00PM
131751	0	11/24/2013	12:53:00AM
131754	0	11/24/2013	6:33:00PM
131755	0	11/24/2013	7:29:00PM
131756	0	11/25/2013	4:49:00AM
131757	0	11/25/2013	5:22:00AM
131758	0	11/25/2013	7:07:00AM
131760	0	11/25/2013	9:24:00AM
131761	0	11/25/2013	11:37:00AM
131762	0	11/26/2013	5:59:00PM
131763	0	11/26/2013	7:14:00PM
131764	0	11/26/2013	8:02:00PM
131766	0	11/27/2013	6:12:00AM
131767	0	11/27/2013	9:00:00AM
131768	0	11/27/2013	9:12:00AM
131769	0	11/27/2013	1:53:00PM
131770	0	11/27/2013	2:41:00PM
131771	0	11/27/2013	3:33:00PM
131772	0	11/27/2013	5:41:00PM
131773	0	11/28/2013	6:28:00AM
131774	0	11/28/2013	12:18:00PM
131775	0	11/28/2013	6:27:00PM
131776	0	11/28/2013	9:22:00PM
131777	0	11/28/2013	9:24:00PM
131778	0	11/29/2013	5:21:00AM
131779	0	11/29/2013	6:57:00AM
131781	0	11/29/2013	10:40:00PM
131782	0	11/29/2013	11:53:00PM
Total Incidents: 117			

Incident Type: 322 Vehicle accident with injuries

Incident #	Exp #	Date	Time
131673	0	11/7/2013	6:09:00PM
131687	0	11/9/2013	2:59:00PM
131784	3	11/30/2013	10:59:00AM
Total Incidents: 3			

Incident Type: 381 Rescue or EMS standby

Incident #	Exp #	Date	Time
131643	0	11/2/2013	7:00:00AM
131685	0	11/9/2013	1:00:00PM
Total Incidents: 2			

Incident Type: 412 Gas leak (natural gas or LPG)

Incident #	Exp #	Date	Time
131638	0	11/1/2013	6:25:00PM
131723	0	11/17/2013	2:26:00PM
131736	0	11/19/2013	2:04:00PM
Total Incidents: 3			

Incident Type: 424 Carbon monoxide incident

Incident #	Exp #	Date	Time
131747	0	11/23/2013	7:35:00AM
Total Incidents: 1			

Incident Type: 444 Power line down

Incident #	Exp #	Date	Time
131659	0	11/5/2013	12:22:00AM
131724	0	11/17/2013	5:05:00PM
Total Incidents: 2			

Incident Type: 611 Dispatched & canceled en route

Incident #	Exp #	Date	Time
131646	0	11/3/2013	4:13:00PM
131743	0	11/22/2013	2:45:00AM
131765	0	11/26/2013	10:24:00PM
Total Incidents: 3			

Incident Type: 651 Smoke scare, odor of smoke

Incident #	Exp #	Date	Time
131750	0	11/24/2013	12:24:00AM
Total Incidents: 1			

Incident Type: 733 Smoke detector activation due to malfunction

Incident #	Exp #	Date	Time
131686	0	11/9/2013	1:21:00PM
Total Incidents: 1			

Incident Type: 736 CO detector activation due to malfunction

Incident #	Exp #	Date	Time
131635	0	11/1/2013	12:47:00PM
131640	0	11/2/2013	1:24:00AM
131683	0	11/8/2013	10:40:00PM
131695	0	11/10/2013	7:26:00PM
131759	0	11/25/2013	7:18:00AM
Total Incidents: 5			

Incident Type: 740 Unintentional transmission of alarm, other

Incident #	Exp #	Date	Time
131745	0	11/22/2013	9:24:00PM

Total Incidents: 1

Incident Type: 743 Smoke detector activation, no fire - unintentional

Incident #	Exp #	Date	Time
131696	0	11/10/2013	8:06:00PM
131713	0	11/14/2013	6:36:00PM
131720	0	11/17/2013	8:37:00AM
131748	0	11/23/2013	5:41:00PM

Total Incidents: 4

Incident Type: 745 Alarm system sounded, no fire - unintentional

Incident #	Exp #	Date	Time
131694	0	11/10/2013	1:39:00PM
131783	0	11/30/2013	6:35:00AM

Total Incidents: 2

Incident Type: 746 Carbon monoxide detector activation, no CO

Incident #	Exp #	Date	Time
131725	0	11/17/2013	5:13:00PM

Total Incidents: 1

**Total Number of Incidents: 151
Total Number of Incident Types: 16**



**VILLAGE
OF HINSDALE** FOUNDED IN 1873

19 EAST CHICAGO AVENUE
HINSDALE, ILLINOIS 60521-3489 • (630) 789-7000
Village Website: <http://www.villageofhinsdale.org>

VILLAGE PRESIDENT
Tom Cauley

TRUSTEES
J. Kimberley Angelo
Christopher J. Elder
William N. Haarlow
Gerald J. Hughes
Laura LaPlaca
Bob Saigh

POLICE DEPARTMENT 789-7070
FIRE DEPARTMENT 789-7060
121 SYMONDS DRIVE

November 25, 2013

Chief Dean Maggos
LaGrange Park Fire Department
447 N Catherine Avenue
LaGrange Park, IL 60526

Dear Chief ~~Maggos~~ *Dean*

On behalf of the Village of Hinsdale Fire Department, please extend to your members our sincere appreciation for their response to our structure fire at 5706 S. Park Avenue on Tuesday night, November 12, 2013 at 10:30pm

We responded to a non-emergency report of smoke in a townhouse at 5718 S. Park Avenue and while en route to investigate began receiving reports of a house fire at 5706 S. Park Avenue. Upon the arrival of our members, they confirmed a fire in the crawl space of a townhouse at 5706 S. Park Avenue that was spreading through a plumbing wall to the entire unit.

With the assistance of our neighboring Departments, did not spread past the unit of origin and there were no injuries as a result of this fire.

All Departments that responded did an outstanding job assisting us in the suppression and overhaul of this fire and we would like to thank you all for the hard work at this incident.

As always, we are there to assist you when you need it, please do not hesitate to call.

Sincerely,

Rick Ronovsky
Fire Chief

