

# La Grange Park Fire Department Monthly Report March 2014



## Contents

- Overall Summary / Highlights**
- Incident Report Summary**
- Significant Fire Report**
- EMS Division Summary**
- Fire Prevention Division Summary**
- Operations / Training Division Summary**
- Incident Report Detail**
- Correspondence**

## Village Board Meeting Fire Department Activity Memo

To: Julia Cedillo, Village Manager

From: Dean J. Maggos, Director of Fire & Building



Date: April 15, 2014

Re: Fire Department Activities – MARCH 2014

---

As requested for insertion into the Village Board meeting agenda packet, the following is a brief summary of Fire Department activity highlights for the month of March. As usual, a more comprehensive monthly report is kept within the department for your review.

There were 127 EMS responses this month and 388 YTD. Last year, there were 378 YTD at this time. There were 49 fire/rescue incidents this month, and 187 YTD. Last year, there were 105 YTD at this time.

A final sprinkler inspection was conducted for occupancy for a new home located at 630 N. Kensington.

Various members of staff participated in a short seminar regarding updates to the Lyons Township Mass Dispensing and Vaccination Plan.

The Fire Chief participated in a meeting with a representative from Tetra-Tech and fire officials from neighboring Villages regarding the Cook County Multi-Hazard Mitigation Plan, in preparation for submittal of our local annex, which will become part of the overall plan. The required information was provided at the end of the month.

03/21 (FRI) 12:27 AM: Responded with an Engine to assist Brookfield with a fire in a basement involving a dryer at 9126 W. 28<sup>th</sup> St.

03/24 (MON) 10:13 PM: Responded for an activated fire alarm at Homestead Apartments, which turned out to be a cooking fire in a unit at 407 Sherwood. The resident fell asleep while cooking, and the fire activated a heat detector, which in turn set off the fire alarm.

03/27 (THUR) 5:25 PM: Responded for smoke in the dining area at Congregation of St. Joseph, which turned out to be an overheated motor on an HVAC unit.

03/30 (SUN) 1:51 PM: Responded with a Chief to assist Lyons with a significant house fire located at 4124 Maple Ave.

## Incident Reports By Incident Type, Summary

Page 1 of 1

<b>Incident Type</b>	<b>Total Incidents:</b>
111 Building fire	2
113 Cooking fire, confined to container	1
311 Medical assist, assist EMS crew	5
321 EMS call, excluding vehicle accident with injury	120
322 Vehicle accident with injuries	3
412 Gas leak (natural gas or LPG)	1
424 Carbon monoxide incident	1
440 Electrical wiring/equipment problem, other	1
441 Heat from short circuit (wiring), defective/worn	1
442 Overheated motor	1
551 Assist police or other governmental agency	1
571 Cover assignment, standby, moveup	1
651 Smoke scare, odor of smoke	3
700 False alarm or false call, other	1
730 System malfunction, other	1
733 Smoke detector activation due to malfunction	1
735 Alarm system sounded due to malfunction	1
736 CO detector activation due to malfunction	4
740 Unintentional transmission of alarm, other	2
743 Smoke detector activation, no fire - unintentional	6
745 Alarm system sounded, no fire - unintentional	2
746 Carbon monoxide detector activation, no CO	3
815 Severe weather or natural disaster standby	2
<b>Total Number of Incidents:</b>	<b>164</b>
<b>Total Number of Incident Types:</b>	<b>23</b>

Print Date: 4/15/2014

**LAGRANGE PARK FIRE DEPARTMENT  
EMERGENCY MEDICAL SERVICES  
RESPONSE ACTIVITIES – MARCH 2014**

---

**NATURE OF CALL:**

Cardiac	013
Injured Person	026
Medical Emergency	053
Road Accident	003
Respiratory	016
Assist Patient	007
Mutual Aid Given	009
EMS Stand-by	000

**OUTCOME OF SERVICES:**

Treated/Transported	097
Refused Services	024
Assist Patient Only	007
Other	001

**LEVEL OF CARE PROVIDED:**

Advanced (ALS)	068
Basic (BLS)	029
Refused Care	024
Other	008

**TRANSPORT FACILITIES:**

LaGrange Hospital	070
Loyola Medical Center	012
Hinsdale Hospital	012
MacNeal Hospital	000
Good Samaritan Hospital	000
Hines VA Hospital	001
Elmhurst Hospital	002
Not transported	032

**RESPONSE ACTIVITY:**

Total Calls – Month	127
Total Calls – YTD	388
Total Patients – Month	129
Total Patients – YTD	398

**BILLING INFORMATION:**

Invoices issued this month	075
Invoices received this month	040

**LOCATION OF CALL:**

Commercial	003
Educational	
Brook Park School	000
Forest Road School	000
Nazareth Academy	001
Park Junior High School	001
St. Louise School/Church	000
Industrial	000
Bethlehem Woods Complex	
Residential Towers	023
Assisted Living Center	012
Institutional	
OLB Center	000
The Grove Health Care	010
Plymouth Place	013
Residential	
Single Family	039
Multi Family	012
Miscellaneous	
Mutual Aid Given	009
Police/Fire Station	001
Street/Road/Park	003
Unclassified/Other	000

**MUTUAL AID ACTIVITY:**

Provided to:	
LaGrange	006
Westchester	001
Darien Woodridge	001
Tri State	001
Received from:	
LaGrange	007
Brookfield	001
Westchester	001
Western Springs	002

*Rick Ronovsky*

Submitted by:  
Rick Ronovsky, Division Chief  
EMS Division

  
Approved by:  
Dean Maggos, Fire Chief



# LA GRANGE PARK FIRE DEPARTMENT

447 N. Catherine Avenue  
La Grange Park, Illinois 60526

(708) 354-0225 *Administration*  
(708) 352-2141 *Non-Emergency*  
(708) 354-0241 *FAX*

## EMERGENCY MEDICAL SERVICES ACTIVITY REPORT – MARCH 2014

### Ambulance Responses:

This month, EMT and Paramedic personnel responded to a total of 127 requests for emergency medical services treating a total of 129 patients. There were 98 calls located west of the IHB Railroad and 20 calls east of the IHB Railroad. Year to date, there have been a total of 388 requests for service and 398 patients receiving care.

This compares to last year (March 2013) when there were 102 requests for service and a year to date total of 378 calls.

### Training and Continuing Education:

EMT Continuing Education conducted by the Loyola EMS System through our Associate Hospital – LaGrange Memorial, was conducted on Tuesday, March 11<sup>th</sup> in the Community Room at Fire Station #1. Paramedic Continuing Education was conducted on Monday, March 10<sup>th</sup>, Wednesday, March 12<sup>th</sup>, and Friday, March 14<sup>th</sup> at the LaGrange Fire Department.

Probationary Firefighter Tom Cronin has completed the System Entry process in the Loyola EMS System and has now completed all requirements to be an EMT.

*Rick Ronovsky*

---

Submitted by:  
Rick Ronovsky, Division Chief  
EMS Division

*Dean J. Maggos*  
Approved by:  
Dean J. Maggos, Fire Chief

**LaGrange Park Fire Department  
Division of Operations & Training  
March 2014**

**Monthly Training Summary**

**Regular Training**

March 3 & 4	SOG & Pre-plan Review
March 10 & 11	SCBA - OSHA Training
March 18 & 19	SCBA - OSHA Training
March 24 & 25	Maintenance, Small Tools, and Inventory
March 31	Fire Apparatus Engineering

**Training hour totals**

	March 2014	2014 YTD
Regular Drill	261.50	714.00
Other Training	49.00	218.50


**Monthly Operations Summary**

**Fire Call Activities**

	March 2014	2014 YTD	March 2013	2013 YTD
Total Fire Calls	49	187	33	105

**Fire Call Mutual Aid Summary**

	March 2014 Aid Received	2014 YTD Aid Received	March 2014 Aid Given	2014 YTD Aid Given
Brookfield	2	7	6	17
La Grange	13	42	0	15
Western Springs	0	2	1	1
Other	0	16	3	6
Mutual Aid Totals	15	67	10	39



Submitted by:  
Norman Rick, Division Chief  
Support / Operations Division



Approved by:  
Dean J. Maggos, Fire Chief

**Fire Prevention and Education Activities for  
March, 2014**

Fire Prevention and Education was conducted by Division Chief Carpenter, Lt. Norvilas and FF McManus

- Members conducted 5 Fire Inspections at the following type of occupancies:

• Residential:	1
• Commercial:	3
• Education:	0
• Industrial:	0
• Institution:	0
• Municipal:	0
• Office:	1


- Members noted 7 violations of the Village Fire and Life Safety code as follows:

• Alarm Systems:	0
• Fire Extinguishers:	1
• Electrical:	0
• Combustible Storage:	2
• Flammable Storage:	0
• Life Safety:	0
• Other:	4

- Members conducted 0 re-inspections with 0 of 0 outstanding violations corrected.


- The Department responded to 12 Fire alarm activation's during the month.

• Malicious:	2
• Malfunction:	5
• Smoke / Fire:	5

  
Submitted by:  
John Carpenter, Division Chief  
Fire Prevention Division

  
Approved By:  
Dean J. Maggos, Fire Chief

- D/C Carpenter continues to receive request for lock box applications and continues to place keys in new boxes throughout the village.
- D/C Carpenter continues entering pre incident survey information in the new CADZONE program on the village server.
- FF McManus conducted a final occupancy inspection at 630 N. Kensington
- FF McManus conducted an above ceiling inspection at 425 N. LaGrange Rd
- D/C Carpenter has been following up with problem fire alarms.



Submitted By:  
John Carpenter, Division Chief  
Fire Prevention Division



Approved By:  
Dean J. Maggos, Fire Chief

**LAGRANGE PARK FIRE DEPARTMENT  
SIGNIFICANT FIRES - 2014**

<b>DATE</b>	<b>TYPE OF OCCUPANCY</b>	<b>ADDRESS</b>	<b>ESTIMATED LOSS</b>	<b>MOST PROBABLE FIRE CAUSE</b>
02-19-14	Single-Family	525 N. Kensington Ave.	\$ 180,000	Undetermined - Furnace and/or Natural Gas related
03-24-14	Multi-Family (Cooking)	407 Sherwood Ave.	\$ 0	Unattended Cooking

---

**Significant Fire - All fires and potential fires in and around structures, or other fires resulting in greater than \$5,000.00 damage.  
Last Updated - 03/31/14**

## Incident Reports By Incident Type

Page 1 of 7

### Incident Type: 111 Building fire

Incident #	Exp #	Date	Time
140476	0	3/21/2014	12:27:00AM
140521	0	3/30/2014	1:51:00PM

Total Incidents: 2

### Incident Type: 113 Cooking fire, confined to container

Incident #	Exp #	Date	Time
140493	0	3/24/2014	10:13:00PM

Total Incidents: 1

### Incident Type: 311 Medical assist, assist EMS crew

Incident #	Exp #	Date	Time
140416	0	3/11/2014	8:51:00AM
140423	0	3/12/2014	9:35:00AM
140426	0	3/12/2014	4:10:00PM
140460	0	3/18/2014	10:04:00AM
140473	0	3/20/2014	9:56:00AM

Total Incidents: 5

Incident Type: 321 EMS call, excluding vehicle accident with injury

Incident #	Exp #	Date	Time
140363	0	3/1/2014	3:28:00AM
140364	0	3/1/2014	4:17:00AM
140365	0	3/1/2014	8:46:00AM
140366	0	3/1/2014	10:09:00AM
140367	0	3/1/2014	10:30:00AM
140369	0	3/1/2014	4:43:00PM
140370	0	3/1/2014	8:24:00PM
140372	0	3/1/2014	10:31:00PM
140373	0	3/1/2014	10:43:00PM
140374	0	3/1/2014	11:02:00PM
140375	0	3/2/2014	5:51:00PM
140376	0	3/2/2014	9:02:00PM
140377	0	3/3/2014	12:40:00PM
140379	0	3/4/2014	9:36:00AM
140380	0	3/4/2014	2:08:00PM
140381	0	3/4/2014	5:20:00PM
140383	0	3/4/2014	6:55:00PM
140386	0	3/5/2014	7:26:00AM
140387	0	3/5/2014	9:31:00AM
140388	0	3/5/2014	11:47:00AM
140389	0	3/5/2014	7:01:00PM
140390	0	3/6/2014	1:46:00PM
140392	0	3/6/2014	3:32:00PM
140393	0	3/7/2014	9:04:00AM
140394	0	3/7/2014	12:08:00PM
140400	0	3/8/2014	6:41:00AM
140401	0	3/8/2014	8:42:00AM
140402	0	3/8/2014	9:17:00AM
140403	0	3/8/2014	4:00:00PM
140405	0	3/9/2014	5:08:00AM
140407	0	3/9/2014	7:50:00PM
140408	0	3/10/2014	6:32:00AM
140409	0	3/10/2014	8:34:00AM
140410	0	3/10/2014	8:36:00AM
140412	0	3/10/2014	2:05:00PM
140413	0	3/10/2014	9:23:00PM
140414	0	3/11/2014	7:55:00AM
140425	0	3/12/2014	2:38:00PM
140428	0	3/13/2014	12:05:00AM
140429	0	3/13/2014	6:50:00AM
140430	0	3/13/2014	8:02:00AM
140431	0	3/13/2014	9:54:00AM
140432	0	3/13/2014	3:33:00PM
140433	0	3/13/2014	9:47:00PM
140434	0	3/13/2014	10:29:00PM
140435	0	3/14/2014	1:29:00AM
140436	0	3/14/2014	8:12:00AM
140437	0	3/14/2014	6:36:00PM
140438	0	3/14/2014	8:04:00PM

140439	0	3/14/2014	10:10:00PM
140440	0	3/15/2014	2:57:00AM
140441	0	3/15/2014	6:09:00AM
140442	0	3/15/2014	3:48:00PM
140444	0	3/16/2014	12:30:00AM
140445	0	3/16/2014	6:18:00AM
140447	0	3/16/2014	9:41:00AM
140448	0	3/16/2014	9:48:00AM
140449	0	3/16/2014	12:57:00PM
140450	0	3/16/2014	3:29:00PM
140451	0	3/16/2014	5:13:00PM
140452	0	3/17/2014	7:00:00AM
140453	0	3/17/2014	11:02:00AM
140456	0	3/17/2014	3:21:00PM
140457	0	3/17/2014	3:46:00PM
140459	0	3/18/2014	8:23:00AM
140462	0	3/18/2014	6:34:00PM
140463	0	3/18/2014	9:22:00PM
140464	0	3/19/2014	8:01:00AM
140465	0	3/19/2014	8:08:00AM
140466	0	3/19/2014	9:10:00AM
140467	0	3/19/2014	9:23:00AM
140468	0	3/19/2014	10:56:00AM
140469	0	3/19/2014	1:09:00PM
140470	0	3/19/2014	2:13:00PM
140471	0	3/20/2014	1:13:00AM
140474	0	3/20/2014	2:37:00PM
140475	0	3/21/2014	12:00:00AM
140477	0	3/21/2014	1:30:00AM
140478	0	3/21/2014	8:50:00AM
140479	0	3/21/2014	11:06:00AM
140481	0	3/21/2014	2:09:00PM
140482	0	3/21/2014	9:07:00PM
140484	0	3/22/2014	4:48:00PM
140485	0	3/22/2014	7:46:00PM
140486	0	3/23/2014	3:45:00PM
140488	0	3/24/2014	8:41:00AM
140489	0	3/24/2014	9:16:00AM
140490	0	3/24/2014	10:46:00AM
140491	0	3/24/2014	4:30:00PM
140492	0	3/24/2014	7:05:00PM
140494	0	3/24/2014	11:35:00PM
140495	0	3/25/2014	7:28:00PM
140496	0	3/25/2014	7:51:00PM
140497	0	3/25/2014	7:53:00PM
140498	0	3/25/2014	8:18:00PM
140499	0	3/26/2014	8:59:00AM
140500	0	3/26/2014	1:00:00PM
140501	0	3/26/2014	1:43:00PM
140502	0	3/26/2014	2:22:00PM
140503	0	3/27/2014	2:44:00AM
140506	0	3/27/2014	5:13:00PM

140508	0	3/27/2014	6:45:00PM
140509	0	3/27/2014	6:58:00PM
140511	0	3/27/2014	9:58:00PM
140513	0	3/28/2014	1:25:00PM
140514	0	3/28/2014	4:24:00PM
140515	0	3/28/2014	8:17:00PM
140516	0	3/29/2014	10:00:00AM
140518	0	3/29/2014	12:35:00PM
140519	0	3/29/2014	8:43:00PM
140520	0	3/30/2014	11:58:00AM
140522	0	3/30/2014	2:36:00PM
140524	0	3/30/2014	8:02:00PM
140525	0	3/31/2014	6:21:00AM
140526	0	3/31/2014	9:51:00AM
140527	0	3/31/2014	3:57:00PM
140528	0	3/31/2014	4:27:00PM
140529	0	3/31/2014	6:17:00PM
140530	0	3/31/2014	6:20:00PM
<b>Total Incidents: 119</b>			

**Incident Type: 322 Vehicle accident with injuries**

Incident #	Exp #	Date	Time
140368	0	3/1/2014	12:52:00PM
140384	0	3/4/2014	8:33:00PM
140417	0	3/11/2014	12:13:00PM
<b>Total Incidents: 3</b>			

**Incident Type: 412 Gas leak (natural gas or LPG)**

Incident #	Exp #	Date	Time
140510	0	3/27/2014	7:02:00PM
<b>Total Incidents: 1</b>			

**Incident Type: 424 Carbon monoxide incident**

Incident #	Exp #	Date	Time
140480	0	3/21/2014	11:57:00AM
<b>Total Incidents: 1</b>			

**Incident Type: 440 Electrical wiring/equipment problem, other**

Incident #	Exp #	Date	Time
140421	0	3/12/2014	7:08:00AM
<b>Total Incidents: 1</b>			

**Incident Type: 441 Heat from short circuit (wiring), defective/worn**

Incident #	Exp #	Date	Time
140422	0	3/12/2014	9:05:00AM
<b>Total Incidents: 1</b>			

**Incident Type: 442 Overheated motor**

Incident #	Exp #	Date	Time
140507	0	3/27/2014	5:25:00PM

Total Incidents: 1

**Incident Type: 551 Assist police or other governmental agency**

Incident #	Exp #	Date	Time
140382	0	3/4/2014	5:22:00PM

Total Incidents: 1

**Incident Type: 571 Cover assignment, standby, moveup**

Incident #	Exp #	Date	Time
140406	0	3/9/2014	4:29:00PM

Total Incidents: 1

**Incident Type: 611 Dispatched & canceled en route**

Incident #	Exp #	Date	Time
140427	0	3/12/2014	9:10:00PM
140455	0	3/17/2014	2:39:00PM
140504	0	3/27/2014	8:52:00AM
140512	0	3/28/2014	9:13:00AM
140517	0	3/29/2014	10:23:00AM

Total Incidents: 5

**Incident Type: 651 Smoke scare, odor of smoke**

Incident #	Exp #	Date	Time
140404	0	3/9/2014	12:29:00AM
140415	0	3/11/2014	8:44:00AM
140443	0	3/15/2014	10:09:00PM

Total Incidents: 3

**Incident Type: 700 False alarm or false call, other**

Incident #	Exp #	Date	Time
140458	0	3/17/2014	7:06:00PM

Total Incidents: 1

**Incident Type: 730 System malfunction, other**

Incident #	Exp #	Date	Time
140446	0	3/16/2014	8:44:00AM

Total Incidents: 1

**Incident Type: 733 Smoke detector activation due to malfunction**

Incident #	Exp #	Date	Time
140487	0	3/24/2014	7:59:00AM

Total Incidents: 1

**Incident Type: 735 Alarm system sounded due to malfunction**

Incident #	Exp #	Date	Time
140399	0	3/7/2014	10:29:00PM

**Total Incidents: 1**

**Incident Type: 736 CO detector activation due to malfunction**

Incident #	Exp #	Date	Time
140371	0	3/1/2014	8:40:00PM
140378	0	3/3/2014	1:54:00PM
140385	0	3/4/2014	11:03:00PM
140523	0	3/30/2014	7:12:00PM

**Total Incidents: 4**

**Incident Type: 740 Unintentional transmission of alarm, other**

Incident #	Exp #	Date	Time
140396	0	3/7/2014	2:20:00PM
140398	0	3/7/2014	3:21:00PM

**Total Incidents: 2**

**Incident Type: 743 Smoke detector activation, no fire - unintentional**

Incident #	Exp #	Date	Time
140391	0	3/6/2014	2:26:00PM
140395	0	3/7/2014	1:55:00PM
140424	0	3/12/2014	1:35:00PM
140461	0	3/18/2014	1:24:00PM
140472	0	3/20/2014	9:35:00AM
140505	0	3/27/2014	1:54:00PM

**Total Incidents: 6**

**Incident Type: 745 Alarm system sounded, no fire - unintentional**

Incident #	Exp #	Date	Time
140397	0	3/7/2014	2:49:00PM
140411	0	3/10/2014	12:38:00PM

**Total Incidents: 2**

**Incident Type: 746 Carbon monoxide detector activation, no CO**

Incident #	Exp #	Date	Time
140418	0	3/11/2014	9:29:00PM
140454	0	3/17/2014	2:18:00PM
140483	0	3/21/2014	11:30:00PM

**Total Incidents: 3**

Incident Type: **815 Severe weather or natural disaster standby**

Incident #	Exp #	Date	Time
140419	0	3/11/2014	10:00:00PM
140420	0	3/12/2014	6:00:00AM

**Total Incidents: 2**

Print Date: 4/15/2014

**Total Number of Incidents: 168**  
**Total Number of Incident Types: 24**

FOUNDED IN 1946

TRUSTEES

Hamilton "Bo" Gibbons  
Jill K. Strenzel  
Michael L. Orrico



CHIEF ADMINISTRATOR

Jack L. Mancione

**TRI-STATE**

**FIRE PROTECTION DISTRICT**

419 PLAINFIELD ROAD • DARIEN, ILLINOIS 60561 • (630) 323-6445

March 3, 2014

Dean Maggos  
LaGrange Park Fire Department  
447 North Catherine Avenue  
LaGrange Park, IL 60526

Dear Chief Maggos:

The Tri-State Fire District would like to personally thank you and the LaGrange Park fire department for the change of companies support and assistance provided to us during the house fire that occurred in our district on February 24<sup>th</sup> at 16W185 89<sup>th</sup> Street.

Because of efforts made by all involved, we were able to safely and successfully control a fire that transpired on that day and was quickly spreading throughout the structure.

As always, your help is greatly appreciated.

Sincerely,

A handwritten signature in black ink, appearing to read "Jack L. Mancione". The signature is written in a cursive style and is positioned above a horizontal line.

Jack L. Mancione  
Fire Chief

FOUNDED IN 1946

TRUSTEES

Hamilton "Bo" Gibbons  
Jill K. Strenzel  
Michael L. Orrico



CHIEF ADMINISTRATOR

Jack L. Mancione

**TRI-STATE**

**FIRE PROTECTION DISTRICT**

419 PLAINFIELD ROAD • DARIEN, ILLINOIS 60561 • (630) 323-6445

March 18, 2014

Dean Maggos  
LaGrange Park Fire Department  
447 North Catherine Avenue  
LaGrange Park, IL 60526

Dear Chief Maggos:

The Tri-State Fire District would like to personally thank you and the LaGrange Park fire department for the change of companies support and assistance provided to us during the house fire that occurred in our district on March 3rd at 9476 Fallingwater, Burr Ridge.

Because of efforts made by all involved, we were able to safely and successfully control a fire that transpired on that day and was quickly spreading throughout the structure.

As always, your help is greatly appreciated.

Sincerely,

A handwritten signature in black ink, appearing to read "Jack L. Mancione", is written over a horizontal line.

Jack L. Mancione  
Fire Chief

# VILLAGE *of* WESTERN SPRINGS



740 HILLGROVE AVENUE | WESTERN SPRINGS, IL 60558-1478 | [www.wsprings.com](http://www.wsprings.com)

---

**PRESIDENT**

William Rodeghier

**TRUSTEES**

Suzanne Glowiak

James Horvath

Sheila Hansen

Edward Tymick

Patrick Word

Alice Gallagher

**CLERK**

Jeanine Jasica

**MANAGER**

Patrick Higgins

**DIRECTORS**

Tracy Alden

Grace Turi

Pat Schramm

Ingrid Velkme

Martin Scott

Pamela Church

Matthew Supert

Patrick Kenny

---

**March 20, 2014**

**Chief Dean Maggos**

**La Grange Park Fire Department**

**447 N Catherine Avenue**

**La Grange Park, IL 60526**

On behalf of the Village of Western Springs and the members of the Western Springs Department of Fire and EMS, I would like to thank you and your Department for the assistance you provided at our fire on Sunday, March 9, 2014. It was clear from conversations with our staff that your members' contribution helped in limiting the damage to the property involved and the time spent on the scene. The homeowner was also pleased with all phases of this operation.

Please thank you members for me and if we can be of service to you in the future, don't hesitate to call.

Respectfully,



**Patrick J. Kenny**  
**Fire Chief**

**POLICE** Tel 708.246.8540 Fax 708.246.3609 | **FIRE** Tel 708.246.1182 Code Fax 708.246.4871

**VILLAGE SERVICES** Tel 708.246.1800 Fax 708.246.0284 | **RECREATION** Tel 708.246.9070 Fax 708.246.1309