

La Grange Park Fire Department

Monthly Report

July 2013



Contents

Overall Summary / Highlights
Incident Report Summary
Significant Fire Report
EMS Division Summary
Fire Prevention Division Summary
Operations / Training Division Summary
Incident Report Detail
Correspondence

Village Board Meeting Fire Department Activity Memo

To: Julia Cedillo, Village Manager

From: Dean J. Maggos, Director of Fire & Building



Date: August 21, 2013

Re: Fire Department Activities – JULY 2013

As requested for insertion into the Village Board meeting agenda packet, the following is a brief summary of Fire Department activity highlights for the month of July. As usual, a more comprehensive monthly report is kept within the department for your review.

There were 159 EMS responses this month and 930 YTD. Last year, there were 862 YTD at this time. There were 37 fire/rescue incidents this month, and 292 YTD. Last year, there were 300 YTD at this time.

At the end of July, we began using the home at 21 W. Brewster for fire training. It is scheduled to be demolished at some point in the near future to make room for a new home. Firefighters will train on ladders, ventilation, hose line deployment, tactics and search and rescue, among other critical tasks over the next month or so.

During the month, three of our probationary personnel passed their State of Illinois Emergency Medical Technician – Basic Level exam. Our EMS staff also provided CPR/AED training for employees of a La Grange Park dental practice located in the Village Market.

On July 18th, Fire Prevention personnel assisted with the inspection of the St. Louise de Marillac Summerfest event. Also during the month, Fire Prevention staff began a key cylinder replacement program for lock boxes in the Village. In addition, the Fire Prevention Division Chief attended a project coordination meeting at Public Works to review progress and discuss plans for the DPW building renovation project.

07/02 (TUE) 9:14 PM: Responded to a reported house fire in the 400 block of E. Harding. Upon arrival discovered a washing machine motor that was overheating.

07/16 (TUE) 12:38 AM: Responded to an activated Carbon Monoxide detector at a home in the 1500 block of Cleveland. Upon arrival found high levels of CO, ventilated the home to make it safe, and contacted Nicor to respond and assist with the investigation.

07/22 (MON) 10:29 AM: Responded to the Cook County Highway Department Maintenance Facility at 26th St. and Beach Ave. for an activated fire alarm. While responding, someone from the office called and stated they had no problem, but they didn't realize there was a car on fire in another part of the building. The fire was confined to the vehicle.

Incident Reports By Incident Type, Summary

Page 1 of 1

Incident Type	Total Incidents:
111 Building fire	1
311 Medical assist, assist EMS crew	5
321 EMS call, excluding vehicle accident with injury	152
322 Vehicle accident with injuries	3
424 Carbon monoxide incident	1
442 Overheated motor	1
444 Power line down	1
571 Cover assignment, standby, moveup	2
600 Good intent call, other	2
611 Dispatched & canceled en route	6
733 Smoke detector activation due to malfunction	1
743 Smoke detector activation, no fire - unintentional	8
745 Alarm system sounded, no fire - unintentional	4
746 Carbon monoxide detector activation, no CO	2
Total Number of Incidents:	189
Total Number of Incident Types:	14

Print Date: 8/21/2013

**LAGRANGE PARK FIRE DEPARTMENT
SIGNIFICANT FIRES - 2013**

DATE	TYPE OF OCCUPANCY	ADDRESS	ESTIMATED LOSS	MOST PROBABLE FIRE CAUSE
01/09	Single-Family (Washing Machine)	738 Forest Rd.	\$ 0	Overheated Motor
03/18	Van (In driveway next to garage)	1522 Morgan	\$ 1500	Undetermined
04/06	Car (In garage, owner pushed outside)	609 Kensington	\$ 300	Undetermined
05/28	House (Electrical damage)	1202 Homestead	\$ 200	Power lines down in yard
06/09	Senior Life Care (dining room table)	315 N. La Grange	\$ 30	"Sterno" type warming burner knocked over
07/02	Single-Family (Washing Machine)	406 E. Harding	\$ 100	Overheated Motor
07/22	County Maintenance Facility	26th & Beach	\$ 3000	Heat from cutting/welding

**Significant Fire - All fires and potential fires in and around structures, or other fires resulting in greater than \$5,000.00 damage.
Last Updated - 07/31/13**

**LAGRANGE PARK FIRE DEPARTMENT
EMERGENCY MEDICAL SERVICES
RESPONSE ACTIVITIES – JULY 2013**

NATURE OF CALL:

Cardiac	008
Injured Person	039
Medical Emergency	071
Road Accident	005
Respiratory	014
Assist Patient	015
Mutual Aid Given	007
EMS Stand-by	000

OUTCOME OF SERVICES:

Treated/Transported	107
Refused Services	033
Assist Patient Only	015
Other	003

LEVEL OF CARE PROVIDED:

Advanced (ALS)	086
Basic (BLS)	021
Refused Care	033
Other	018

TRANSPORT FACILITIES:

LaGrange Hospital	087
Loyola Medical Center	012
Hinsdale Hospital	006
MacNeal Hospital	000
Good Samaritan Hospital	002
Hines VA Hospital	000
Elmhurst Hospital	000
Not transported	051

RESPONSE ACTIVITY:

Total Calls – Month	159
Total Calls – YTD	862
Total Patients – Month	158
Total Patients – YTD	894

LOCATION OF CALL:

Commercial	002
Educational	
Brook Park School	000
Forest Road School	001
Nazareth Academy	000
Park Junior High School	000
St. Louise School/Church	000
Industrial	000
Bethlehem Woods Complex	
Residential Towers	014
Assisted Living Center	021
Institutional	
OLB Center	002
The Grove Health Care	006
Plymouth Place	015
Residential	
Single Family	027
Multi Family	010
Miscellaneous	
Mutual Aid Given	008
Police/Fire Station	000
Street/Road/Park	017
Unclassified/Other	000

MUTUAL AID ACTIVITY:

Provided to:	
LaGrange	005
Westchester	002

Received from:	
LaGrange	009
Brookfield	001
Western Springs	002

BILLING INFORMATION:

Invoices issued this month	079
Invoices received this month	089

Total Amount Invoiced:	\$ 61,466.50
Total Amount Received:	\$ 40,591.37

Rick Ronovsky

Submitted by:
Rick Ronovsky, Division Chief
EMS Division


Approved by:
Dean Maggos, Fire Chief



LA GRANGE PARK FIRE DEPARTMENT

447 N. Catherine Avenue
La Grange Park, Illinois 60526

(708) 354-0225 *Administration*
(708) 352-2141 *Non-Emergency*
(708) 354-0241 *FAX*

EMERGENCY MEDICAL SERVICES ACTIVITY REPORT – JULY 2013

Ambulance Responses:

This month, EMT and Paramedic personnel responded to a total of 159 requests for emergency medical services treating a total of 158 patients. There were 123 calls located west of the IHB Railroad and 29 calls east of the IHB Railroad. Year to date, there have been a total of 930 requests for service and 950 patients receiving care.

This compares to last year (July 2012) when there were 137 requests for service and a year to date total of 862 calls.

Training and Continuing Education:

EMT Continuing Education, conducted by LaGrange Memorial Hospital through the Loyola EMS System, was held on Tuesday, July 23rd in the Community Room at Fire Station #1. Paramedic Continuing Education was conducted on Monday, July 15th, Wednesday, July 17th, and Friday, July 19th at the LaGrange Fire Department.

Probationary Firefighters Cronin, Espitia, and Stelmack passed their State EMT-B licensure exam and are now completing the entry process into the Loyola EMS System.

Special Activities:

Department CPR & AED Instructors conducted a BLS for Healthcare Providers class for Dr. Fieldhouse.

A handwritten signature in black ink, appearing to read "Rick Ronovsky", written over a horizontal line.

Submitted by:
Rick Ronovsky, Division Chief
EMS Division

A handwritten signature in black ink, appearing to read "Dean J. Maggos", written over a horizontal line.

Approved by:
Dean J. Maggos, Fire Chief

Fire Prevention and Education Activities for July, 2013

Fire Prevention and Education was conducted by Division Chief Carpenter, Lt. Norvilas, FF Hulten and FF McManus

➤ **Members conducted 0 Fire Inspections at the following type of occupancies:**

- Residential: 0
- Commercial: 0
- Education: 0
- Industrial: 0
- Institution: 0
- Municipal: 0
- Office: 0


➤ **Members noted 0 violations of the Village Fire and Life Safety code as follows:**


- Alarm Systems: 0
- Fire Extinguishers: 0
- Electrical: 0
- Combustible Storage: 0
- Flammable Storage: 0
- Life Safety: 0
- Other:

➤ **Members conducted 0 re-inspections with 0 of 0 outstanding violations corrected.**


➤ **The Department responded to 9 Fire alarm activation's during the month.**

- Malicious: 3
- Malfunction: 2
- Smoke / Fire: 4



Submitted by:
John Carpenter, Division Chief
Fire Prevention Division


Approved By:
Dean J. Maggos, Fire Chief

- D/C Carpenter attended a project coordination meeting at the DPW to discuss progress and the plans for sprinkler installation.
- D/C Carpenter conducted a plan review for the Barnsdale Rd. School remodeling project.
- D/C Carpenter received plans for review for the second new residence at 1642 Finsbury, Heatherdale subdivision.
- D/C Carpenter has been out replacing key cylinders throughout the Village as we begin to replace the old Supra brand boxes throughout the village.
- D/C Carpenter conducted an pre occupancy inspection for the St. Louise summer fest carnival.
- D/C Carpenter continues to receive request for lock box applications and continues to place keys in new boxes throughout the village.
- D/C Carpenter continues entering pre incident survey information in the new CADZONE program on the village server.
- FF Hulten continues checking all key boxes within the village to ensure they function properly and have current keys.
- Lt. Norvilas continues to work with business owners with problem fire alarms.
- Lt Hurley, Tullis, FF McManus and Hulten continue visiting all business within the village as we continue to update the preplan data.
- Members continue hydrant flushing throughout the entire village. Approximately ¾ of the hydrants have been tested through July.
- Lt. Tullis conducted a fire station #1 birthday party / tour.
- Members conducted 2 block parties:: 900 Waiola, 500 Catherine,



Submitted By:
John Carpenter, Division Chief
Fire Prevention Division



Approved By:
Dean J. Maggos, Fire Chief

**LaGrange Park Fire Department
Division of Operations & Training
July 2013**

Monthly Training Summary

Regular Training

July 1 & 2	SOG & Pre-plan Review
July 8 & 9	Hose Lead-outs
July 15 & 16	Foam / Ladders
July 22 & 23	Maintenance, Small Tools, Inventory, and Driving
July 29 & 30	Foam / Ladders

Training hour totals

	July 2013	2013 YTD
Regular Drill	317.50	1979.00
Other Training	11.00	669.00

Monthly Operations Summary

Fire Call Activities

	July 2013	2013 YTD	July 2012	2012 YTD
Total Fire Calls	37	292	68	300

Fire Call Mutual Aid Summary

	July 2013 Aid Received	2013 YTD Aid Received	July 2013 Aid Given	2013 YTD Aid Given
Brookfield	2	17	7	36
La Grange	10	46	1	38
Western Springs	0	13	0	1
Other	0	0	4	28
Mutual Aid Totals	12	76	12	103



Submitted by:
Norman Rick, Division Chief
Support / Operations Division



Approved by:
Dean J. Maggos, Fire Chief

Incident Reports By Incident Type

Page 1 of 6

Incident Type: 111 Building fire

Incident #	Exp #	Date	Time
131106	0	7/22/2013	10:29:00AM

Total Incidents: 1**Incident Type: 311 Medical assist, assist EMS crew**

Incident #	Exp #	Date	Time
130996	0	7/5/2013	6:06:00PM
131006	0	7/6/2013	10:57:00PM
131026	0	7/8/2013	10:05:00PM
131029	0	7/9/2013	10:26:00AM
131062	0	7/15/2013	7:04:00PM

Total Incidents: 5**Incident Type: 321 EMS call, excluding vehicle accident with injury**

Incident #	Exp #	Date	Time
130977	0	7/1/2013	7:48:00AM
130978	0	7/1/2013	12:29:00PM
130979	0	7/1/2013	7:54:00PM
130980	0	7/2/2013	7:30:00AM
130981	0	7/2/2013	1:19:00PM
130982	0	7/2/2013	3:29:00PM
130986	0	7/3/2013	9:06:00AM
130987	0	7/3/2013	11:43:00AM
130988	0	7/3/2013	11:45:00AM
130989	0	7/3/2013	7:18:00PM
130990	0	7/4/2013	5:03:00AM
130991	0	7/4/2013	9:50:00AM
130992	0	7/5/2013	10:38:00AM
130993	0	7/5/2013	1:35:00PM
130994	0	7/5/2013	1:43:00PM
130995	0	7/5/2013	5:05:00PM
130997	0	7/5/2013	9:44:00PM
130998	0	7/6/2013	6:56:00AM
131000	0	7/6/2013	11:20:00AM
131001	0	7/6/2013	11:33:00AM
131002	0	7/6/2013	12:18:00PM
131003	0	7/6/2013	7:44:00PM
131004	0	7/6/2013	8:34:00PM
131005	0	7/6/2013	10:45:00PM
131007	0	7/7/2013	6:28:00AM
131008	0	7/7/2013	9:25:00AM
131009	0	7/7/2013	10:53:00AM
131010	0	7/7/2013	12:35:00PM

131011	0	7/7/2013	5:35:00PM
131012	0	7/7/2013	6:13:00PM
131013	0	7/7/2013	7:25:00PM
131014	0	7/8/2013	6:05:00AM
131015	0	7/8/2013	6:30:00AM
131016	0	7/8/2013	7:33:00AM
131017	0	7/8/2013	8:57:00AM
131018	0	7/8/2013	11:57:00AM
131019	0	7/8/2013	1:18:00PM
131020	0	7/8/2013	1:42:00PM
131021	0	7/8/2013	1:47:00PM
131022	0	7/8/2013	3:57:00PM
131023	0	7/8/2013	4:10:00PM
131024	0	7/8/2013	5:32:00PM
131027	0	7/9/2013	9:55:00AM
131031	0	7/9/2013	8:56:00PM
131032	0	7/10/2013	2:24:00AM
131034	0	7/10/2013	8:46:00AM
131035	0	7/10/2013	11:02:00AM
131036	0	7/10/2013	5:04:00PM
131037	0	7/10/2013	6:41:00PM
131038	0	7/10/2013	7:00:00PM
131039	0	7/11/2013	2:39:00AM
131041	0	7/11/2013	4:13:00PM
131042	0	7/11/2013	5:42:00PM
131044	0	7/12/2013	7:05:00AM
131045	0	7/12/2013	9:49:00AM
131046	0	7/12/2013	10:36:00AM
131047	0	7/12/2013	1:08:00PM
131050	0	7/12/2013	6:40:00PM
131051	0	7/12/2013	9:38:00PM
131052	0	7/13/2013	7:23:00AM
131053	0	7/13/2013	5:15:00PM
131054	0	7/14/2013	2:47:00AM
131055	0	7/14/2013	10:11:00AM
131056	0	7/14/2013	12:37:00PM
131057	0	7/14/2013	4:43:00PM
131058	0	7/15/2013	10:03:00AM
131059	0	7/15/2013	10:06:00AM
131060	0	7/15/2013	12:49:00PM
131061	0	7/15/2013	6:26:00PM
131063	0	7/15/2013	9:22:00PM
131065	0	7/16/2013	4:38:00AM
131066	0	7/16/2013	8:24:00AM
131067	0	7/16/2013	11:05:00AM
131068	0	7/16/2013	12:01:00PM
131069	0	7/16/2013	1:50:00PM
131072	0	7/16/2013	6:09:00PM
131073	0	7/16/2013	7:54:00PM
131074	0	7/16/2013	10:22:00PM
131075	0	7/17/2013	7:45:00AM
131076	0	7/17/2013	8:48:00AM

131079	0	7/17/2013	10:22:00PM
131081	0	7/18/2013	4:47:00AM
131083	0	7/18/2013	10:26:00AM
131084	0	7/18/2013	6:20:00PM
131085	0	7/18/2013	8:15:00PM
131086	0	7/19/2013	7:05:00AM
131088	0	7/19/2013	3:01:00PM
131089	0	7/19/2013	9:40:00PM
131090	0	7/19/2013	10:21:00PM
131091	0	7/20/2013	1:06:00PM
131092	0	7/20/2013	1:32:00PM
131093	0	7/20/2013	2:07:00PM
131094	0	7/20/2013	4:04:00PM
131095	0	7/20/2013	4:28:00PM
131096	0	7/20/2013	4:34:00PM
131097	0	7/20/2013	7:26:00PM
131098	0	7/20/2013	7:53:00PM
131099	0	7/21/2013	11:00:00AM
131100	0	7/21/2013	12:10:00PM
131101	0	7/21/2013	12:26:00PM
131103	0	7/21/2013	7:39:00PM
131104	0	7/21/2013	9:30:00PM
131105	0	7/22/2013	5:03:00AM
131108	0	7/22/2013	9:37:00PM
131110	0	7/23/2013	8:24:00AM
131111	0	7/23/2013	9:03:00AM
131114	0	7/23/2013	12:35:00PM
131115	0	7/23/2013	1:10:00PM
131116	0	7/23/2013	7:41:00PM
131117	0	7/23/2013	8:51:00PM
131118	0	7/24/2013	3:52:00AM
131119	0	7/24/2013	5:21:00PM
131120	0	7/25/2013	2:10:00AM
131122	0	7/25/2013	3:25:00PM
131123	0	7/25/2013	7:08:00PM
131124	0	7/25/2013	7:48:00PM
131125	0	7/25/2013	9:59:00PM
131126	0	7/26/2013	4:50:00AM
131127	0	7/26/2013	9:56:00AM
131128	0	7/26/2013	12:49:00PM
131130	0	7/26/2013	10:29:00PM
131132	0	7/27/2013	9:41:00AM
131133	0	7/27/2013	12:40:00PM
131134	0	7/27/2013	1:59:00PM
131135	0	7/28/2013	5:33:00AM
131136	0	7/28/2013	7:57:00AM
131137	0	7/28/2013	1:26:00PM
131138	0	7/28/2013	4:56:00PM
131139	0	7/28/2013	10:24:00PM
131141	0	7/29/2013	7:20:00AM
131142	0	7/29/2013	8:02:00AM
131143	0	7/29/2013	8:41:00AM

131144	0	7/29/2013	9:47:00AM
131145	0	7/29/2013	9:49:00AM
131146	0	7/29/2013	3:46:00PM
131147	0	7/29/2013	4:59:00PM
131148	0	7/29/2013	7:09:00PM
131149	0	7/29/2013	8:35:00PM
131150	0	7/29/2013	10:24:00PM
131151	0	7/30/2013	2:04:00AM
131152	0	7/30/2013	8:46:00AM
131153	0	7/30/2013	9:51:00AM
131154	0	7/30/2013	12:44:00PM
131155	0	7/30/2013	12:49:00PM
131157	0	7/30/2013	5:45:00PM
131158	0	7/30/2013	7:27:00PM
131159	0	7/30/2013	7:33:00PM
131160	0	7/30/2013	8:09:00PM
131161	0	7/31/2013	8:16:00AM
131162	0	7/31/2013	3:39:00PM
131163	0	7/31/2013	4:43:00PM
131164	0	7/31/2013	6:03:00PM

Total Incidents: 152

Incident Type: 322 Vehicle accident with injuries

Incident #	Exp #	Date	Time
131071	0	7/16/2013	3:02:00PM
131102	0	7/21/2013	2:03:00PM
131129	0	7/26/2013	1:56:00PM

Total Incidents: 3

Incident Type: 424 Carbon monoxide incident

Incident #	Exp #	Date	Time
131064	0	7/16/2013	12:38:00AM

Total Incidents: 1

Incident Type: 442 Overheated motor

Incident #	Exp #	Date	Time
130985	0	7/2/2013	9:14:00PM

Total Incidents: 1

Incident Type: 444 Power line down

Incident #	Exp #	Date	Time
130983	0	7/2/2013	4:28:00PM

Total Incidents: 1

Incident Type: 571 Cover assignment, standby, moveup

Incident #	Exp #	Date	Time
131025	0	7/8/2013	8:46:00PM
131080	0	7/18/2013	3:07:00AM

Total Incidents: 2**Incident Type: 600 Good intent call, other**

Incident #	Exp #	Date	Time
130984	0	7/2/2013	4:29:00PM
131082	0	7/18/2013	8:58:00AM

Total Incidents: 2**Incident Type: 611 Dispatched & canceled en route**

Incident #	Exp #	Date	Time
131040	0	7/11/2013	1:06:00PM
131043	0	7/12/2013	6:48:00AM
131077	0	7/17/2013	8:47:00PM
131140	0	7/29/2013	5:21:00AM
131156	0	7/30/2013	2:53:00PM

Total Incidents: 5**Incident Type: 733 Smoke detector activation due to malfunction**

Incident #	Exp #	Date	Time
131121	0	7/25/2013	3:49:00AM

Total Incidents: 1**Incident Type: 743 Smoke detector activation, no fire - unintentional**

Incident #	Exp #	Date	Time
131028	0	7/9/2013	10:20:00AM
131030	0	7/9/2013	8:44:00PM
131049	0	7/12/2013	6:29:00PM
131087	0	7/19/2013	9:48:00AM
131107	0	7/22/2013	2:03:00PM
131112	0	7/23/2013	10:31:00AM
131113	0	7/23/2013	11:45:00AM
131131	0	7/27/2013	8:05:00AM

Total Incidents: 8**Incident Type: 745 Alarm system sounded, no fire - unintentional**

Incident #	Exp #	Date	Time
131033	0	7/10/2013	7:41:00AM
131048	0	7/12/2013	4:07:00PM
131070	0	7/16/2013	2:09:00PM
131109	0	7/22/2013	11:31:00PM

Total Incidents: 4

Incident Type: 746 Carbon monoxide detector activation, no CO

Incident #	Exp #	Date	Time
130999	0	7/6/2013	8:32:00AM
131078	0	7/17/2013	10:02:00PM

Total Incidents: 2

Print Date: 8/21/2013

Total Number of Incidents: 188
Total Number of Incident Types: 14



LA GRANGE PARK FIRE DEPARTMENT

447 N. Catherine Avenue
La Grange Park, Illinois 60526

(708) 354-0225 *Administration*
(708) 352-2141 *Non-Emergency*
(708) 354-0241 *FAX*

COPY

July 29, 2013

Dear Neighbor:


As you may or may not already be aware, the home located at 21 W. Brewster Ave. is being scheduled for demolition in the near future. Historically the LaGrange Park Fire Department utilizes such structures that are scheduled for demolition, prior to them being razed, for firefighter training purposes. It gives us a rare opportunity to practice realistic scenarios with actual buildings.

We apologize for the late notice, but starting tonight, Monday, July 29th, the Fire Department will be periodically training at this home, performing essential firefighting tasks. Initially, we will be using the home for training with ladders. Eventually though, if timing and scheduling permits, we may also be performing a number of other activities such as stretching hose lines to simulate fire attack, cutting holes in the roof to simulate the removal of smoke and heat, and performing search and rescue to simulate looking for lost fire victims and trapped firefighters. During such training, we may be using both simulated theatrical smoke, and/or actual smoke, for various other aspects of this training. If we do use actual smoke, the small smoldering fires burned to create the actual smoke are contained in a metal barrel, and the smoke will be contained mostly within the structure. This should have limited or no impact to the surrounding area.

We want to apologize ahead of time for any noise we will be making as well as any street inconveniences we may cause. We ask that you please bear with us as training in actual structures helps to make us a much better-prepared and efficient Fire Department. Should you have any questions or concerns, please feel free to contact me at 708-354-0225, x310, or approach one of our fire officers on site. Otherwise, thank you in advance for allowing us this opportunity.

Sincerely,


Dean J. Maggos
Fire Chief



The Officers and Members
of the Riverside Fire Department
wish to thank you
for participating in our July 4th Parade
and for your continued support.



THANK YOU

With our sincerest gratitude and thanks

on behalf of the

Beach Park Fire Department

and the family of Anthony Rose.

FIRE CHIEF PAUL TIERNEY

BEACH PARK FIRE DEPT
3233 N LEWIS AVE
BEACH PARK IL 60087



Dean Maggos
447 W Catherine
LaGrange Park, IL 60526