

La Grange Park Fire Department Monthly Report July 2016



Contents

- Overall Summary / Highlights**
- Incident Report Summary**
- EMS Division Summary**
- Fire Prevention Division Summary**
- Operations / Training Division Summary**
- Significant Fire Report**
- Incident Report Detail**
- Correspondence**

Village Board Meeting Fire Department Activity Memo

To: Julia Cedillo, Village Manager

From: Dean J. Maggos, Director of Fire & Building



Date: August 17, 2016

Re: Fire Department Activities – JULY 2016

As requested for insertion into the Village Board meeting agenda packet, the following is a brief summary of Fire Department activity highlights for the month of July. As usual, a more comprehensive monthly report is kept within the department for your review.

EMS Responses for this month - 139. There have been 980 YTD compared to 1017 YTD in 2015.
Fire/Rescue Incidents this month - 47. There have been 271 YTD compared to 227 YTD in 2015.

Firefighters conducted training at the vacant home located at 541 N. Brainard Ave., prior to it being demolished. Simulated house fire scenarios were presented to firefighters to work through.

On July 20th, two of our personnel participated in emergency management training with senior staff of Plymouth Place, in regards to CHUG, the Collaborative Healthcare Urgency Group. Various topics were discussed, such as sheltering in place, building evacuation, resident relocation and incident command.

Personnel participated in three Independence Day Parades in neighboring Villages.

Personnel continued to work on the purchasing of the new Ladder Truck and Ambulance, but meeting with various vendors, and conducting evaluations of demo vehicles.

Firefighters responded to two refuse fires during the month, which appeared to be caused by fireworks use. On July 3rd at approximately 10:30 pm, there was a dumpster on fire behind a business on Maple Ave. It was located up against the wall of the business. On July 5th at approximately 9:00 pm, there was a garbage can on fire near the concession stand at the rear of Nazareth Academy.

July 17th Sun at 5:53 pm: Responded to a reported house fire at 1127 Meadowcrest. A grease fire in the kitchen spread through the exhaust vent into the attic and roof area. Residents put most of the fire out with a garden hose, firefighters completed extinguishment by removing some roofing materials and using a fire extinguisher.

July 19th Tue at 6:11 am: Responded to a vehicle crash on La Grange Rd., north of Scotdale Rd., involving an SUV and Motorcycle. The motorcyclist was transported to Loyola Hospital, but unfortunately succumbed to his injuries later in the day.

July 26th Tue at 3:56 pm: Responded with an Engine and Chief to assist the Pleasantview Fire District with a Hazardous Materials spill in the 5300 block of Dansher Rd. in Countryside.

Incident Reports By Incident Type, Summary

Page 1 of 1

Incident Type	Total Incidents:
111 Building fire	1
154 Dumpster or other outside trash receptacle fire	2
3110 EMS Assist (In Town)	6
3111 EMS Assist M/A Received	1
3210 EMS Call (In Town)	103
3211 EMS Call M/A Received	8
3213 EMS Call M/A Given	11
322 Vehicle accident with injuries	8
400 Hazardous condition, other	1
411 Gasoline or other flammable liquid spill	1
422 Chemical spill or leak	1
440 Electrical wiring/equipment problem, other	1
444 Power line down	2
445 Arcing, shorted electrical equipment	1
571 Cover assignment, standby, moveup	1
611 Dispatched & canceled en route	9
700 False alarm or false call, other	2
733 Smoke detector activation due to malfunction	1
736 CO detector activation due to malfunction	1
743 Smoke detector activation, no fire - unintentional	4
745 Alarm system sounded, no fire - unintentional	3
Total Number of Incidents:	168
Total Number of Incident Types:	21

Print Date: 8/16/2016

**LAGRANGE PARK FIRE DEPARTMENT
EMERGENCY MEDICAL SERVICES
RESPONSE ACTIVITIES – JULY 2016**

NATURE OF CALL:

Cardiac	008
Injured Person	029
Medical Emergency	058
Road Accident	007
Respiratory	009
Assist Patient	017
Mutual Aid Given	011
EMS Stand-by	000

OUTCOME OF SERVICES:

Treated/Transported	097
Refused Services	024
Assist Patient Only	017
Other	001

LEVEL OF CARE PROVIDED:

Advanced (ALS)	058
Basic (BLS)	039
Refused Care	024
Other	018

TRANSPORT FACILITIES:

LaGrange Hospital	082
Loyola Medical Center	006
Hinsdale Hospital	007
MacNeal Hospital	002
Good Samaritan Hospital	000
Hines VA Hospital	000
Elmhurst Hospital	000
Not transported	042

RESPONSE ACTIVITY:

Total Calls – Month	139
Total Calls – YTD	980
Total Patients – Month	139
Total Patients – YTD	985

LOCATION OF CALL:

Commercial	005
Educational	
Brook Park School	000
Forest Road School	000
Nazareth Academy	001
Park Junior High School	000
St. Louise School/Church	000
Industrial	000
Bethlehem Woods Complex	
Residential Towers	025
Assisted Living Center	011
Institutional	
OLB Center	002
The Grove Health Care	004
Plymouth Place	016
Scheck Senior Center	000
Residential	
Single Family	045
Multi Family	010
Miscellaneous	
Police/Fire Station	001
Street/Road/Park	008
Mutual Aid Given	011

MUTUAL AID ACTIVITY:

Provided to:

LaGrange	006
Westchester	004
Brookfield	001

Received from:

LaGrange	006
Western Springs	002
Broadview	001

Rick Ronovsky

Submitted by:
Rick Ronovsky, Division Chief
EMS Division



Approved by:
Dean Maggos, Fire Chief



LA GRANGE PARK FIRE DEPARTMENT

447 N. Catherine Avenue
La Grange Park, Illinois 60526

(708) 354-0225 Administration
(708) 352-2141 Non-Emergency
(708) 354-0241 FAX

EMERGENCY MEDICAL SERVICES ACTIVITY REPORT – JULY 2016

Ambulance Responses:

This month, EMT and Paramedic personnel responded to a total of 139 requests for emergency medical services treating a total of 139 patients. There were 107 calls located west of the IHB Railroad and 21 calls east of the IHB Railroad. Year to date, there has been a total of 980 requests for service treated 985 patients.

This compares to last year (July 2015) when there were 149 requests for service with a year to date total of 1017 responses.

Training and Continuing Education:

EMT continuing education was held on Tuesday, July 26th in the Community Room at Fire Station #1. Paramedic continuing education was conducted on Monday, July 11th, Wednesday, July 13th, and Friday, July 15th at the LaGrange Fire Department.

Special Activities:

Members continued viewing and looking at ambulances and ambulance manufacturers working toward a recommendation to the Village for the purchase of a replacement ambulance in early fall.

Rick Ronovsky

Submitted by:
Rick Ronovsky, Division Chief
EMS Division

A handwritten signature in black ink, appearing to read "D. Maggos", written over a horizontal line.

Approved by:
Dean J. Maggos, Fire Chief

**Fire Prevention and Education Activities for
July, 2016**

Fire Prevention and Education was conducted by Division Chief Carpenter

- Members conducted 0 Fire Inspections at the following type of occupancies:

- Residential: 0
- Commercial: 0
- Education: 0
- Industrial: 0
- Institution: 0
- Municipal: 0
- Office: 0

- Members noted 0 violations of the Village Fire and Life Safety code as follows:

- Alarm Systems: 0
- Fire Extinguishers: 0
- Electrical: 0
- Combustible Storage: 0
- Flammable Storage: 0
- Life Safety: 0
- Other: 0

- Members conducted 0 re-inspections with 0 of 0 outstanding violations corrected.


- The Department responded to 6 Fire alarm activation's during the month.

- Malicious: 1
- Malfunction: 3
- Smoke / Fire: 2



Submitted by:
John Carpenter, Division Chief
Fire Prevention Division


Approved By:
Dean J. Maggos, Fire Chief

- D/C Carpenter received sprinkler plans for review for the new residence 541 Brainard.
- D/C Carpenter received re submittal plans for review for the fire alarm system at 1209 Ogden project.
- DC Carpenter continues updating Knox box keys throughout the village.
- D/C Carpenter continues to receive request for lock box applications and continues to place keys in new boxes throughout the village
- D/C Carpenter continues following up with several problem fire alarms.
- Hydrant flushing continues in the middle section of the Village.



Submitted By:
John Carpenter, Division Chief
Fire Prevention Division



Approved By:
Dean J. Maggos, Fire Chief

**LaGrange Park Fire Department
Division of Operations & Training
July 2016**

Monthly Training Summary

Regular Training

July 5 & 6	Simulated Structure Fire Evolutions – 541 N. Brainard
July 11 & 12	SOG & Pre-Plan Review
July 18 & 19	Hose Lead-outs
July 25 & 26	Equipment, Vehicle, & Station Maintenance / Drivers Training

Training hour totals

	July 2016	2016 YTD
Regular Drill	183.00	1634.50
Other Training	58.50	901.50


Monthly Operations Summary

Fire Call Activities

	July 2016	2016 YTD	July 2015	2015 YTD
Total Fire Calls	47	271	41	277

Fire Call Mutual Aid Summary

	July 2016 Aid Received	2016 YTD Aid Received	July 2016 Aid Given	2016 YTD Aid Given
Brookfield	5	18	6	40
La Grange	7	45	4	33
Western Springs	0	2	1	2
Other	1	1	5	12
Mutual Aid Totals	13	66	16	87


 Submitted by:
 Norman Rick, Division Chief
 Support / Operations Division


 Approved by:
 Dean J. Maggos, Fire Chief

**LAGRANGE PARK FIRE DEPARTMENT
SIGNIFICANT FIRES - 2016**

DATE	TYPE OF OCCUPANCY	ADDRESS	ESTIMATED LOSS	MOST PROBABLE FIRE CAUSE
01-11-16	Single-Family Residence (Dryer)	1539 Beach	\$ 0	Overheated Motor
02-13-16	Single-Family Residence (Range)	738 Forest	\$ 0	Combustibles too close to heat
04-18-16	Office / Public Assembly	447 N. Catherine	\$ 140	Undetermined Electrical Overheating
05-14-16	Single-Family Residence	936 Beach Ave.	\$ 300	Incendiary
06-21-16	Vehicle - Crash with Fire	La Grange and Scottdale	\$ 5000	Damage to fuel system
07-03-16	Business (Dumpster against wall)	1130 N. Maple	\$ 0	Fireworks Use
07-05-16	Assembly (Refuse near building)	1209 W. Ogden	\$ 0	Fireworks Use
07-17-16	Single-Family Residence	1127 Meadowcrest	\$ 3000	Grease Fire

Significant Fire - All fires and potential fires in and around structures, or other fires resulting in greater than \$5,000.00 damage.

Last Updated - 07/31/16

Incident Reports By Incident Type

Page 1 of 6

Incident Type: 111 Building fire

Incident #	Exp #	Date	Time
161107	0	7/17/2016	5:53:00PM

Total Incidents: 1

Incident Type: 154 Dumpster or other outside trash receptacle fire

Incident #	Exp #	Date	Time
161031	0	7/3/2016	10:27:00PM
161043	0	7/5/2016	9:08:00PM

Total Incidents: 2

Incident Type: 3110 EMS Assist (In Town)

Incident #	Exp #	Date	Time
161046	0	7/6/2016	6:35:00AM
161108	0	7/17/2016	6:59:00PM
161113	0	7/18/2016	7:20:00PM
161148	0	7/25/2016	9:03:00PM
161149	0	7/26/2016	9:07:00AM
161174	0	7/29/2016	5:02:00PM

Total Incidents: 6

Incident Type: 3111 EMS Assist M/A Received

Incident #	Exp #	Date	Time
161114	0	7/18/2016	7:24:00PM

Total Incidents: 1

Incident Type: 3210 EMS Call (In Town)

Incident #	Exp #	Date	Time
161015	0	7/1/2016	5:35:00AM
161016	0	7/1/2016	7:07:00AM
161017	0	7/1/2016	8:40:00AM
161018	0	7/1/2016	3:54:00PM
161020	0	7/1/2016	10:04:00PM
161022	0	7/2/2016	9:09:00AM
161025	0	7/2/2016	1:56:00PM
161026	0	7/2/2016	5:17:00PM
161029	0	7/3/2016	12:04:00PM
161032	0	7/3/2016	11:43:00PM
161033	0	7/4/2016	1:12:00PM
161034	0	7/4/2016	4:45:00PM
161035	0	7/4/2016	9:51:00PM
161037	0	7/5/2016	5:57:00AM
161038	0	7/5/2016	8:39:00AM
161039	0	7/5/2016	10:01:00AM
161040	0	7/5/2016	11:02:00AM
161042	0	7/5/2016	2:13:00PM
161047	0	7/6/2016	9:15:00AM
161048	0	7/6/2016	12:30:00PM
161050	0	7/6/2016	3:58:00PM
161052	0	7/7/2016	5:03:00AM
161053	0	7/7/2016	9:55:00AM
161054	0	7/7/2016	2:01:00PM
161055	0	7/7/2016	8:07:00PM
161056	0	7/8/2016	1:33:00AM
161058	0	7/8/2016	12:19:00PM
161059	0	7/8/2016	1:57:00PM
161060	0	7/8/2016	3:55:00PM
161061	0	7/8/2016	7:03:00PM
161062	0	7/8/2016	10:58:00PM
161066	0	7/9/2016	6:05:00PM
161067	0	7/9/2016	10:35:00PM
161069	0	7/10/2016	1:46:00PM
161071	0	7/11/2016	1:37:00AM
161073	0	7/11/2016	4:27:00AM
161074	0	7/11/2016	9:37:00AM
161077	0	7/11/2016	3:35:00PM
161078	0	7/11/2016	4:56:00PM
161080	0	7/11/2016	7:19:00PM
161081	0	7/12/2016	6:56:00AM
161082	0	7/12/2016	11:14:00AM
161083	0	7/12/2016	12:47:00PM
161085	0	7/12/2016	3:28:00PM
161087	0	7/12/2016	7:41:00PM
161088	0	7/12/2016	9:08:00PM
161089	0	7/12/2016	11:09:00PM
161091	0	7/13/2016	5:45:00PM
161092	0	7/13/2016	9:46:00PM

161093	0	7/14/2016	9:10:00PM
161094	0	7/15/2016	6:19:00AM
161095	0	7/15/2016	9:18:00AM
161097	0	7/15/2016	1:03:00PM
161098	0	7/16/2016	8:01:00AM
161100	0	7/16/2016	1:07:00PM
161101	0	7/16/2016	6:25:00PM
161102	0	7/16/2016	8:48:00PM
161103	0	7/17/2016	7:52:00AM
161104	0	7/17/2016	8:53:00AM
161105	0	7/17/2016	11:28:00AM
161109	0	7/17/2016	8:29:00PM
161110	0	7/18/2016	9:14:00AM
161112	0	7/18/2016	4:28:00PM
161116	0	7/19/2016	12:27:00AM
161120	0	7/20/2016	5:00:00AM
161123	0	7/20/2016	5:00:00PM
161124	0	7/20/2016	6:08:00PM
161125	0	7/20/2016	6:49:00PM
161126	0	7/20/2016	9:55:00PM
161129	0	7/21/2016	11:13:00PM
161130	0	7/22/2016	8:57:00AM
161132	0	7/22/2016	9:19:00PM
161133	0	7/23/2016	7:35:00AM
161134	0	7/23/2016	8:15:00AM
161135	0	7/23/2016	10:16:00AM
161138	0	7/24/2016	4:24:00AM
161139	0	7/24/2016	5:00:00AM
161140	0	7/24/2016	8:05:00AM
161143	0	7/24/2016	6:50:00PM
161144	0	7/25/2016	6:58:00AM
161145	0	7/25/2016	8:33:00AM
161146	0	7/25/2016	9:05:00AM
161147	0	7/25/2016	4:15:00PM
161151	0	7/26/2016	1:18:00PM
161154	0	7/26/2016	6:29:00PM
161155	0	7/26/2016	11:28:00PM
161156	0	7/27/2016	7:14:00AM
161157	0	7/27/2016	8:48:00AM
161158	0	7/27/2016	3:23:00PM
161161	0	7/27/2016	8:17:00PM
161163	0	7/28/2016	3:55:00AM
161164	0	7/28/2016	6:45:00PM
161166	0	7/28/2016	11:37:00PM
161167	0	7/29/2016	3:05:00AM
161169	0	7/29/2016	6:27:00AM
161170	0	7/29/2016	9:15:00AM
161171	0	7/29/2016	10:21:00AM
161172	0	7/29/2016	11:37:00AM
161176	0	7/29/2016	11:25:00PM
161177	0	7/30/2016	12:47:00AM
161179	0	7/30/2016	12:05:00PM

161180	0	7/30/2016	5:47:00PM
161181	0	7/30/2016	9:28:00PM
Total Incidents: 103			

Incident Type: 3211 EMS Call M/A Received

Incident #	Exp #	Date	Time
161023	0	7/2/2016	9:48:00AM
161041	0	7/5/2016	11:19:00AM
161049	0	7/6/2016	12:41:00PM
161068	0	7/9/2016	10:52:00PM
161075	0	7/11/2016	10:12:00AM
161141	0	7/24/2016	8:21:00AM
161168	0	7/29/2016	3:28:00AM
161182	0	7/30/2016	9:43:00PM
Total Incidents: 8			

Incident Type: 3213 EMS Call M/A Given

Incident #	Exp #	Date	Time
161024	0	7/2/2016	10:30:00AM
161027	0	7/2/2016	7:09:00PM
161028	0	7/3/2016	9:19:00AM
161076	0	7/11/2016	10:29:00AM
161086	0	7/12/2016	6:14:00PM
161096	0	7/15/2016	12:27:00PM
161099	0	7/16/2016	12:05:00PM
161106	0	7/17/2016	2:25:00PM
161128	0	7/21/2016	9:37:00PM
161136	0	7/23/2016	2:22:00PM
161162	0	7/27/2016	9:51:00PM
Total Incidents: 11			

Incident Type: 322 Vehicle accident with injuries

Incident #	Exp #	Date	Time
161064	0	7/9/2016	12:10:00PM
161065	0	7/9/2016	2:52:00PM
161084	0	7/12/2016	2:57:00PM
161117	0	7/19/2016	6:11:00AM
161121	0	7/20/2016	6:39:00AM
161131	0	7/22/2016	10:33:00AM
161137	0	7/23/2016	5:19:00PM
161160	0	7/27/2016	4:48:00PM
Total Incidents: 8			

Incident Type: 400 Hazardous condition, other

Incident #	Exp #	Date	Time
161118	0	7/19/2016	10:19:00AM
Total Incidents: 1			

Incident Type: 411 Gasoline or other flammable liquid spill

Incident #	Exp #	Date	Time
161165	0	7/28/2016	9:15:00PM

Total Incidents: 1

Incident Type: 422 Chemical spill or leak

Incident #	Exp #	Date	Time
161152	0	7/26/2016	3:56:00PM

Total Incidents: 1

Incident Type: 440 Electrical wiring/equipment problem, other

Incident #	Exp #	Date	Time
161153	0	7/26/2016	5:40:00PM

Total Incidents: 1

Incident Type: 444 Power line down

Incident #	Exp #	Date	Time
161051	0	7/6/2016	6:01:00PM
161115	0	7/18/2016	7:52:00PM

Total Incidents: 2

Incident Type: 445 Arcing, shorted electrical equipment

Incident #	Exp #	Date	Time
161119	0	7/19/2016	12:04:00PM

Total Incidents: 1

Incident Type: 571 Cover assignment, standby, moveup

Incident #	Exp #	Date	Time
161159	0	7/27/2016	4:26:00PM

Total Incidents: 1

Incident Type: 611 Dispatched & canceled en route

Incident #	Exp #	Date	Time
161044	0	7/6/2016	2:35:00AM
161063	0	7/9/2016	8:24:00AM
161072	0	7/11/2016	2:20:00AM
161079	0	7/11/2016	5:16:00PM
161090	0	7/13/2016	2:10:00PM
161111	0	7/18/2016	12:29:00PM
161142	0	7/24/2016	4:54:00PM
161150	0	7/26/2016	12:52:00PM
161178	0	7/30/2016	10:12:00AM

Total Incidents: 9

Incident Type: 700 False alarm or false call, other

Incident #	Exp #	Date	Time
161021	0	7/2/2016	6:33:00AM
161045	0	7/6/2016	6:13:00AM

Total Incidents: 2

Incident Type: 733 Smoke detector activation due to malfunction

Incident #	Exp #	Date	Time
161036	0	7/4/2016	11:14:00PM

Total Incidents: 1

Incident Type: 736 CO detector activation due to malfunction

Incident #	Exp #	Date	Time
161057	0	7/8/2016	11:43:00AM

Total Incidents: 1

Incident Type: 743 Smoke detector activation, no fire - unintentional


Incident #	Exp #	Date	Time
161019	0	7/1/2016	4:19:00PM
161030	0	7/3/2016	3:54:00PM
161070	0	7/10/2016	5:24:00PM
161173	0	7/29/2016	4:50:00PM

Total Incidents: 4

Incident Type: 745 Alarm system sounded, no fire - unintentional

Incident #	Exp #	Date	Time
161122	0	7/20/2016	10:52:00AM
161127	0	7/21/2016	3:35:00PM
161175	0	7/29/2016	9:00:00PM

Total Incidents: 3



LA GRANGE PARK FIRE DEPARTMENT

447 N. Catherine Avenue
La Grange Park, Illinois 60526

(708) 354-0225 *Administration*
(708) 352-2141 *Non-Emergency*
(708) 354-0241 *FAX*

----- NEWS RELEASE -----

July 18, 2016

Contact: Fire Chief Dean J. Maggos
708-354-0225 x310

Fire in Cooking Vent in La Grange Park

La Grange Park, Illinois – The La Grange Park Fire Department was called to 1127 Meadowcrest Road yesterday evening, July 17th, for a reported structure fire. Fire companies were initially dispatched at 5:53 pm, and upon arrival at the home at that address, there was light smoke coming from the attic. One person was on the roof of the home with a garden hose.

Upon further investigation, it appeared a grease fire started in the home, and began to spread to the attic space, through an exhaust vent. Residents were able to extinguish most of the fire prior to the Fire Department's arrival with a garden hose. Firefighters had to remove vents from the roof, and some burnt insulation and materials from the attic, to ensure the fire was completely extinguished.

Actual fire damage was limited to the vent and area immediately around it, and there were no injuries reported. Damage is estimated at approximately \$3,000. Firefighters remained on the scene for approximately one hour ensuring the fire was out, and to assist the homeowner with covering vents in the roof as rain was expected.