

La Grange Park Fire Department Monthly Report October 2015



Contents

- Overall Summary / Highlights**
- Incident Report Summary**
- Significant Fire Report**
- EMS Division Summary**
- Fire Prevention Division Summary**
- Operations / Training Division Summary**
- Incident Report Detail**
- Correspondence**

Village Board Meeting Fire Department Activity Memo

To: Julia Cedillo, Village Manager

From: Dean J. Maggos, Director of Fire & Building



Date: November 18, 2015

Re: Fire Department Activities – OCTOBER 2015

As requested for insertion into the Village Board meeting agenda packet, the following is a brief summary of Fire Department activity highlights for the month of October. As usual, a more comprehensive monthly report is kept within the department for your review.

EMS Responses for this month - 148. There have been 1445 YTD compared to 1329 YTD in 2014. Fire/Rescue Incidents this month – 38. There have been 423 YTD compared to 431 YTD in 2014.

Many fire safety education presentations took place throughout the month for our schools and other groups, as we celebrated Fire Prevention Week this month. Our Open House also took place on the 10th at Fire Station No. 1, which had a high number of attendees, and where our firefighters did a great job of providing a lot of safety education and fun. In addition, we staffed our Fire Station No. 2 for the Chamber of Commerce Haunted Trolley event and distributed fire safety information and warm cider.

On October 4th, firefighters conducted live fire training at the home located at 750 N. Brainard Ave., prior to it being torn down to make way for a new home. Various training evolutions took place within the home, which provided firefighters with great opportunities to practice their skills using actual fire. We were joined by firefighters from La Grange, and as always, we appreciate the neighbors' patience.

During the month, the pumps on our three Engines (pumpers) and our Ladder Truck were tested by Underwriters' Laboratories, which is required annually. Each of the pumps passed their critical tests, which includes overall operation and pumping to their rated capacities, but some maintenance work will need to be completed to repair leaking seals, valves, etc.

10/01 (THUR) 2:44 PM: Responded for a vehicle crash at Plymouth Place, where a car drove up the south grass embankment in the front of the building and knocked down a steel fence along the walkway fence. Personnel assisted with getting the occupant out of the vehicle safely, who then refused to go to the hospital.

10/05 (MON) 8:32 AM: Responded to a chemical odor in a home in the 800 block of Waiola Ave. Firefighters found the battery for a back-up sump pump overheating.

10/30 (FRI) 10:58 PM: Responded for a large dumpster on fire at the Forest Glen Apartments next to the building at 1634 Barnsdale Rd.

10/31 (SAT) 5:56 PM: Responded to a fire in the kitchen of a home in the 700 block of Forest Rd. A crockpot near the stove caught fire along with some towels. Residents were able to extinguish the fire prior to our arrival. Firefighters assisted with removing smoke, and installing a smoke detector, as residents were new to the home and did not have one yet on their first floor.

Incident Reports By Incident Type, Summary

Page 1 of 1

Incident Type	Total Incidents:
111 Building fire	1
154 Dumpster or other outside trash receptacle fire	1
3110 EMS Assist (In Town)	1
3210 EMS Call (In Town)	122
3211 EMS Call M/A Received	6
3213 EMS Call M/A Given	12
322 Vehicle accident with injuries	1
323 Motor vehicle/pedestrian accident (MV Ped)	1
352 Extrication of victim(s) from vehicle	1
381 Rescue or EMS standby	3
412 Gas leak (natural gas or LPG)	4
421 Chemical hazard (no spill or leak)	1
440 Electrical wiring/equipment problem, other	1
444 Power line down	2
531 Smoke or odor removal	1
611 Dispatched & canceled en route	8
651 Smoke scare, odor of smoke	2
671 Hazmat release investigation w/ no hazmat	2
700 False alarm or false call, other	1
736 CO detector activation due to malfunction	1
740 Unintentional transmission of alarm, other	2
743 Smoke detector activation, no fire - unintentional	6
745 Alarm system sounded, no fire - unintentional	1
Total Number of Incidents:	181
Total Number of Incident Types:	23

Print Date: 11/18/2015

**LAGRANGE PARK FIRE DEPARTMENT
EMERGENCY MEDICAL SERVICES
RESPONSE ACTIVITIES – OCTOBER 2015**

NATURE OF CALL:

Cardiac	019
Injured Person	027
Medical Emergency	051
Road Accident	006
Respiratory	014
Assist Patient	016
Mutual Aid Given	012
EMS Stand-by	003

OUTCOME OF SERVICES:

Treated/Transported	091
Refused Services	034
Assist Patient Only	016
Other	003

LEVEL OF CARE PROVIDED:

Advanced (ALS)	068
Basic (BLS)	023
Refused Care	034
Other	019

TRANSPORT FACILITIES:

LaGrange Hospital	073
Loyola Medical Center	011
Hinsdale Hospital	006
MacNeal Hospital	000
Good Samaritan Hospital	000
Hines VA Hospital	001
Elmhurst Hospital	000
Not transported	053

RESPONSE ACTIVITY:

Total Calls – Month	148
Total Calls – YTD	1445
Total Patients – Month	144
Total Patients – YTD	1462

LOCATION OF CALL:

Commercial/Industrial	008
Educational	
Brook Park School	000
Barnsdale School	000
Nazareth Academy	004
Park Junior High School	000
St. Louise School/Church	000
Forest Road School	000
Bethlehem Woods Complex	
Residential Towers	035
Assisted Living Center	013
Institutional	
OLB Center	002
The Grove Health Care	003
Plymouth Place	016
Scheck Senior Center	001
Residential	
Single Family	038
Multi Family	014
Miscellaneous	
Police/Fire Station	000
Street/Road/Park	002
Mutual Aid Given	012

MUTUAL AID ACTIVITY:

Provided to:

LaGrange	006
Darien Woodridge	001
Westchester	003
Brookfield	001
Broadview	001

Received from:

LaGrange	004
Brookfield	001
Western Springs	002

Rick Ronovsky

Submitted by:
Rick Ronovsky, Division Chief
EMS Division


Approved by:
Dean Maggos, Fire Chief



LA GRANGE PARK FIRE DEPARTMENT

447 N. Catherine Avenue
La Grange Park, Illinois 60526

(708) 354-0225 *Administration*
(708) 352-2141 *Non-Emergency*
(708) 354-0241 *FAX*

EMERGENCY MEDICAL SERVICES ACTIVITY REPORT – OCTOBER 2015

Ambulance Responses:

This month, EMT and Paramedic personnel responded to a total of 148 requests for emergency medical services treating a total of 144 patients. There were 118 calls located west of the IHB Railroad and 18 calls east of the IHB Railroad. Year to date, there has been a total of 1445 requests for service providing care to 1462 patients.

This compares to last year (October 2014) when there were 153 requests for service with a year to date total of 1329 service requests.

Training and Continuing Education:

EMT Continuing Education was conducted on Tuesday, October 13th in the Community Room at Fire Station #1. Paramedic Continuing Education was conducted on Monday, October 12th, Wednesday, October 14th, and Friday, October 16th at the LaGrange Fire Department.

Probationary Firefighters Chorley, Dahl, Hughes, Johnson, and Joyce continue their EMT-B training through Triton College in River Grove.

Special Activities:

October 2nd – members provided ambulance and paramedic coverage at the Nazareth High School football game.

October 16th – members provided ambulance and paramedic coverage at the Nazareth High School football game.

October 22nd – on duty Firefighter/Paramedics conducted a First Aid program for a local Brownie Troop at Brook Park School.

October 31st – members provided ambulance and paramedic coverage at the Nazareth High School football game.

Firefighter/Paramedic Carbone attended the EMS Region 8 Education Committee meeting held at the EMS System office at Good Samaritan Hospital.

Our on duty Firefighter/Paramedics participated in various Fire Prevention activities and programs at local schools.

Both Village ambulances were inspected by the Illinois Department of Transportation Safety Lane.

Rick Ronovsky

Submitted by:
Rick Ronovsky, Division Chief
EMS Division


Approved by:
Dean J. Maggos, Fire Chief

**Fire Prevention and Education Activities for
October, 2015**

Fire Prevention and Education was conducted by Division Chief Carpenter, FF Hulten

- Members conducted 0 Fire Inspections at the following type of occupancies:

• Residential:	0
• Commercial:	0
• Education:	0
• Industrial:	0
• Institution:	0
• Municipal:	0
• Office:	0


- Members noted 0 violations of the Village Fire and Life Safety code as follows:

• Alarm Systems:	0
• Fire Extinguishers:	0
• Electrical:	0
• Combustible Storage:	0
• Flammable Storage:	0
• Life Safety:	0
• Other:	0

- Members conducted 0 re-inspections with 0 of 0 outstanding violations corrected.

- The Department responded to 8 Fire alarm activation's during the month.


• Malicious:	0
• Malfunction:	3
• Smoke / Fire:	5


Submitted by:
John Carpenter, Division Chief
Fire Prevention Division


Approved By:
Dean J. Maggos, Fire Chief

- D/C Carpenter received fire sprinkler plans for review for the new Nazareth building.
- D/C Carpenter received sprinkler plans for review for new residence at 27 Elmwood.
- D/C Carpenter received fire alarm plans for review for 359 La Grange Rd.
- D/C Carpenter conducted final occupancy inspection for the new residence at 1005 Beach
- D/C Carpenter conducted final occupancy inspection for the new residence at 246 Kings Ct.
- D/C Carpenter received residential fire sprinkler plans for review for 750 Brainard.
- D/C Carpenter continues working with the Business owners in obtaining annual fire alarm and sprinkler testing reports.
- DC Carpenter continues updating Knox box keys throughout the village.
- D/C Carpenter continues to receive request for lock box applications and continues to place keys in new boxes throughout the village.
- FF Hulten coordinated and member's conducted fire evacuation drills in all village schools.
- FF/PM Carbone conducted a first aid presentation for a Brownie troop at Brook Park School.
- Members conducted a fire station tour and fire prevention lecture for a group of preschool and kindergarten children from Grace Lutheran Church.
- Members attended several block parties throughout the village.
- Members conducted the annual fire department open house at station #1.
- Members conducted a Station #2 open house and handed out hot cider for the annual Haunted Trolley Event.
- Members conducted fire prevention presentations in all schools throughout the village during fire prevention week.

- All information related to problems found with flushing fire hydrants this season has been relayed to the water department.



Submitted By:
John Carpenter, Division Chief
Fire Prevention Division



Approved By:
Dean J. Maggoe, Fire Chief

**LaGrange Park Fire Department
Division of Operations & Training
October 2015**

Monthly Training Summary

Regular Training

October 5 & 6	SOG & Pre-Plan Review
October 12 & 13	Extrication and Vehicle Stabilization / SCBA Fit testing
October 19 & 20	Extrication and Vehicle Stabilization / SCBA Fit testing
October 26 & 27	Equipment, Vehicle, & Station Maintenance / Driving

Training hour totals

	October 2015	2015 YTD
Regular Drill	268.50	2648.50
Other Training	205.00	2548.00

Monthly Operations Summary

Fire Call Activities

	October 2015	2015 YTD	October 2014	2014 YTD
Total Fire Calls	38	423	42	431

Fire Call Mutual Aid Summary

	October 2015 Aid Received	2015 YTD Aid Received	October 2015 Aid Given	2015 YTD Aid Given
Brookfield	4	30	7	48
La Grange	10	77	3	57
Western Springs	0	2	0	1
Other	0	14	0	12
Mutual Aid Totals	14	123	10	118



Submitted by:
Norman Rick, Division Chief
Support / Operations Division



Approved by:
Dean J. Maggos, Fire Chief

LAGRANGE PARK FIRE DEPARTMENT SIGNIFICANT FIRES - 2015

DATE	TYPE OF OCCUPANCY	ADDRESS	ESTIMATED LOSS	MOST PROBABLE FIRE CAUSE
01-08-15	Assembly (Restaurant)	1146 Maple	\$ 0	Overheat of Fryer
03-11-15	Multi-Family (Apartment)	1634 Barnsdale	\$ 150,000	Undetermined (potentially smoking materials)
03-14-15	Skilled Nursing Facility (Cooking)	701 N. La Grange	\$ 20	Overheat of Cooking Oil
05-15-15	Single-Family (AC Disconnect)	322 N. Ashland	\$ 500	Undetermined Electrical Issue
05-23-15	Single-Family (Refuse/Fence)	615 N. La Grange	\$ 1,000	Hot Ember / Ashes
06-20-15	Multi-Family (Stovetop)	14 E. Harding	\$ 20	Improper Use of Cooking Appliance/Utensil
08-02-15	Single-Family (Detached Garage)	640 N. Brainard	\$ 5,050	Hot Ember / Ashes
08-10-15	Single-Family (Box of Paint)	531 N. Stone	\$ 50	Undetermined (ignition of flammable vapors)
08-18-15	Single-Family (Electrical Wiring)	1215 Newberry	\$ 500	Power Surge
10-31-15	Single-Family (Countertop)	728 Forest	\$ 75	Combustibles too close to stove burner

Significant Fire - All fires and potential fires in and around structures, or other fires resulting in greater than \$5,000.00 damage.

Last Updated - 10/31/15

Incident Reports By Incident Type

Page 1 of 6

Incident Type: 111 Building fire

Incident #	Exp #	Date	Time
151760	0	10/31/2015	5:56:00PM

Total Incidents: 1

Incident Type: 154 Dumpster or other outside trash receptacle fire

Incident #	Exp #	Date	Time
151755	0	10/30/2015	10:58:00PM

Total Incidents: 1

Incident Type: 3110 EMS Assist (In Town)

Incident #	Exp #	Date	Time
151606	0	10/4/2015	10:28:00AM

Total Incidents: 1

Incident Type: 3210 EMS Call (In Town)

Incident #	Exp #	Date	Time
151581	0	10/1/2015	12:28:00AM
151583	0	10/1/2015	6:46:00AM
151586	0	10/1/2015	12:08:00PM
151587	0	10/1/2015	1:49:00PM
151590	0	10/1/2015	5:38:00PM
151592	0	10/2/2015	3:39:00AM
151593	0	10/2/2015	4:43:00AM
151594	0	10/2/2015	5:06:00AM
151595	0	10/2/2015	8:14:00AM
151596	0	10/2/2015	11:04:00AM
151597	0	10/2/2015	1:15:00PM
151598	0	10/2/2015	1:25:00PM
151599	0	10/2/2015	2:36:00PM
151601	0	10/2/2015	5:30:00PM
151603	0	10/2/2015	9:06:00PM
151604	0	10/3/2015	2:07:00PM
151608	0	10/4/2015	8:59:00PM
151609	0	10/4/2015	11:40:00PM
151610	0	10/5/2015	2:03:00AM
151612	0	10/5/2015	11:43:00AM
151613	0	10/5/2015	4:51:00PM
151614	0	10/6/2015	11:58:00AM
151615	0	10/6/2015	12:47:00PM
151617	0	10/6/2015	3:40:00PM
151618	0	10/6/2015	7:35:00PM
151619	0	10/7/2015	12:23:00PM

151620	0	10/8/2015	7:41:00AM
151621	0	10/8/2015	9:03:00AM
151622	0	10/8/2015	1:18:00PM
151624	0	10/8/2015	8:50:00PM
151626	0	10/8/2015	10:54:00PM
151627	0	10/9/2015	11:50:00AM
151628	0	10/10/2015	8:48:00AM
151630	0	10/10/2015	1:33:00PM
151632	0	10/10/2015	7:01:00PM
151633	0	10/10/2015	9:48:00PM
151635	0	10/11/2015	5:13:00AM
151636	0	10/11/2015	6:52:00AM
151638	0	10/11/2015	12:42:00PM
151639	0	10/11/2015	12:52:00PM
151642	0	10/11/2015	5:16:00PM
151643	0	10/11/2015	6:09:00PM
151645	0	10/12/2015	12:43:00AM
151646	0	10/12/2015	4:16:00AM
151647	0	10/12/2015	7:32:00AM
151653	0	10/12/2015	4:50:00PM
151654	0	10/13/2015	1:16:00AM
151655	0	10/13/2015	2:50:00AM
151656	0	10/13/2015	8:22:00AM
151658	0	10/13/2015	10:37:00AM
151660	0	10/13/2015	4:34:00PM
151661	0	10/14/2015	2:59:00AM
151662	0	10/14/2015	7:06:00AM
151663	0	10/14/2015	8:47:00AM
151664	0	10/14/2015	12:01:00PM
151665	0	10/14/2015	12:51:00PM
151666	0	10/14/2015	1:48:00PM
151667	0	10/15/2015	9:17:00AM
151670	0	10/16/2015	6:08:00AM
151671	0	10/16/2015	8:00:00AM
151673	0	10/16/2015	2:42:00PM
151675	0	10/17/2015	1:27:00AM
151676	0	10/17/2015	5:11:00AM
151677	0	10/17/2015	7:53:00AM
151678	0	10/17/2015	9:16:00AM
151679	0	10/17/2015	11:00:00AM
151682	0	10/17/2015	9:08:00PM
151685	0	10/18/2015	6:07:00AM
151686	0	10/18/2015	7:21:00AM
151687	0	10/18/2015	9:18:00AM
151688	0	10/18/2015	12:37:00PM
151690	0	10/18/2015	4:34:00PM
151691	0	10/18/2015	5:00:00PM
151692	0	10/18/2015	7:48:00PM
151696	0	10/19/2015	10:28:00AM
151697	0	10/19/2015	12:30:00PM
151698	0	10/19/2015	4:43:00PM
151699	0	10/19/2015	5:14:00PM

151700	0	10/19/2015	8:39:00PM
151701	0	10/20/2015	4:49:00AM
151705	0	10/20/2015	1:43:00PM
151706	0	10/20/2015	2:47:00PM
151707	0	10/20/2015	4:07:00PM
151710	0	10/20/2015	8:54:00PM
151711	0	10/21/2015	4:47:00AM
151712	0	10/21/2015	7:47:00AM
151713	0	10/21/2015	10:54:00AM
151714	0	10/21/2015	4:41:00PM
151715	0	10/21/2015	9:04:00PM
151716	0	10/21/2015	11:01:00PM
151717	0	10/22/2015	8:03:00AM
151719	0	10/22/2015	3:05:00PM
151720	0	10/22/2015	8:27:00PM
151721	0	10/23/2015	10:55:00AM
151722	0	10/23/2015	2:10:00PM
151724	0	10/23/2015	3:38:00PM
151725	0	10/23/2015	7:33:00PM
151726	0	10/24/2015	10:43:00AM
151727	0	10/24/2015	12:09:00PM
151729	0	10/24/2015	5:07:00PM
151730	0	10/25/2015	6:55:00PM
151731	0	10/26/2015	12:40:00AM
151732	0	10/26/2015	1:35:00AM
151733	0	10/26/2015	3:34:00PM
151734	0	10/26/2015	6:15:00PM
151735	0	10/26/2015	7:12:00PM
151736	0	10/27/2015	8:59:00AM
151738	0	10/27/2015	3:30:00PM
151739	0	10/27/2015	6:56:00PM
151742	0	10/28/2015	9:52:00AM
151743	0	10/28/2015	5:04:00PM
151744	0	10/28/2015	7:52:00PM
151745	0	10/29/2015	12:37:00AM
151746	0	10/29/2015	1:37:00AM
151747	0	10/29/2015	4:48:00AM
151749	0	10/29/2015	9:00:00AM
151753	0	10/30/2015	10:17:00AM
151754	0	10/30/2015	5:12:00PM
151756	0	10/31/2015	5:36:00AM
151757	0	10/31/2015	10:25:00AM
151758	0	10/31/2015	11:28:00AM
151761	0	10/31/2015	10:29:00PM

Total Incidents: 122

Incident Type: 3211 EMS Call M/A Received

Incident #	Exp #	Date	Time
151582	0	10/1/2015	1:11:00AM
151616	0	10/6/2015	1:10:00PM
151644	0	10/11/2015	6:34:00PM
151648	0	10/12/2015	7:54:00AM
151668	0	10/15/2015	9:32:00AM
151702	0	10/20/2015	4:53:00AM

Total Incidents: 6

Incident Type: 3213 EMS Call M/A Given

Incident #	Exp #	Date	Time
151589	0	10/1/2015	5:30:00PM
151623	0	10/8/2015	2:57:00PM
151629	0	10/10/2015	12:39:00PM
151631	0	10/10/2015	4:59:00PM
151634	0	10/10/2015	11:35:00PM
151652	0	10/12/2015	11:33:00AM
151681	0	10/17/2015	9:02:00PM
151693	0	10/19/2015	1:32:00AM
151695	0	10/19/2015	9:58:00AM
151703	0	10/20/2015	8:01:00AM
151737	0	10/27/2015	10:50:00AM
151748	0	10/29/2015	5:52:05AM

Total Incidents: 12

Incident Type: 322 Vehicle accident with injuries

Incident #	Exp #	Date	Time
151709	0	10/20/2015	6:03:00PM

Total Incidents: 1

Incident Type: 323 Motor vehicle/pedestrian accident (MV Ped)

Incident #	Exp #	Date	Time
151723	0	10/23/2015	3:24:00PM

Total Incidents: 1

Incident Type: 352 Extrication of victim(s) from vehicle

Incident #	Exp #	Date	Time
151588	0	10/1/2015	2:44:00PM

Total Incidents: 1

Incident Type: 381 Rescue or EMS standby

Incident #	Exp #	Date	Time
151600	0	10/2/2015	4:00:00PM
151674	0	10/16/2015	4:30:00PM
151759	0	10/31/2015	12:30:00PM

Total Incidents: 3

Incident Type: 412 Gas leak (natural gas or LPG)

Incident #	Exp #	Date	Time
151607	0	10/4/2015	7:46:00PM
151641	0	10/11/2015	4:21:00PM
151649	0	10/12/2015	9:39:00AM
151751	0	10/30/2015	6:57:00AM

Total Incidents: 4

Incident Type: 421 Chemical hazard (no spill or leak)

Incident #	Exp #	Date	Time
151611	0	10/5/2015	8:32:00AM

Total Incidents: 1

Incident Type: 440 Electrical wiring/equipment problem, other

Incident #	Exp #	Date	Time
151659	0	10/13/2015	10:38:00AM

Total Incidents: 1

Incident Type: 444 Power line down

Incident #	Exp #	Date	Time
151694	0	10/19/2015	9:18:00AM
151740	0	10/28/2015	12:55:00AM

Total Incidents: 2

Incident Type: 531 Smoke or odor removal

Incident #	Exp #	Date	Time
151669	0	10/15/2015	6:40:00PM

Total Incidents: 1

Incident Type: 611 Dispatched & canceled en route

Incident #	Exp #	Date	Time
151584	0	10/1/2015	8:36:00AM
151591	0	10/1/2015	7:34:00PM
151602	0	10/2/2015	5:47:00PM
151651	0	10/12/2015	10:32:00AM
151657	0	10/13/2015	10:04:00AM
151683	0	10/17/2015	9:41:00PM
151708	0	10/20/2015	5:48:00PM
151718	0	10/22/2015	2:29:00PM

Total Incidents: 8

Incident Type: 651 Smoke scare, odor of smoke

Incident #	Exp #	Date	Time
151625	0	10/8/2015	9:16:00PM
151680	0	10/17/2015	2:13:00PM

Total Incidents: 2

Incident Type: 671 Hazmat release investigation w/ no hazmat

Incident #	Exp #	Date	Time
151650	0	10/12/2015	9:50:00AM
151752	0	10/30/2015	8:34:00AM
Total Incidents: 2			

Incident Type: 700 False alarm or false call, other

Incident #	Exp #	Date	Time
151585	0	10/1/2015	8:56:00AM
Total Incidents: 1			

Incident Type: 736 CO detector activation due to malfunction

Incident #	Exp #	Date	Time
151672	0	10/16/2015	2:00:00PM
Total Incidents: 1			

Incident Type: 740 Unintentional transmission of alarm, other

Incident #	Exp #	Date	Time
151741	0	10/28/2015	1:00:00AM
151750	0	10/29/2015	5:38:00PM
Total Incidents: 2			

Incident Type: 743 Smoke detector activation, no fire - unintentional

Incident #	Exp #	Date	Time
151605	0	10/4/2015	8:14:00AM
151637	0	10/11/2015	12:04:00PM
151640	0	10/11/2015	3:13:00PM
151684	0	10/18/2015	3:04:00AM
151689	0	10/18/2015	4:29:00PM
151704	0	10/20/2015	12:39:00PM
Total Incidents: 6			

Incident Type: 745 Alarm system sounded, no fire - unintentional

Incident #	Exp #	Date	Time
151728	0	10/24/2015	2:33:00PM
Total Incidents: 1			

**Total Number of Incidents: 181
Total Number of Incident Types: 23**



Friends at LaGrange Park FD:

Thank you so much for your continued support of the IFSA and our burn survivor programs, such as Camp "I Am Me." You are helping make a huge difference in lives of so many who have been affected by a burn injury in the State of Illinois.

Thank you!
Phil
Zaleski