

La Grange Park Fire Department Monthly Report August 2023



Contents

Overall Summary / Highlights
Fire Incident Summary Report
Call Activity Report
EMS Summary
Operations/Training Summary
Fire Prevention Summary
Call Breakdown by Month Report
Correspondence/Supplemental

Village Board Meeting Fire Department Activity Memo

To: Julia Cedillo, Village Manager

From: Dean J. Maggos, Director of Fire and Emergency Management



Date: September 19, 2023

Re: Fire Department Activities – AUGUST 2023

As requested for insertion into the Village Board meeting agenda packet, the following is a brief summary of Fire Department activity highlights for the month of August. As usual, a more comprehensive monthly report is kept within the department for your review.

EMS Incidents this month - 171. There have been 1241 YTD compared to 1140 YTD in 2022.
Fire/Rescue Incidents this month - 51. There have been 375 YTD compared to 392 YTD in 2022.

Fire personnel assisted with National Night Out with bringing fire apparatus and Sparky.

Personnel attended safety and response training at the ComEd substation in La Grange with the La Grange Fire Department. Personnel also began conducting their annual cone course drivers training.

A crew participated in Westmont's annual Fire Truck Cruisin' Nights with our new Engine 1221. Firefighter Evan Lilly brought our former Engine 422 to the event and won an award for best antique.

The FD attended the fundraiser for the Kenny family at Hop District Community Brewing.

A final fire sprinkler inspection was conducted for two renovated areas of the Village Market. Also, hydrostatic pressure testing was completed of main fire sprinkler distribution lines and the new parking garage at Plymouth Place.

The Fire Chief attended the International Association of Fire Chiefs Conference, Fire-Rescue International, in Kansas City, where he attended various presentations and classes

Staff participated in back to school events at Forest Road, Brook-Park and Ogden Avenue Schools.

Our 1992 former Engine No. 1222 was picked up by American Fire Equipment, who purchased the engine through Wisconsin Surplus Auction. It will be used at a department in Iowa.

The Fire Chief attended the annual LTHS articulation breakfast at south campus, and along with the Police Chief, assisted at North campus with a Violent Critical Incident drill.

Incidents of Note:

Friday, 8/4, 1:04 pm – Responded to a vehicle crash along 31st St. near Possum Hollow Woods where a car went off the road and ended up in the trees, initially trapping the driver.

Sunday, 8/13, 9:22 pm – Responded to a home on Castle Circle for a fire that occurred on a stovetop. Firefighters cut gas and electric to the damaged range, removed a damaged microwave, and removed smoke.

Monday, 8/14, 5:06 am – FD was called to Philips Flowers by the fire alarm system. Upon gaining entry, firefighters discovered a refrigeration unit overheated with burned up wiring within it, activating a smoke detector in the area.



Fire Incident Summary Report



Print Date/Time: 09/19/2023 10:55

From Date: 08/01/2023

La Grange Park Fire Department

Login ID: dmaggos

To Date: 08/31/2023

FDID Number: CS5533

Station:

Location: All

Incident Type(s): All

General Information

| | | | | |
|-----------------------------|--------------------|------------------|-------------------|---------------|
| Total Number of Calls | Fire: 4 | EMS: 170 | Unknown: 0 | All: 211 |
| Average Calls per Day | Fire: 0.13 | EMS: 5.67 | All: 7.03 | |
| Total Number of Arson Calls | All: 1 | | | |
| Estimated Dollar Loss | Fire: \$14,000.00 | Other: \$0.00 | All: \$14,000.00 | Arson: \$0.00 |
| Estimated Value | Fire: \$400,500.00 | Other: \$0.00 | All: \$400,500.00 | Arson: \$0.00 |
| Percentage Saved | Fire: 9,700.00% | Other: 0.00% | All: 9,700.00% | Arson: 0.00% |
| Total Injuries | Fire Service: 0 | Civilian Fire: 0 | EMS: 0 | Arson: 0 |
| Total Fatalities | Fire Service: 0 | Civilian Fire: 0 | Arson: 0 | |
| Total Apparatus Responses | All: 591 | | | |
| Average Responses per Day | All: 7.03 | | | |
| Average Apparatus per Call | Fire: 6.5 | EMS: 2.38 | All: 2.8 | |
| Average Turnout Time | All: 00:01:09 | | | |
| Average Response Time | All: 00:03:50 | | | |
| Average Contain Time | All: 00:00:00 | | | |
| Average Total Time | All: 00:37:06 | | | |
| Average Personnel per Call | Fire: 16.25 | EMS: 4.56 | All: 5.85 | |
| Total Aid Given Calls | All: 38 | | | |
| Total Aid Received Calls | All: 36 | | | |



Call Activity Report



Print Date/Time: 09/19/2023 10:32
Login ID: dmaggos
Station: *All

From Incident Date: 08/01/2023
Thru Incident Date: 08/31/2023

La Grange Park Fire Department
FDID Number: CS533

| Hour | Sunday | | Monday | | Tuesday | | Wednesday | | Thursday | | Friday | | Saturday | | Total | |
|-------------|--------|-----|--------|------|---------|------|-----------|------|----------|------|--------|------|----------|-----|-------|-----|
| | # | % | # | % | # | % | # | % | # | % | # | % | # | % | # | % |
| 12AM - 1AM | 1 | 0.5 | 1 | 0.5 | 1 | 0.5 | 0 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1.9 |
| 1AM - 2AM | 0 | 0 | 1 | 0.5 | 2 | 0.9 | 1 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1.9 |
| 2AM - 3AM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3AM - 4AM | 1 | 0.5 | 1 | 0.5 | 0 | 0 | 2 | 0.9 | 0 | 0 | 2 | 0.9 | 0 | 0 | 6 | 2.8 |
| 4AM - 5AM | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.5 | 0 | 0 | 1 | 0.5 | 0 | 0 | 2 | 0.9 |
| 5AM - 6AM | 1 | 0.5 | 1 | 0.5 | 1 | 0.5 | 0 | 0 | 2 | 0.9 | 0 | 0 | 1 | 0.5 | 6 | 2.8 |
| 6AM - 7AM | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0.9 | 0 | 1 | 0 | 0.5 | 1 | 0.5 | 4 | 1.9 |
| 7AM - 8AM | 2 | 0.9 | 1 | 0.5 | 1 | 0.5 | 2 | 0.9 | 3 | 1.4 | 2 | 0.9 | 0 | 0 | 11 | 5.2 |
| 8AM - 9AM | 1 | 0.5 | 2 | 0.9 | 3 | 1.4 | 3 | 1.4 | 3 | 1.4 | 1 | 0.5 | 0 | 0 | 13 | 6.2 |
| 9AM - 10AM | 1 | 0.5 | 0 | 0 | 3 | 1.4 | 4 | 1.9 | 2 | 0.9 | 2 | 0.9 | 0 | 0 | 12 | 5.7 |
| 10AM - 11AM | 0 | 0 | 2 | 0.9 | 4 | 1.9 | 1 | 0.5 | 3 | 1.4 | 0 | 0 | 2 | 0.9 | 12 | 5.7 |
| 11AM - 12PM | 2 | 0.9 | 5 | 2.4 | 3 | 1.4 | 2 | 0.9 | 3 | 1.4 | 1 | 0.5 | 2 | 0.9 | 18 | 8.5 |
| 12PM - 1PM | 2 | 0.9 | 2 | 0.9 | 1 | 0.5 | 3 | 1.4 | 1 | 0.5 | 1 | 0.5 | 1 | 0.5 | 11 | 5.2 |
| 1PM - 2PM | 1 | 0.5 | 0 | 0 | 3 | 1.4 | 4 | 1.9 | 2 | 0.9 | 4 | 1.9 | 1 | 0.5 | 15 | 7.1 |
| 2PM - 3PM | 1 | 0.5 | 1 | 0.5 | 3 | 1.4 | 3 | 1.4 | 0 | 0 | 1 | 0.5 | 1 | 0.5 | 10 | 4.7 |
| 3PM - 4PM | 1 | 0.5 | 0 | 0 | 0 | 0 | 1 | 0.5 | 3 | 1.4 | 1 | 0.5 | 0 | 0 | 6 | 2.8 |
| 4PM - 5PM | 1 | 0.5 | 1 | 0.5 | 5 | 2.4 | 2 | 0.9 | 1 | 0.5 | 1 | 0.5 | 3 | 1.4 | 14 | 6.6 |
| 5PM - 6PM | 2 | 0.9 | 1 | 0.5 | 3 | 1.4 | 3 | 1.4 | 1 | 0.5 | 2 | 0.9 | 2 | 0.9 | 14 | 6.6 |
| 6PM - 7PM | 0 | 0 | 1 | 0.5 | 2 | 0.9 | 3 | 1.4 | 3 | 1.4 | 0 | 0 | 1 | 0.5 | 10 | 4.7 |
| 7PM - 8PM | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1.4 | 2 | 0.9 | 2 | 0.9 | 0 | 0 | 7 | 3.3 |
| 8PM - 9PM | 2 | 0.9 | 2 | 0.9 | 2 | 0.9 | 2 | 0.9 | 0 | 0 | 1 | 0.5 | 2 | 0.9 | 11 | 5.2 |
| 9PM - 10PM | 2 | 0.9 | 1 | 0.5 | 2 | 0.9 | 0 | 0 | 1 | 0.5 | 3 | 1.4 | 1 | 0.5 | 10 | 4.7 |
| 10PM - 11PM | 0 | 0 | 1 | 0.5 | 1 | 0.5 | 1 | 0.5 | 0 | 0 | 0 | 0 | 1 | 0.5 | 4 | 1.9 |
| 11PM - 12AM | 0 | 0 | 1 | 0.5 | 2 | 0.9 | 1 | 0.5 | 0 | 0 | 2 | 0.9 | 1 | 0.5 | 7 | 3.3 |
| | 21 | 10 | 25 | 11.8 | 42 | 19.9 | 45 | 21.3 | 30 | 14.2 | 28 | 13.3 | 20 | 9.5 | 211 | 100 |

**LAGRANGE PARK FIRE DEPARTMENT
EMERGENCY MEDICAL SERVICES
RESPONSE ACTIVITIES – AUGUST 2023**

NATURE OF CALL:

| | |
|-------------------|-----|
| Cardiac | 011 |
| Injured Person | 031 |
| Medical Emergency | 072 |
| Road Accident | 008 |
| Respiratory | 010 |
| Assist Patient | 013 |
| Mutual Aid Given | 026 |
| EMS Stand-by | 000 |

OUTCOME OF SERVICES:

| | |
|---------------------|-----|
| Treated/Transported | 116 |
| Refused Services | 043 |
| Assist Patient Only | 013 |
| Other | 005 |

LEVEL OF CARE PROVIDED:

| | |
|----------------|-----|
| Advanced (ALS) | 095 |
| Basic (BLS) | 021 |
| Refused Care | 056 |
| Other | 005 |

TRANSPORT FACILITIES:

| | |
|-------------------------|-----|
| LaGrange Hospital | 089 |
| Loyola Medical Center | 015 |
| Hinsdale Hospital | 006 |
| MacNeal Hospital | 000 |
| Good Samaritan Hospital | 000 |
| Hines VA Hospital | 001 |
| Elmhurst Hospital | 005 |
| Not transported | 061 |

RESPONSE ACTIVITY:

| | |
|------------------------|------|
| Total Calls – Month | 171 |
| Total Calls – YTD | 1241 |
| Total Patients – Month | 177 |
| Total Patients – YTD | 1328 |

LOCATION OF CALL:

| | |
|-------------------------|-----|
| Commercial | 003 |
| Educational | |
| Barnsdale School | 000 |
| Forest Road School | 000 |
| Nazareth Academy | 000 |
| Park Junior High School | 000 |
| Brook Park | 000 |
| Industrial | 000 |
| Bethlehem Woods Complex | |
| Residential Towers | 017 |
| Assisted Living Center | 000 |
| Institutional | |
| OLB Center | 003 |
| The Grove Health Care | 020 |
| Plymouth Place | 022 |
| Scheck Senior Center | 000 |
| Residential | |
| Single Family | 050 |
| Multi Family | 020 |
| Miscellaneous | |
| Police/Fire Station | 000 |
| Street/Road/Park | 010 |
| Mutual Aid Given | 026 |

MUTUAL AID ACTIVITY:

| | |
|--------------|-----|
| Provided to: | |
| LaGrange | 013 |
| Westchester | 011 |
| Hillside | 001 |
| Broadview | 001 |

| | |
|-----------------|-----|
| Received from: | |
| LaGrange | 013 |
| Western Springs | 004 |
| Brookfield | 002 |

Steve Tullis

Submitted by:
Steve Tullis, Fire Captain
EMS Coordinator



Approved by:
Dean Maggos, Fire Chief



LA GRANGE PARK FIRE DEPARTMENT

447 N. Catherine Avenue
La Grange Park, Illinois 60526

(708) 354-0225 *Administration*
(708) 352-2141 *Non-Emergency*
(708) 354-0241 *FAX*

EMERGENCY MEDICAL SERVICES ACTIVITY REPORT – AUGUST 2023

Ambulance Responses:

This month EMT and Paramedic personnel responded to a total of 171 requests for emergency medical services treating a total of 177 patients. There were 117 calls located west of the IHB Railroad and 28 calls east of the IHB Railroad. We gave mutual 26 times and received it 19 times. Year to date there has been a total of 1241 requests for emergency medical services caring for a total of 1328 patients.

This compares to last year (August 2022) when there were 128 requests for a year to date total of 1140 requests.

Training and Continuing Education:

PFF/EMT Alex Kiessling passed the Loyola System entry exam and has been added to the LaGrange Park EMS roster.

EMT-B and Paramedic monthly continuing education for September will be conducted on the following dates and times.

EMT-B Tuesday, September 12, 2023 at 7pm station one.
Paramedic Monday 9/11 @ 0900, Wednesday 9/13 @ 0900, Thursday 9/15 @ 0900 LaGrange

Special Activities:

Captain Steve Tullis provided CPR training to 20 staff members at the Brook Park Elementary School on August 21, 2023 from 9am until 11:30am.

Paramedic Paul Eggerding was hired last month as our newest PSI contract paramedic. He used to work with PSI in La Grange Park nearly 20 years, so we happy to have him back. He is also designated as our Paramedic Coordinator.

Steve Tullis

Submitted by:
Steve Tullis, Fire Captain
EMS Coordinator



Approved by:
Dean J. Maggos, Fire Chief



DIVISION OF FIRE PREVENTION MONTHLY SUMMARY REPORT AUGUST 2023

Prevention Staff Hours – 44.5

Inspection Detail

Total Inspections - 40

Activities of Note

8/08 - Staff conducted a final fire sprinkler inspection for renovated areas of the Village Market.

8/15 - Staff witnessed hydrostatic pressure testing of distribution lines and the parking garage at the new Plymouth Place development.

Public Education Activities

8/01 – Personnel participated in National Night Out; Clapsaddle, Marciniak, Zimmerman, Porter, Skiba, Delillo, Schattauer, Rick, J. Psenicka

8/03 – Westmont Cruise Night Fire Truck Event; Clapsaddle, Hennke, Zimmerman

8/04 – Fundraiser for fire victims at Hop District; Drake, Hennke, Storey, Maggos, Marciniak

8/19 - Brook Park School Back to School Event; Hughes, Naff

8/25 - Ogden Ave. School Back to School Event; Porter, J. Psenicka, Scott, Aussman, Schattauer

8/30 - Forest Rd. School Back to School Event; Clapsaddle, Lilly, Schattauer, Scott, Tullis

Block Parties

8/12 - 500 Homestead; Akalaitis, Baudler, Lilly

8/12 - 1400 Stonegate; Akalaitis, Baudler, Lilly

8/19 - 1500 Ostrander; Hughes, Naff

8/26 - 1100 Meadowcrest; Porter, Clapsaddle

8/26 - 1500 Harrison; Porter, Clapsaddle

8/26 - 1100 Morgan; Porter, Clapsaddle

8/26 - 900 Newberry; Porter, Clapsaddle

8/26 - 700 Spring; Akalaitis, Hughes, Naff, Reichel

8/26 - 400 Stone; Akalaitis, Hughes, Naff, Reichel

8/26 - 300 Kensington; Akalaitis, Hughes, Naff, Reichel



**La Grange Park Fire Department
Division of Operations & Training
August 2023**



Monthly Training Summary

Regular Training

| | |
|----------------|------------------------------------------------|
| August 7 & 8 | SOG & Pre-Plan Review |
| August 14 & 15 | Extrication & Vehicle Stabilization |
| August 21 & 18 | NFPA Cone Course / FAE |
| August 24 & 25 | Equipment, Vehicle, Station Maintenance, & FAE |
| | |

Training hour totals

| | | |
|----------------|-------------|----------|
| | August 2023 | 2023 YTD |
| Training Hours | 386.50 | 4174.50 |

Monthly Operations Summary

Fire Call Activities

| | August 2023 | 2023 YTD | August 2022 | 2022 YTD |
|------------------|-------------|----------|-------------|----------|
| Total Fire Calls | 51 | 375 | 45 | 392 |
| Total Incidents | 211 | 1560 | 170 | 1478 |

Fire Call Mutual Aid Summary

| | August 2023 Aid Received | 2023 YTD Aid Received | August 2023 Aid Given | 2023 YTD Aid Given |
|-------------------|-----------------------------|--------------------------|--------------------------|-----------------------|
| Brookfield | 4 | 29 | 4 | 34 |
| La Grange | 11 | 64 | 7 | 76 |
| Western Springs | 0 | 2 | 1 | 7 |
| Other | 0 | 10 | 1 | 12 |
| Mutual Aid Totals | 15 | 106 | 13 | 129 |

Norman Rick

Submitted by:
Norman Rick, Deputy Fire Chief


Approved by:
Dean J. Maggos, Fire Chief



Call Breakdown By Month Report



La Grange Park Fire Department

Print Date/Time: 09/19/2023 10:33

FDID Number: CS533

Login ID: dmaggos

Year: 2023

Layer: All

Station: All

Areas: All

| Situation Type | January # | February # | March # | April # | May # | June # | July # | August # | September # | October # | November # | December # |
|------------------------------------------------------|-----------|------------|---------|---------|-------|--------|--------|----------|-------------|-----------|------------|------------|
| 111 Building fire | 0 | 1 | 0 | 0 | 2 | 1 | 2 | 1 | 2 | | | |
| 113 Cooking fire, confined to container | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | | | |
| 151 Outside rubbish, trash or waste fire | 0 | 2 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | | | |
| 162 Outside equipment fire | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | | | |
| 311 Medical assist, assist EMS crew | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 1 | 0 | | | |
| 321 EMS call, excluding vehicle accident with injury | 136 | 146 | 165 | 137 | 156 | 137 | 148 | 160 | 77 | | | |
| 322 Motor vehicle accident with injuries | 2 | 3 | 3 | 5 | 5 | 10 | 8 | 5 | 5 | | | |
| 323 Motor vehicle/pedestrian accident (MV Ped) | 1 | 0 | 1 | 0 | 1 | 0 | 2 | 0 | 0 | | | |
| 324 Motor vehicle accident with no injuries. | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | | | |
| 352 Extrication of victim(s) from vehicle | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | | | |
| 353 Removal of victim(s) from stalled elevator | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | | | |
| 400 Hazardous condition, other | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 1 | | | |
| 411 Gasoline or other flammable liquid spill | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | | | |
| 412 Gas leak (natural gas or LPG) | 2 | 3 | 3 | 3 | 3 | 4 | 2 | 1 | 0 | | | |
| 413 Oil or other combustible liquid spill | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | | | |
| 422 Chemical spill or leak | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | | | |
| 424 Carbon monoxide incident | 1 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | | | |
| 440 Electrical wiring/equipment problem, other | 0 | 1 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | | | |
| 441 Heat from short circuit (wiring), defective/worn | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| 442 Overheated motor | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | | | |
| 444 Power line down | 0 | 1 | 0 | 1 | 0 | 1 | 2 | 2 | 0 | | | |
| 445 Arcing, shorted electrical equipment | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | | | |
| 461 Building or structure weakened or collapsed | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | | | |
| 500 Service Call, other | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | | | |

| | | | | | | | | | | | | |
|--------------------------------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|--|--|--|
| 511 Lock-out | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | | | |
| 522 Water or steam leak | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 0 | 0 | | | |
| 531 Smoke or odor removal | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | | | |
| 541 Animal problem | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | | | |
| 551 Assist police or other governmental agency | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | | | |
| 555 Defective elevator, no occupants | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| 571 Cover assignment, standby, moveup | 1 | 1 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | | | |
| 600 Good intent call, other | 0 | 2 | 0 | 1 | 1 | 1 | 1 | 1 | 0 | | | |
| 611 Dispatched & canceled en route | 15 | 12 | 16 | 11 | 12 | 13 | 9 | 10 | 8 | | | |
| 651 Smoke scare, odor of smoke | 0 | 3 | 0 | 0 | 1 | 2 | 2 | 1 | 1 | | | |
| 652 Steam, vapor, fog or dust thought to be smoke | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | | | |
| 671 HazMat release investigation w/no HazMat | 2 | 0 | 0 | 1 | 3 | 0 | 3 | 1 | 0 | | | |
| 700 False alarm or false call, other | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | | |
| 711 Municipal alarm system, malicious false alarm | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | | | |
| 712 Direct tie to FD, malicious false alarm | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | | | |
| 730 System malfunction, other | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | | | |
| 733 Smoke detector activation due to malfunction | 0 | 0 | 0 | 0 | 2 | 2 | 3 | 1 | 0 | | | |
| 735 Alarm system sounded due to malfunction | 0 | 0 | 1 | 1 | 0 | 3 | 0 | 1 | 1 | | | |
| 736 CO detector activation due to malfunction | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 1 | 1 | | | |
| 740 Unintentional transmission of alarm, other | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| 743 Smoke detector activation, no fire - unintentional | 1 | 5 | 5 | 8 | 5 | 0 | 3 | 6 | 2 | | | |
| 744 Detector activation, no fire - unintentional | 0 | 1 | 0 | 0 | 0 | 2 | 1 | 0 | 1 | | | |
| 745 Alarm system activation, no fire - unintentional | 4 | 2 | 3 | 3 | 1 | 2 | 3 | 3 | 2 | | | |
| 746 Carbon monoxide detector activation, no CO | 3 | 1 | 1 | 1 | 1 | 1 | 0 | 2 | 0 | | | |
| Totals: | 174 | 189 | 209 | 184 | 201 | 190 | 202 | 211 | 104 | | | |