



# La Grange Park Fire Department Monthly Report November 2023



## Contents

**Overall Summary / Highlights**  
**Fire Incident Summary Report**  
**Call Activity Report**  
**EMS Summary**  
**Operations/Training Summary**  
**Fire Prevention Summary**  
**Call Breakdown by Month Report**  
**Correspondence/Supplemental**

# Village Board Meeting Fire Department Activity Memo

To: Julia Cedillo, Village Manager

From: Dean J. Maggos, Director of Fire and Emergency Management



Date: January 17, 2024

Re: Fire Department Activities – NOVEMBER 2023

---

As requested for insertion into the Village Board meeting agenda packet, the following is a brief summary of Fire Department activity highlights for the month of November. As usual, a more comprehensive monthly report is kept within the department for your review.

EMS Incidents this month - 152. There have been 1724 YTD compared to 1613 YTD in 2022.  
Fire/Rescue Incidents this month - 40. There have been 501 YTD compared to 532 YTD in 2022.

UL conducted testing of all of our pumps on fire apparatus, which all successfully passed. They also tested the operation of our main ladder and ladder truck, which also successfully passed.

We received reimbursement for our response to the ammonia leak in Lyons in July.

The Fire Chief and on-duty paramedics met with residents of Bethlehem Woods to discuss Fire Prevention and fire response actions at the complex. The medics also provided residents with great information about signs and symptoms related to heart attack and stroke, and the importance of getting care quickly.

Many occupancy and fire system related inspections and re-inspections were conducted throughout the month for the Plymouth Place Project, along with many Building Department inspections. Firefighters also trained on setting up our ladder truck on the emergency access roadways.

Two days of Physical Ability Testing took place for paid-on-call firefighter applicants. Interviews were also conducted of the applicants by Fire Department Officers.

Personnel delivered Santa to Ace for their Holiday/Christmas event.

The Fire Chief attended the services at Navy Pier for Chicago Firefighter Andrew Price, who died while working at a fire in Lincoln Park.

A Foreign Fire Insurance Board meeting took place during the month.

Work was completed on the installation of a new HVAC system for the office areas of Fire Station 2.

Staff assisted with the send-off for the Nazareth Football team as they left for the state championship.

### ***Incidents of Interest***

*On Saturday November 11<sup>th</sup> at 3:44 am, we responded to a single vehicle crash at Kemman and 26<sup>th</sup>, where a car with four occupants hit a tree. The driver was initially found semi-conscious in the street, and two patients were transported to the hospital.*

*On Wednesday November 29<sup>th</sup> at 8:20 am, we responded to Plaza 31 for an activated fire alarm. Upon our arrival at the property we discovered oil had caught fire in the Inos kitchen but that the owners were able to quickly extinguish it. We did assist them with ventilating smoke from the business.*



# Fire Incident Summary Report



Print Date/Time: 01/17/2024 15:25

From Date: 11/01/2023

La Grange Park Fire Department

Login ID: dmaggos

To Date: 11/30/2023

FDID Number: CS533

Station:

Location: All

Incident Type(s): All

## General Information

Total Number of Calls	Fire: 2	EMS: 155	Unknown: 0	All: 190
Average Calls per Day	Fire: 0.07	EMS: 5.34	All: 6.55	
Total Number of Arson Calls	All: 0			
Estimated Dollar Loss	Fire: \$0.00	Other: \$0.00	All: \$0.00	Arson: \$0.00
Estimated Value	Fire: \$0.00	Other: \$0.00	All: \$0.00	Arson: \$0.00
Percentage Saved	Fire: 0.00%	Other: 0.00%	All: 0.00%	Arson: 0.00%
Total Injuries	Fire Service: 0	Civilian Fire: 0	EMS: 0	Arson: 0
Total Fatalities	Fire Service: 0	Civilian Fire: 0	Arson: 0	
Total Apparatus Responses	All: 516			
Average Responses per Day	All: 6.55			
Average Apparatus per Call	Fire: 3.5	EMS: 2.34	All: 2.72	
Average Turnout Time	All: 00:01:02			
Average Response Time	All: 00:03:51			
Average Contain Time	All: 00:08:23			
Average Total Time	All: 00:34:04			
Average Personnel per Call	Fire: 6.5	EMS: 4.07	All: 5.44	
Total Aid Given Calls	All: 20			
Total Aid Received Calls	All: 26			



# Call Activity Report



Print Date/Time: 01/17/2024 15:19  
Login ID: dmaggos  
Station: \*All

From Incident Date: 11/01/2023  
Thru Incident Date: 11/30/2023

La Grange Park Fire Department  
FDID Number: CS533

Hour	Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Total								
	#	%	#	%	#	%	#	#								
12AM - 1AM	1	0.5	2	1.1	1	0.5	2	6								
1AM - 2AM	1	0.5	1	0.5	0	0	1	3								
2AM - 3AM	0	0	1	0.5	1	0.5	0	2								
3AM - 4AM	0	0	2	1.1	0	0	1	3								
4AM - 5AM	0	0	0	0	0	0	0	0								
5AM - 6AM	0	0	2	1.1	0	0	0	2								
6AM - 7AM	1	0.5	1	0.5	0	0	0	2								
7AM - 8AM	1	0.5	0	0	0	0	0	1								
8AM - 9AM	0	0	1	0.5	0	0	0	1								
9AM - 10AM	0	0	5	2.6	3	1.6	1	9								
10AM - 11AM	2	1.1	3	1.6	1	0.5	1	7								
11AM - 12PM	1	0.5	1	0.5	2	1.1	0	4								
12PM - 1PM	3	1.6	2	1.1	2	1.1	3	8								
1PM - 2PM	0	0	1	0.5	2	1.1	3	6								
2PM - 3PM	1	0.5	0	0	1	0.5	0	2								
3PM - 4PM	1	0.5	3	1.6	4	2.1	3	11								
4PM - 5PM	1	0.5	1	0.5	0	0	2	4								
5PM - 6PM	1	0.5	3	1.6	1	0.5	3	8								
6PM - 7PM	0	0	2	1.1	0	0	4	6								
7PM - 8PM	1	0.5	1	0.5	2	1.1	4	8								
8PM - 9PM	2	1.1	2	1.1	0	0	2	6								
9PM - 10PM	0	0	2	1.1	0	0	2	4								
10PM - 11PM	2	1.1	0	0	2	1.1	1	5								
11PM - 12AM	0	0	0	0	0	0	0	0								
	19	10	36	18.9	24	12.6	22	11.6	37	19.5	28	14.7	24	12.6	190	100

**LAGRANGE PARK FIRE DEPARTMENT  
EMERGENCY MEDICAL SERVICES  
RESPONSE ACTIVITIES – NOVEMBER 2023**

**NATURE OF CALL:**

Cardiac	009
Injured Person	034
Medical Emergency	056
Road Accident	006
Respiratory	013
Assist Patient	021
Mutual Aid Given	011
EMS Stand-by	002

**OUTCOME OF SERVICES:**

Treated/Transported	099
Refused Services	030
Assist Patient Only	021
Other	001

**LEVEL OF CARE PROVIDED:**

Advanced (ALS)	070
Basic (BLS)	029
Refused Care	051
Other	001

**TRANSPORT FACILITIES:**

LaGrange Hospital	078
Loyola Medical Center	009
Hinsdale Hospital	007
MacNeal Hospital	001
Good Samaritan Hospital	000
Hines VA Hospital	000
Elmhurst Hospital	004
Not transported	052

**RESPONSE ACTIVITY:**

Total Calls – Month	152
Total Calls – YTD	1724
Total Patients – Month	151
Total Patients – YTD	1752

**LOCATION OF CALL:**

Commercial	004
Educational	
Barnsdale School	000
Forest Road School	000
Nazareth Academy	002
Park Junior High School	001
Brook Park	001
Industrial	000
Bethlehem Woods Complex	
Residential Towers	021
Assisted Living Center	008
Institutional	
OLB Center	003
The Grove Health Care	005
Plymouth Place	034
Scheck Senior Center	000
Residential	
Single Family	037
Multi Family	016
Miscellaneous	
Police/Fire Station	002
Street/Road/Park	007
Mutual Aid Given	011


**MUTUAL AID ACTIVITY:**

Provided to:	
LaGrange	007
Westchester	004

Received from:	
LaGrange	007
Brookfield	006

*Steve Tullis*

Submitted by:  
Steve Tullis, Fire Captain  
EMS Coordinator



Approved by:  
Dean Maggos, Fire Chief



# LA GRANGE PARK FIRE DEPARTMENT

447 N. Catherine Avenue  
La Grange Park, Illinois 60526

(708) 354-0225 *Administration*  
(708) 352-2141 *Non-Emergency*  
(708) 354-0241 *FAX*

## EMERGENCY MEDICAL SERVICES ACTIVITY REPORT – NOVEMBER 2023

### Ambulance Responses:

This month EMT and Paramedic personnel responded to a total of 152 requests for emergency medical services treating a total of 151 patients. There were 117 calls located west of the IHB Railroad and 24 calls east of the IHB Railroad. We gave mutual 11 times and received it 13 times. Year to date there has been a total of 1,724 requests for emergency medical services caring for a total of 1,752 patients.

This compares to last year (November 2022) when there were 171 requests for a year to date total of 1,613 requests.

### Training and Continuing Education:

There was no Continuing Education for the month of November. Members are encouraged to complete any missing Continuing Education throughout the year.

Firefighter/Paramedic, Ivan Garcia graduated from the Romeoville Fire Academy and is now an OSFM certified Basic Operations Firefighter.

FF/PM Matt Scott obtained his CPR Instructor certification from the American Heart Association and is now licensed to teach Community CPR for the Department.

### Special Activities:

Nazareth Football Home Playoff Game Coverage was conducted by our EMS Personnel on November 4<sup>th</sup> and 18<sup>th</sup> from 1pm until 4pm.

La Grange Park Fire Department CPR Instructors conducted CPR renewal training for the members of the Police Department and members of the Fire Department during the week of November 27<sup>th</sup>. A total of 53 personnel obtained CPR, AED, and Basic First Aid renewal certification.

*Steve Tullis*

---

Submitted by:  
Steve Tullis, Fire Captain  
EMS Coordinator

---

Approved by:  
Dean J. Maggos, Fire Chief



## **DIVISION OF FIRE PREVENTION MONTHLY SUMMARY REPORT DECEMBER 2023**

### **Inspection Detail**

Total Inspections - 33

Initial Inspections - 14

Re-Inspections - 17

Complaints/Situational Follow-up - 2

### **Public Education/Relations**

#### **Block Parties:**

11/4 : 600 Edgewood (Lt. Hurley, M Hughes, N Ausmann, M Ullrich)

#### **Miscellaneous:**

11/18: Ace Hardware Holiday Event/Santa Delivery (Lt. Hurley, Lt. Drake, M Scott, E Lilly)

### **Activities of Note**

**720 E 31<sup>st</sup> St.:** During response to an AFA at Plaza 31 it was noted that the access door at Rosati's was partially ripped off its hinges. In follow-up by Fire Prevention, it was discovered that it happened during a wind storm approximately 3 weeks ago. The door wouldn't close/secure, so they tied a broom stick across the interior side of the doorway, and tied the door to the broomstick so it can't be pulled open from the outside. Captain Fagan informed the manager that the door functions as an emergency exit, and that it allows the FD access to the annunciator panel so it needs to be repaired as soon as possible. As of this writing, the door can be secured in the frame, and it can be locked and accessed from the outside. However, since this is marked as an exit, the interior release hardware has to be repaired/ installed.

**Kensington Place:** Sprinkler installations are being completed on several houses which requires multiple inspections over the months of December and January. The developer has requested that sprinkler inspections be done prior to climate controlling the occupancies. As a result, system testing consists of an air leak test, followed by a true 2-hour hydrostatic test. The contractor agreed to assume any liability associated with leaks in the areas that covered with drywall. There are multiple deviations from the approved plans, and the sprinkler contractor agreed to submit as-builts in advance of future inspections.

**FlowMSP:** All of the commercial and residential occupancy addresses have been entered into Flow MSP. Hydrant data has been obtained from Public Works and sent to FlowMSP for entry. However, the current hydrant data in FlowMSP doesn't match the PW data. I'm working with FlowMSP staff to determine where the initial data came from to assure accuracy. Pre-plan information consisting of pictures of the occupancy with icons depicting the fire protection features have been entered for approximately 20% of the commercial occupancies. This will be an ongoing effort.

Submitted by Captain Fagan, Coordinator Gruszka, Chief Maggos.



**La Grange Park Fire Department  
Division of Operations & Training  
November 2023**



**Monthly Training Summary**

**Regular Training**

November 2 & 3	Open House Preparations
November 9 & 10	SOG & Pre-Plan Review
November 16 & 17	Extrication / NFPA Cone Course
November 23 & 24	Equipment, Vehicle, Station Maintenance, & FAE / Recruitment Event
November 30 & 31	Ground Ladders

**Training hour totals**

	November 2023	2023 YTD
Training Hours	410.00	5723.00

**Monthly Operations Summary**

**Fire Call Activities**

	November 2023	2023 YTD	November 2022	2022 YTD
Total Fire Calls	40	501	43	532
Total Incidents	190	2150	209	2067

**Fire Call Mutual Aid Summary**

	November 2023 Aid Received	2023 YTD Aid Received	November 2023 Aid Given	2023 YTD Aid Given
Brookfield	5	41	4	46
La Grange	8	88	4	96
Western Springs	0	6	1	8
Other	0	13	0	13
Mutual Aid Totals	13	149	9	163

***Norman Rick***

Submitted by:  
Norman Rick, Deputy Fire Chief

Approved by:  
Dean J. Maggos, Fire Chief



# Call Breakdown By Month Report



Print Date/Time: 01/17/2024 15:20

La Grange Park Fire Department

Login ID: dmaggos

FDID Number: CS533

Layer: All

Station: All

Year: 2023

Areas: All

Situation Type	January #	February #	March #	April #	May #	June #	July #	August #	September #	October #	November #	December #
111 Building fire	0	1	0	0	2	1	2	1	2	0	1	
113 Cooking fire, confined to container	1	0	0	0	1	0	0	1	0	0	1	
151 Outside rubbish, trash or waste fire	0	2	0	1	1	0	1	1	0	0	0	
154 Dumpster or other outside trash receptacle fire	0	0	0	0	0	0	0	0	0	1	0	
162 Outside equipment fire	0	0	0	1	1	1	0	1	0	1	0	
300 Rescue, EMS incident, other	0	0	0	0	0	0	0	0	0	0	0	
311 Medical assist, assist EMS crew	0	0	1	1	1	0	1	1	1	0	0	
321 EMS call, excluding vehicle accident with injury	136	146	165	137	156	137	148	160	143	167	148	
322 Motor vehicle accident with injuries	2	4	3	5	5	11	8	7	8	6	5	
323 Motor vehicle/pedestrian accident (MV Ped)	1	0	1	0	1	0	2	0	0	0	0	
331 Lock-in (if lock out , use 511 )	0	0	0	0	0	0	0	0	0	1	0	
352 Extrication of victim(s) from vehicle	1	0	0	0	0	1	0	1	1	0	0	
353 Removal of victim(s) from stalled elevator	1	1	1	0	0	0	0	1	0	1	0	
381 Rescue or EMS standby	0	0	0	0	0	0	0	0	2	2	2	
400 Hazardous condition, other	0	0	1	0	0	0	1	1	1	1	0	
411 Gasoline or other flammable liquid spill	0	0	0	0	0	0	0	1	0	0	0	
412 Gas leak (natural gas or LPG)	2	3	3	3	3	4	2	1	0	2	2	
413 Oil or other combustible liquid spill	0	0	0	0	0	1	0	0	0	0	0	
422 Chemical spill or leak	0	0	0	0	0	0	1	1	0	0	0	
424 Carbon monoxide incident	1	1	0	0	0	1	1	0	3	0	2	
440 Electrical wiring/equipment problem, other	0	1	3	1	0	0	0	0	0	0	1	
441 Heat from short circuit (wiring), defective/worn	1	0	0	0	0	0	0	0	0	0	0	
442 Overheated motor	0	0	0	1	0	0	0	1	1	1	1	
444 Power line down	0	1	0	1	0	1	2	2	0	0	0	

445 Arcing, shorted electrical equipment	0	0	0	0	0	0	1	0	0	1	0	
461 Building or structure weakened or collapsed	0	0	0	0	0	0	1	0	0	0	0	
500 Service Call, other	1	1	0	1	0	1	0	1	0	1	3	
511 Lock-out	0	1	0	1	0	0	0	0	0	0	1	
522 Water or steam leak	0	0	0	1	0	1	2	0	0	0	0	
531 Smoke or odor removal	1	0	0	0	1	0	0	0	0	0	0	
541 Animal problem	0	0	0	1	0	0	0	0	0	0	0	
551 Assist police or other governmental agency	0	0	0	0	1	0	0	0	0	0	0	
555 Defective elevator, no occupants	0	0	1	0	0	0	0	0	0	0	0	
571 Cover assignment, standby, moveup	1	1	1	1	1	1	0	0	0	1	0	
600 Good intent call, other	0	2	0	1	1	1	1	1	0	1	0	
611 Dispatched & canceled en route	15	12	16	11	12	13	9	10	14	6	7	
632 Prescribed fire	0	0	0	0	0	0	0	0	0	0	1	
651 Smoke scare, odor of smoke	0	3	0	0	1	2	2	1	2	0	1	
652 Steam, vapor, fog or dust thought to be smoke	0	0	0	1	0	0	0	0	0	0	0	
671 HazMat release investigation w/no HazMat	2	0	0	1	3	0	3	1	0	1	0	
700 False alarm or false call, other	0	0	1	0	0	1	0	1	0	0	1	
710 Malicious, mischievous false call, other	0	0	0	0	0	0	0	0	0	0	1	
711 Municipal alarm system, malicious false alarm	0	0	0	0	0	1	0	0	0	0	0	
712 Direct tie to FD, malicious false alarm	0	0	1	0	0	0	0	1	0	0	0	
730 System malfunction, other	0	0	0	1	0	0	0	0	0	0	0	
733 Smoke detector activation due to malfunction	0	0	0	0	2	2	3	1	1	1	1	
735 Alarm system sounded due to malfunction	0	0	1	1	0	3	0	1	1	2	1	
736 CO detector activation due to malfunction	0	0	0	0	1	1	4	1	1	2	3	
740 Unintentional transmission of alarm, other	0	0	1	0	0	0	0	0	0	0	0	
743 Smoke detector activation, no fire - unintentional	1	5	5	8	5	0	3	6	2	5	1	
744 Detector activation, no fire - unintentional	0	1	0	0	0	2	1	0	1	2	1	
745 Alarm system activation, no fire - unintentional	4	2	3	3	1	2	3	3	5	3	3	
746 Carbon monoxide detector activation, no CO	3	1	1	1	1	1	0	2	0	2	2	
<b>Totals:</b>	174	189	209	184	201	190	202	211	189	211	190	